

Vantage 4.0 R3

Domain Management Guide

Copyrights and Trademark Notices

Copyright © 2013 Telestream, Inc. All rights reserved. No part of this publication may be reproduced, transmitted, transcribed, altered, or translated into any languages without the written permission of Telestream. Information and specifications in this document are subject to change without notice and do not represent a commitment on the part of Telestream.

Telestream, Vantage, GraphicsFactory, FlipFactory, Episode, Flip4Mac, Flip Player, MetaFlip, MotionResolve, ScreenFlow, Wirecast, and Split-and-Stitch are registered trademarks and Lightspeed, Pipeline, Launch, and Videocue are trademarks of Telestream, Inc.

QuickTime, Mac OS X, and Safari are trademarks of Apple, Inc. Bonjour, the Bonjour logo, and the Bonjour symbol are trademarks of Apple, Inc.

MainConcept is a registered trademark of MainConcept LLC and MainConcept AG. Copyright 2004 MainConcept Multimedia Technologies.

Microsoft, Windows NT|2000|XP|XP Professional|Server 2003, Vista, Media Player, Media Encoder, .Net, Internet Explorer, SQL Server 2008, and Windows Media Technologies are trademarks of Microsoft Corporation.

This product is manufactured by Telestream under license from Avid to pending patent applications.

This product is manufactured by Telestream under license from VoiceAge Corporation

Dolby and the double-D symbol are registered trademarks of Dolby Laboratories.

SharpSSH2 Copyright (c) 2008, Ryan Faircloth. All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Diversified Sales and Service, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,

WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Other brands, product names, and company names are trademarks of their respective holders, and are used for identification purpose only.

Part number: **99387**

Contents

Telestream Contact Information 17

Domain Management Overview 19

Introduction to Vantage	19
Vantage Domain Components	21
Vantage Domain Configurations	23
Vantage Programs	23
Vantage Workflow Designer	25
Vantage Workflow Portal Client Application	26
Vantage Workflow Portal Web Application	26
Vantage Job Status Views	26
Vantage Management Console	27
Vantage Dashboard	27
Vantage Licenses	28
Topics in this Guide	31

Before You Install 33

Server Hardware Requirements	34
Vantage Server Requirements	34
Database Server Requirements for SQL Standard	35
Disk Space Requirements	36
Operating System Requirements	37
Vantage Web Applications	37
Vantage Client Software	38
Vantage Services	39
Windows XP Pro Requirements	39
Windows Server 2003 Requirements	40
Windows Server 2008 Requirements	40
Third-Party Software Requirements	41
QuickTime Requirements	41
.NET Framework Requirements	42
Anti-Virus Software Recommendations	42

Network Requirements	43
IP Address Requirements	43
Port Requirements	43
Firewall Guidelines	44
Windows Authentication Guidelines	45
About Vantage Windows Authentication	45
Configuration Guidelines for the Vantage Windows User Account	46
Configuring Folders for Vantage Access	46
Time Synchronization Guidelines	47
Database Selection and Configuration Guidelines	48
Guidelines for Selecting SQL Express or SQL Standard	49
Database Size Guidelines	49
Database Traffic Guidelines	49
SQL Express Limitations	50
SQL Standard Limitations	50
Guidelines for an All-In-One Installation with SQL Express	50
Guidelines for an All-In-One Installation with SQL Standard	50
Guidelines for a Distributed Domain Installation with SQL Standard	51
Tips for Improving Performance on Non-Dedicated Servers	51
Improving Availability with Mirroring	52
Vantage Installers Overview	53
Obtaining the Vantage Installer	53
Vantage Installation Package	54
Vantage Domain Database Setup Installer	54
Vantage Setup Installer	54
Vantage Client Installer	55
Vantage Web Applications Setup Installer	55
Vantage Workflow Portal Installer	55
Licensing Overview	55
Using Vantage in Demo Mode	56
Obtaining a Vantage License	56
Adding or Replacing License Files	56
Planning for a Vantage Distributed Domain Installation	57

Installing and Upgrading Vantage 59

Upgrading to Vantage 4.0 R3	60
Installing an All-in-One Domain	61
Installing the Vantage Domain Database	61
Installing Vantage Services, Transcode & Analysis Engine, and Client Programs	62
Installing Vantage Updates	65
Setting Up a Vantage Store	65
Additional Installation Tasks	66
Installing a Vantage Distributed Domain	67
Setting Up the Vantage Domain Database	67
Installing SQL Server 2008 Standard	68
Configuring SQL Server Standard Memory Settings	69
Installing the Vantage Domain Database	69

Setting Up Vantage Array Servers	70
Installing Vantage Services, Transcode & Analysis Engine, and Client Programs	71
Installing Vantage Updates	74
Setting the Vantage Windows Log On ID for a Service	74
Adding Vantage Services to a Distributed Domain	76
Setting Up a Vantage Store	76
Additional Installation Tasks	77
Enabling a Vantage License	78
Installing a Vantage License	78
Troubleshooting License Installation Problems	79
Activating a Vantage License Offline	79
Resolving a DEP Conflict	83
Installing/Updating Vantage Client Programs on Workstations	84
Installing/Updating the Vantage Workflow Portal Windows Program	84
Installing/Updating Vantage Web Applications	85
Installing Vantage Web Applications	86
Upgrading Vantage Web Applications	89
Managing Alias Support for the VWP Web Client	90
Creating a Virtual Directory	91
Creating an Alias	92
Modifying an Alias	93
Deleting an Alias	93
Installing Microsoft Silverlight	93
Troubleshooting Vantage Web Applications Installation	93
Moving the Vantage Domain Database to Another Database	94
Preparing for the Move	94
Backing up the Existing Database	95
Removing the Vantage Domain Database	96
Removing Microsoft SQL Server	96
Installing SQL Server 2008 Standard	98
Configuring SQL Server Standard Memory Settings	99
Installing the Vantage Domain Database	100
Restoring the Vantage Domain Database Backup	101
Finishing the Move	101
Adding a Server to a Vantage Domain	102
Adding a Lightspeed Server to an Existing Vantage Domain	103
Moving Licenses to Another Domain	103
Moving Vantage Services to Another Domain	104
Setting the Vantage Windows Log On ID for a Service	105
Removing the Vantage Domain Database	107
Removing Microsoft SQL Server	107
Verifying DTC Service Settings	108
Verifying DTC Operation	108
Verifying the DTC Configuration	108

Using the Vantage Management Console 111

- Introduction 111
- Starting the Vantage Management Console 112
 - Selecting a Domain 112
 - Entering a Username and Password 114
- Managing the Vantage Domain Connection 115
 - Identifying the Selected Domain 115
 - Selecting a Different Domain 115
- Using the Vantage Management Console Workspace 116
 - Components Panel 116
 - Details Panel 116
- Managing Tips and Warnings 117
- Using the Help System 117
 - Context-Sensitive Help 117
 - The Vantage Domain Management Guide 117
 - Tool Tips 118
 - Online Help 118
- Displaying Vantage Version Information 118
- Vantage Management Console Reference 118
 - Vantage Management Console Menus 118
 - Vantage Component Descriptions 120
 - Settings and Options 121
 - Application Configurations 121
 - Support Utilities 122

Managing a Vantage Domain 123

- Managing Licenses 123
 - Viewing Vantage Licenses 124
 - Adding a License 125
 - Deactivating a License 125
- Managing Vantage File Storage 125
 - Understanding Vantage Storage 125
 - Understanding Path Specifications for Vantage Storage 126
 - Managing Vantage Stores 127
 - Adding and Configuring Vantage Stores 128
 - Viewing Files in a Vantage Store 129
 - Modifying a Vantage Store 129
 - Moving a Store Online or Offline 130
 - Identifying Workflows that Use a Store 130
 - Setting the Block Size 131
 - Duplicating a Vantage Store 132
 - Exporting and Importing Vantage Stores 132
 - Deleting a Vantage Store 132

Managing Vantage Folder Addresses	133
Adding Vantage Folder Addresses	134
Refreshing the List of Folders	135
Modifying Vantage Folder Addresses	135
Identifying Workflows that Use a Vantage Folder	135
Deleting a Vantage Folder Address	136
Setting the Block Size	136
Duplicating a Vantage Folder Address	137
Exporting and Importing Folder Addresses	137
Managing Vantage Users	137
Enabling and Disabling User Management	138
Managing Users with Vantage Management Console	138
Adding Users	139
Setting Passwords	139
Removing Users	139
Importing and Exporting Users	140
Managing Services	140
Using the Services Details Panel	140
Adding a Service to the Domain	142
Removing a Service from the Domain	143
Entering and Exiting Service Maintenance Mode	143
Entering and Exiting Server Maintenance Mode	144
Resetting the Service Metrics History	144
Configuring Vantage Services	144
Setup	144
Service Storage	146
Service Variables	147
Qualification Rules	148
Managing Load Balancing	150
Overview of Load Balancing	150
Examples of Cost-Based Load Balancing	152
Enabling and Disabling Cost-Based Load Balancing	152
Configuring Vantage Email Notifications	153
Specifying Authorization Credentials for Remote Folder Access	154
Understanding Authorization Settings	154
Displaying the Authorization Settings	156
Refreshing the Authorization Record List	156
Adding an Authorization Record	156
Modifying an Authorization Credentials Record	157
Deleting an Authorization Credentials Record	157
Exporting and Importing Authorization Records	157
Configuring an Agility ECS Connection	158
Using the Data Collection Utility	159
Using the Change Log	160
Using the Error Log	162
Displaying Plug-in Versions	164

Backing Up and Restoring the Vantage Domain Database	165
Understanding Domain Backup and Restore	166
Backing Up the Domain	166
Restoring the Domain	167
Renaming a Vantage Domain	168
Renaming a Vantage Server	169

Supporting Workflow Design and Operation 171

Managing Vantage Workflows	171
Managing Workflows with VMC	172
Opening Workflow Designer and a Workflow	172
Exporting Workflows	173
Importing Workflows	173
Refreshing the Workflow List	174
Related Workflow Management Topics	174
Managing Workflow Design Items	174
Enabling and Disabling Expiration of Failed Jobs	175
Setting the Vantage Workflow Designer Grid Width/Height	175
Managing Workflow Categories	176
Managing Media Nicknames	177
Understanding Media Nicknames	178
Managing Media Nicknames with VMC	179
Creating Media Nicknames	179
Deleting Media Nicknames	180
Exporting and Importing Media Nicknames	180
Searching for Media Nicknames in Workflows	180
Managing Metadata Labels	181
Understanding Metadata Labels	181
Vantage Metadata Label Applications	182
Managing Metadata Labels with VMC	183
Creating Metadata Labels	183
Adding Metadata Label Parameters	184
Duplicating a Parameter within a Metadata Label	185
Adding a Copy of a Metadata Label Parameter to Another Metadata Label	185
Deleting a Metadata Label Parameter	185
Modifying Metadata Labels and Parameters	185
Previewing Metadata Labels and Values	186
Sorting Metadata Label Parameters	186
Deleting Metadata Labels	186
Duplicating a Metadata Label	186
Exporting and Importing Metadata Labels	186
Searching for Metadata Labels in Workflows	187

Managing Attachment Nicknames	187
Understanding Attachment Nicknames	188
Managing Attachment Nicknames with VMC	188
Creating Attachment Nicknames	189
Deleting Attachment Nicknames	189
Exporting and Importing Attachment Nicknames	189
Managing Variables	190
Understanding Variables	190
Managing Variables with VMC	191
Creating Variables	192
Modifying Variables	192
Deleting Variables	192
Duplicating a Variable	193
Exporting and Importing Variables	193
Searching for Variables in Workflows	193
Managing Style Sheets	194
Understanding Style Sheets	194
Managing Style Sheets with VMC	195
Adding a Style Sheet	195
Renaming a Style Sheet	196
Deleting Style Sheets	196
Exporting and Importing Style Sheets	196
Managing Actions	197
Understanding Actions	197
Managing Action Default Settings with VMC	197
Configuring the Resource Cost	198
Configuring Retry Settings	198
Exporting and Importing Action Default Settings	200
Exporting and Importing Workflow Action Configurations	200
Related Action Management Topics	202
Managing Binders	202
Understanding Binders	203
Managing Binders with VMC	204
Creating and Deleting Binders	205
Submitting Binders from VMC	206
Renaming a Binder	208
Configuring a Binder Expiration Policy	208
Managing Media Files in a Binder	208
Adding a Media File Reference	209
Removing a Media File Reference	209
Renaming a Media File Reference	210
Previewing a Media File	210
Managing Metadata Labels in Binder	210
Managing Binder Attachments	211

Managing Catalogs	212
Understanding Catalogs	212
Managing Catalogs with VMC	212
Creating and Deleting Catalogs	214
Creating and Deleting Catalog Folders	214
Configuring a Catalog or Folder Expiration Policy	215
Viewing the Active Workflows and Actions	215
Viewing the Active Workflows in a Domain	215
Viewing Active Actions	216
Viewing Active Actions for a Service	217
Viewing Active Actions for a Vantage Server	217
Viewing Workflow and Action Analytics	218
Viewing Workflow Analytics	218
Viewing Action Analytics	221
Creating Report Formats	222
Creating Job Report Formats	223
Managing Job Reports with VMC	223
Creating a New Job Report Format	224
Including and Excluding the Header Row	225
Choosing the Report Format Columns	225
Duplicating a Job Report Format	226
Deleting a Job Report Format	226
Refreshing the Format List	226
Exporting and Importing Job Report Formats	226

Configuring Job Status Views Operation 229

Displaying the View Configuration Panel	230
Enabling and Disabling the All Workflows View	230
Creating a New View	231
Renaming a View	231
Duplicating a View	231
Deleting a View	231
Selecting and Changing the Workflow for a View	232
Displaying All Jobs or All Jobs in Process	232
Selecting Full or Read-Only Access	232
Choosing the Display Columns	233
Configuring User or Public Access	234
Refreshing the View List	235
Exporting and Importing Views	235

Configuring Vantage Workflow Portal Operation 237

Introduction to Vantage Workflow Portal	237
VWP Licensing	238
User-Based Licensing	238
Machine-Based Licensing	238
Viewing and Resetting VWP Sessions	239
Introduction to VWP Configurations	240
Managing VWP Configurations	240
Creating and Editing VWP Configurations	241
Selecting a Configuration Mode for Response to Ingest Workflows	242
Browse Catalogs (Copy Binder) Mode	242
Browse Catalogs (Forward Binder) Mode	243
Create EDLs from Catalogs (Create Binder) Mode	244
Ingest Workflow Considerations	245
Selecting the Configuration Mode to Forward Network Files to a Workflow	245
Specifying Catalog Access for a Configuration	246
Enabling and Disabling Operator Access to Catalogs	246
Hiding and Displaying the Operator Catalog List	248
Hiding and Displaying the Media List (Nicknames)	248
Managing Asset Requirements for Ingest Workflows	249
Enabling and Disabling Binder Deletions	249
Configuring Operator Binder Deletions	249
Configuring Automatic Binder Deletions	250
Enabling and Disabling Binder Filtering	250
Defining the Controls and Display Items in Binder View	251
Defining the Standard Feature Settings	252
Adding and Deleting Columns for Metadata Parameters	253
Managing Metadata Label Configuration Options for Operators	253
Managing Variable Configuration Options for Operators	255
Controlling Operator Workflow Forwarding	257
Defining EDL Storage	259
Managing User Access to VWP Configurations	259
Deleting a Configuration	260
Saving a Configuration	261
Duplicating a Configuration	261
Exporting and Importing Configurations	261
Refreshing the Configuration List	262
VWP Deployment Tips	262
Vantage Workflow Portal Tours	262
VWP Tour: Operators Submit an EDL	262
Step 1: The Ingest Workflow	263
Step 2: The Target Workflow	263
Step 3: VWP Configuration	264

VWP Tour: Extracting Highlights	264
Step 1: Label Design	264
Step 2: The Ingest Workflow	265
Step 3: The Target Workflow	266
Step 4: The Portal Configuration	267

Monitoring the Domain with Vantage Dashboard 269

Overview	269
Managing Vantage Dashboard Sessions	270
Vantage Web Applications Browser Requirements	270
Starting the Vantage Dashboard	271
Connecting for the First Time	272
Reconnecting to Vantage Dashboard	273
Understanding the Vantage Dashboard Display	274
Hiding and Displaying the Header Pane	274
Managing the Menu Pane	275
Sorting Lists in the Status Pane	275
Logging Out	275
Changing Your Vantage User Password	275
Changing Vantage Domains	276
Displaying Product Version Information	276
Displaying Help	276
Returning to the Welcome Page	277
Troubleshooting Tip	277
Monitoring a Domain	277
Displaying Domain Status	278
Displaying Domain License Status	279
Displaying Vantage Release and Patch Status	280
Managing Servers	281
Displaying Vantage Server Status	282
Vantage Server Health	282
Array Statistics	283
Enabling and Disabling Vantage Server Maintenance Mode	283
Managing Agility Servers	284
Managing Services	285
Displaying Service Information	285
Service Statistics	286
Array Statistics	288
Summary Status	289
Entering and Exiting Service Maintenance Mode	292
Resetting Service Statistics	293
Managing Jobs	294
Paging Through the Job List	295
Filtering Jobs or Actions	295
Highlighting Failed and Stopped Jobs or Actions	299
Displaying Job Error Details	299
Stopping Jobs	299

Restarting Jobs	299
Deleting Jobs	300
Displaying Action Error Details	300
Changing Action Priority	300
Restarting Actions	300

Removing Vantage Software 301

Uninstalling Vantage from a Server	301
Uninstalling Vantage from a Workstation	303
Removing Individual Vantage Software Components	303
Uninstalling Vantage Web Applications	304
Uninstalling Vantage Workflow Portal	304
Uninstalling Update Packs	304
Uninstalling the Telestream Media Transcode and Analysis Engine	305
Uninstalling Vantage Services and Clients from a Server	305
Uninstalling the Vantage Domain Database	306
Removing Vantage Domain Database Files	306

Glossary 309

Telestream Contact Information

To obtain product information, technical support, or provide comments on this guide, contact us using our web site, email, or phone number as listed in [Table 1](#).

Table 1. Telestream Contact Information

Resource	Contact Information
Telestream Technical Support	Web Site: http://www.telestream.net/telestream-support
Vantage Technical Support	Web Site: http://www.telestream.net/telestream-support/vantage/support.htm Support Web Mail: http://www.telestream.net/telestream-support/vantage/contact-support.htm
Telestream, Inc.	Web Site: www.telestream.net Sales and Marketing Email: info@telestream.net Telestream, Inc. 848 Gold Flat Road Nevada City, CA. USA 95959
International Distributor Support	Web Site: www.telestream.net See the Telestream Web site for your regional authorized Telestream distributor.
Telestream Technical Writers	Email: techwriter@telestream.net If you have comments or suggestions about improving this document, or other Telestream documents—or if you've discovered an error or omission, please email us.

Domain Management Overview

Vantage domain management tasks include Vantage installation, configuration, and management. The Vantage domain administrator primarily uses the Vantage Management Console to configure and manage a Vantage domain.

The following topics introduce Vantage and the Vantage system components that an administrator installs and manages:

- [Introduction to Vantage](#)
- [Vantage Domain Components](#)
- [Vantage Domain Configurations](#)
- [Vantage Programs](#)
- [Vantage Licenses](#)
- [Topics in this Guide](#)

Introduction to Vantage

At the simplest level, Vantage is a software program that automates media workflows. A Vantage media workflow defines one or more actions to process source media files. The actions supported in a Vantage workflow are defined by the Vantage product licenses you select. [Table 2](#) lists some typical workflow objectives, the Vantage licenses that support those objectives, and descriptions of the objectives.

Note: The license information in [Table 2](#) is provided for reference only. Vantage licenses are introduced in [Vantage Licenses](#).

Table 2. Vantage Workflow Objectives

Workflow Objective (Vantage License)	Description
File-to-file transcoding (Vantage Transcode or Transcode Pro)	<p>Transcoding workflows automate the process of converting a video file from one media format to another. Vantage can open most video files, regardless of the encoding and packaging format, and create one or more new video files using one or more selections from an extensive list of encoder and packaging formats.</p> <p>To perform a simple transcode with Vantage, you create a workflow, which defines what you want to do and what the output format should be. (Vantage automatically detects the input format.)</p>
Adaptive streaming encoding (Vantage Multiscreen)	<p>Adaptive streaming workflows, when run on a Lightspeed Server, can automate multi-rate H.264 encoding and preparation of on-demand media for adaptive streaming playout on mobile devices. The Lightspeed Server accelerates this type of workflow, and Vantage also automates the packaging and delivery of media to Content Delivery Networks (CDNs) or HTTP origin servers.</p>
Moving media between devices (Vantage Transcode Pro Connect)	<p>Media transport workflows use Vantage native connections to move media between a wide variety of broadcast servers, edit systems, and other professional video devices. Using these integrations, Vantage can automate the process of receiving media into, or moving media between, different devices—ensuring the right file format at any of many possible destinations.</p>
Media analysis and media-dependent processing (Vantage Analysis)	<p>Media analysis workflows use Vantage features to analyze media, compare the results to configured values, and make decisions about how media should be routed or processed.</p>

With the proper product licenses, Vantage workflows can incorporate some or all of the objectives listed in [Table 2](#), as well as other workflow design and management features, which include the following:

- Workflow visualization—Vantage offers a highly flexible process design interface, with visual components that help you see what the workflow will accomplish
- Notifications—Vantage can send emails or notify external systems when media is available
- Intelligent branching—Vantage workflows can be configured to evaluate variables, metadata, and the results of other workflow tasks, and select the appropriate workflow branch for further processing.

- Workflow monitoring and control—Vantage programs allow you to view the status of jobs that have been submitted to a workflow, and you can stop, cancel, or restart jobs.
- Operator control—Vantage provides tools for enabling operator management. Operators can submit files to workflows, view the results of workflow, and submit the results to yet another workflow. Operators can also view the status of workflow jobs and, if granted permission by a Vantage administrator, stop, cancel or restart jobs.
- Scalability and Redundancy—Vantage scales to thousands of jobs and dozens of servers in an enterprise environment.


Vantage also provides many system management features, allowing you to scale a Vantage system to many servers, manage user access, and optimize system performance and reliability. The system management features are described in topics throughout this guide.

Vantage Domain Components

Vantage supports the installation of multiple Vantage domains within a business. A Vantage domain is a collection of Vantage software components that are linked together as a single Vantage installation. For example, you might install a Vantage domain for the Sports Department and another for the News Department, creating two Vantage domains. Each Vantage domain maintains its own database, and automates its own workflows, independently of other Vantage domains.

As a Vantage domain administrator, it becomes your job to manage the components in a Vantage domain. [Figure 1](#) shows a simplified view of the basic components of a Vantage domain.

Figure 1. Simplified View of the Basic Vantage Domain Components



The work that you want Vantage to perform is defined in a workflow, which is created using the Vantage Workflow Designer program. The workflow is made up of individual tasks called **actions**, which specify what needs to be done with the input files. A typical workflow contains actions to do some or all of the following:

- Discover media that is ready for processing at an input storage location
- Analyze and transcode input media
- Store temporary media files in the Vantage store
- Deliver finished media files to an output storage location

Many other actions are provided in the Vantage Workflow Designer. You can create and save many different workflows in a Vantage domain, and you can use them over and over with different files. Automation features allow you to initiate workflow processing whenever a new file appears in a *hot* folder. For more information on the available actions and workflow design, see the *Vantage User's Guide*.

Vantage workflows are stored in the Vantage domain database, which is the control center of a Vantage domain. All configuration for the domain is stored in the Vantage domain database, as are statistics and status information about the workflows processed by the domain. Vantage domain administrators configure Vantage using the Vantage Management Console.

Working with the Vantage domain database, Vantage services execute workflow actions in a Vantage domain. Each service executes specific action types. For example, the Transcode service executes the Flip workflow action, which transcodes an input media file.

The input and output storage locations shown in [Figure 1](#) are not Vantage components, although they can reside on Vantage servers. When Vantage workflows contain actions to access input files or publish output files, these actions must access available storage locations. These storage locations can be folders that reside on a network server or workstation, a Network-Attached Server (NAS), or a Storage Area Network (SAN).

The Vantage store is a storage location that stores temporary files that are created during workflow processing, and it can store output files. Typically, temporary files are deleted after a job expires or is deleted, however, Vantage controls allow you to change this to retain files for a period of time or indefinitely.

Vantage Domain Configurations

While Vantage supports many different physical configurations, there are two primary domain configurations, the all-in-one domain and the distributed domain.

An all-in-one domain is a Vantage domain in which all the basic Vantage components shown in [Figure 1](#) are installed on a single server. An all-in-one domain is simpler to install and manage, but it has performance limitations which are described in [Before You Install](#).

A distributed domain is one in which the basic Vantage components are distributed among multiple servers. For example, you might install the Vantage domain database on one server, and install all Vantage services on each of two additional servers. This three-server Vantage domain separates database processing from Vantage service processing, which increases processing capacity for both the Vantage database and the Vantage services. Having Vantage services on two servers also increases capacity and supports load-balancing, which leads to better throughput, and redundancy, which enables failover protection for the Vantage domain.

Vantage Programs

Vantage programs allow you to manage the components in the Vantage domain. [Table 3](#) lists the Vantage programs according to the Vantage management area they serve and the type of program.

Table 3. Vantage Programs


Management Area	Program Type	
	Client Applications	Web Applications
Workflow Management	Vantage Workflow Designer Vantage Workflow Portal	Vantage Job Status Views Vantage Workflow Portal
Domain Management	Vantage Management Console	Vantage Dashboard

From a management point of view, each Vantage program can be classified as a workflow management program or a domain management program. Workflow management programs allow you to design workflows, evaluate and forward the results of a workflow, and track the status of workflows. Domain management programs allow you to configure the Vantage domain, view status and statistics for the domain, and control domain operation.

Each Vantage program can also be classified by application type, which is either as a client program or a Web application. Client programs run on Microsoft Windows servers and workstations. Web applications are hosted by a Microsoft Internet Information Services (IIS 7) server and can be accessed from any computer with a compatible browser and a network or Internet connection to the IIS 7 server hosting the Web applications.

Figure 2 shows how the additional Vantage programs not shown in Figure 1 fit into a Vantage domain.

Figure 2. Simplified View of Vantage Domain, Showing All Vantage Programs



The following topics introduce each of the Vantage programs:

- [Vantage Workflow Designer](#)
- [Vantage Workflow Portal Client Application](#)
- [Vantage Workflow Portal Web Application](#)
- [Vantage Job Status Views](#)
- [Vantage Management Console](#)
- [Vantage Dashboard](#)

Vantage Workflow Designer

Vantage Workflow Designer (VWD) enables you to design and automate workflows to meet your organization's transcoding and workflow automation requirements. With Vantage Workflow Designer, you can design workflows that do the following:

- Detect media files and related files that are ready for processing
- Evaluate the contents of source media files and set variables that describe those contents
- Create actions that choose different workflow branches based on variable values
- Generate email and system messages in response to workflow events
- Incorporate related metadata content files or add metadata to the workflow or final output
- Transcode media files to other formats, including new package formats such as Apple HLS and Adobe HDS
- Save media output files and delete source files
- Combine any or all of the above features in hundreds of possible workflows

A typical workflow design session requires that you pick the actions you want to take, configure the sequence and settings of those actions, and then activate the workflow. When you activate the workflow, the Vantage domain database and Vantage services work together to process any source material that is submitted to the workflow. Each time source material is submitted, a Vantage *job* is started. A job represents a single instance of a workflow. If 10 unrelated media files are submitted to a workflow, 10 jobs are started.

Vantage Workflow Designer also includes tools that allow you to monitor the status of workflows and jobs in the domain.

For more information on the Vantage Workflow Designer, see the *Vantage User's Guide*.

Vantage Workflow Portal Client Application

Vantage Workflow Portal (VWP) allows workflow operators to manage jobs. Workflow designers create the workflows, and workflow operators use VWP to do some or all of the following:

- Submit media files to workflows
- Review media processed by workflows
- Attach metadata to media for workflow submission
- Stitch multiple files together
- View metadata labels generated by a workflow
- Make changes to metadata labels and variables in preparation for submission to a target workflow

Vantage Workflow Portal cannot operate until it is installed on a Windows server or workstation and configured within Vantage using the Vantage Management Console. To view media in VWP, you must also create a workflow to preprocess the media. For information on configuring support for VWP, see [Configuring Vantage Workflow Portal Operation](#).

For information on using VWP, see the *Vantage User's Guide*.

Vantage Workflow Portal Web Application

The Vantage Workflow Portal Web application is a Web version of the VWP Windows program. For information on using the VWP Web application, see the *Vantage User's Guide*.

Vantage Job Status Views

Vantage Job Status Views (JSV) is a Web application that provides Vantage operators and managers with job status information. Using the Vantage Management Console, Vantage administrators can configure custom *views*, which define what information an operator sees when opening a view. When there is a large volume of jobs or when security policies dictate, you might want to create custom views for individual operators or departments.

For information on configuring support for Vantage JSV, see [Configuring Job Status Views Operation](#).

For information on using the Vantage JSV, see the *Vantage User's Guide*.

Vantage Management Console

The Vantage Management Console (VMC) enables you to configure and manage a Vantage domain. The following is a partial list of Vantage features that you can control with VMC:

- Vantage stores
- Vantage users
- Vantage licenses
- Load balancing
- Vantage services
- Import and export of Vantage configuration components, such as workflows
- Vantage Job Status Views
- Vantage Workflow Portal
- Vantage domain database backup and restore

Vantage Management Console also allows you to view some domain status information.

Most of the features that you can configure are described in [Managing a Vantage Domain](#). Some features, such as support for VWP are described in other chapters of the *Vantage Domain Management Guide*.

Vantage Dashboard

Vantage Dashboard is designed to help domain administrators track the status and system health for the entire Vantage domain, as opposed to other tools which enable management of domain components.

The Vantage Dashboard pages are designed to help you quickly assess the health of the domain and progressively dig into deeper detail as needed. For example, the Summary Status page allows you to quickly see the workflow completion success rate and the error rate on domain servers. The information on the Summary Status page can help you determine if it is more appropriate to look for problems in a workflow or in a particular server.

Other Vantage Dashboard pages allow you to view the status of servers, services, and jobs. When troubleshooting, it can be very helpful to determine if problems are system wide or confined to a server, a service, or a particular workflow. Vantage Dashboard provides the Web pages that allow you to quickly assess your domain from any Web client that has connectivity to your domain.

For information on using Vantage Dashboard, see [Monitoring the Domain with Vantage Dashboard](#).

Vantage Licenses

Vantage licenses enable specific features or feature sets in Vantage programs. All Vantage software is available on the Telestream web site. Vantage licenses allow you to download and install Vantage software at your convenience and purchase only those features that you need. If you need additional features later, you can purchase an add-on license. Each license is distributed in an XML file, and features may be bundled so that a single license file enables multiple features.

The following topics introduce the licenses available when this guide was created:

- [Transcoding Licenses](#)
- [Workflow Licenses](#)
- [Feature-Specific Licenses](#)
- [Vantage Workflow Portal](#)
- [Vantage Array](#)
- [Vantage Team Management](#)
- [Vantage Enterprise Control](#)
- [Master Control](#)

Transcoding Licenses

The transcoding licenses enable specific encoders and packagers. The following are the transcoding license configurations:

- Vantage Transcode
- Vantage Transcode Pro
- Vantage Transcode Connect
- Vantage Transcode Pro Connect
- Vantage Transcode Multiscreen (requires Lightspeed server)
- Vantage Transcode Multiscreen Pro (requires Lightspeed server)

For information on which encoders and packagers are provided with each license, refer to the Telestream web site: <http://www.telestream.net/telestream-support/vantage/support.htm>

Workflow Licenses

The workflow licenses enable various features specific to automating media workflows:

- Vantage Analysis
- Advanced Avid Integration (requires Transcode Pro Connect)
- Screen MediaMate Integration (various models are available)
- Civolution Integration
- GraphicsFactory

- DP600 integration
- Digimetrics integration

Feature-Specific Licenses

Feature-specific licenses add support for one or more features to an existing Vantage domain. Vantage supports the following feature-specific licenses:

- Lightspeed Acceleration (comes with Lightspeed Server)
- SpectreView Windows Media Plug-In with Sequencing for Vantage Transcoding
- Dolby E Decode Option for Vantage Transcoding
- Nielsen Watermarking Option
- Screen Open Subtitling Option

Vantage Workflow Portal

The Vantage Workflow Portal requires a license for each operator that will simultaneously use the program. For example, if three operators will use the program, but only two operators are expected to use the program simultaneously, you need two licenses.

Vantage Array

The Vantage Array license allows you to install Vantage services on multiple Windows servers, increasing the capacity and reliability of your Vantage domain. Vantage Array features include the following:

- Redundancy. Multiple Vantage array servers can host the same service, increasing the processing capacity of the Vantage domain.
- Session-based load balancing. When a Vantage service is enabled on multiple Vantage array servers, individual workflow actions can be executed by any Vantage array server that is configured for the supporting service. Action execution is scheduled based on CPU availability and priority.
- Priority acceleration for transcoding actions. Vantage array servers can pause lower priority actions, execute the higher priority action, and then resume the lower priority action.
- N+1 failover protection. Vantage array servers communicate with each other and can redistribute the workload if a Vantage array server fails. If a job fails to complete due to a Vantage array server failure, another Vantage array server restarts the job.
- Support for mirrored Microsoft SQL databases to provide redundancy and failover protection for the Vantage domain database.

If the current domain is an all-in-one domain, the activation of a Vantage Array license changes the configuration to a distributed domain. In a distributed domain using the Vantage Array license, every Vantage server becomes a Vantage array server and requires the Vantage Array license.

If the current domain is an all-in-one domain, the activation of a Vantage Array license changes the role of the Vantage server to a Vantage array server, and you can create a

distributed domain by adding Vantage array servers. In a distributed domain using the Vantage Array license, every Vantage server becomes a Vantage array server and requires the Vantage Array license.

In this guide, features that require the Vantage Array license are flagged with the following icon:

Array | Enterprise Control | Master Control

Vantage Team Management

The Vantage Team Management license adds support for Vantage user access control to the following:

- Vantage Workflow Designer
- Vantage Management Console
- Vantage Workflow Portal
- Vantage Job Status Views

This license also enables the use of the Vantage JSV program.

In this guide, features that require the Vantage Team Management license are flagged with the following icon:

Team Management | Enterprise Control | Master Control

Vantage Enterprise Control

As with the Vantage Array license, the Vantage Enterprise Control license allows you to install Vantage services on multiple Windows servers. The Vantage Enterprise Control features include the following:

- All Vantage Team Management features.
- All Vantage Array features
- Cost-based load balancing. When a Vantage service is enabled on multiple Vantage array servers, individual workflow actions can be executed by any Vantage array server that is configured for the supporting service. Action execution is scheduled based on a configurable action cost, a configurable target cost for each array server, CPU availability, and priority.
- Workflow analytics that display a visualization of real-time and historical workflows. This provides bottleneck analysis, workflow optimization, and the tracking of batch jobs through the overall process.

If the current domain is an all-in-one domain, the activation of a Vantage Enterprise Control license changes the role of the Vantage server to a Vantage array server, and you can create a distributed domain by adding Vantage array servers. In a distributed domain using the Vantage Enterprise Control license, every Vantage server becomes a Vantage array server and requires the Vantage Enterprise Control license.

In this guide, features that require the Vantage Enterprise Control license are flagged with the following icon:

Enterprise Control | Master Control

Master Control

As with the Vantage Array and Vantage Enterprise Control licenses, the Vantage Master Control license allows you to install Vantage services on multiple Windows servers. The Vantage Master Control features include the following:

- All Vantage Team Management features.
- All Vantage Array features.
- All Vantage Enterprise Control features.
- Vantage Dashboard program.
- Historical reporting, including external notification of key system statistics, and a user-configurable job history reporting system that allows report generation for billing, system utilization, and capacity planning.
- Agility 2G integration.

If the current domain is an all-in-one domain, the activation of a Vantage Master Control license changes the role of the Vantage server to a Vantage array server, and you can create a distributed domain by adding Vantage array servers. In a distributed domain using the Vantage Master Control license, every Vantage server becomes a Vantage array server and requires the Vantage Master Control license.

In this guide, features that require the Vantage Master Control license are flagged with the following icon:

Master Control

Topics in this Guide

The following topics introduce the major topics in this guide:

- The [Before You Install](#) topic discusses Vantage requirements that should be addressed before you install your domain. This topic discusses hardware, operating system, software, and network requirements, as well as guidelines for planning your installation. Your Vantage domain installation will proceed more efficiently if you familiarize yourself with all the content in this topic.
- The [Installing and Upgrading Vantage](#) topic discusses how to install all-in-one domains and Vantage distributed domains, and how to install additional applications such as the Vantage client programs, Vantage Web Applications, and Vantage Workflow Portal. Additional topics describe how to upgrade Vantage and how to move a Vantage domain database.
- The [Using the Vantage Management Console](#) topic discusses how to start and use the Vantage Management Console.

- The [Managing a Vantage Domain](#) topic discusses how to use the Vantage Management Console to manage domain administrative features such as licensing and load balancing.
- The [Supporting Workflow Design and Operation](#) topic discusses how to use the Vantage Management Console to manage the Vantage components used by workflow designers. These components include workflows, media nicknames, binders, and workflow analytics.
- The [Configuring Job Status Views Operation](#) topic discusses how to use the Vantage Management Console to configure support for the Vantage JSV Web application. Before Vantage operators can use JSV, the Vantage administrator must configure support as described in this topic.
- The [Configuring Vantage Workflow Portal Operation](#) topic discusses how to use the Vantage Management Console to configure support for the VWP client. Before Vantage operators can use the VWP, the Vantage administrator must configure support as described in this topic.
- The [Monitoring the Domain with Vantage Dashboard](#) topic discusses how to use the Vantage Dashboard Web application to view domain status at the domain, server, service, and job levels. This topic also describes how to use Vantage Dashboard controls to do tasks such as take services and servers offline, reset statistics counters, stop jobs, and change action priority.
- The [Removing Vantage Software](#) topic discusses how to uninstall Vantage products from servers and workstations, and how to remove the database and database files.
- The [Glossary](#) topic defines terms used in Vantage product documentation.

Before You Install

Use this topic to understand the hardware, software, database, and network requirements before performing an installation. You'll also learn about Vantage installers, how to obtain a Vantage license, and some distributed Vantage domain planning advice – this topic is about what you need to know before you install a Vantage domain.

Installing Vantage is easiest when you plan carefully, and you have a working knowledge of Windows server administration, networking, Microsoft SQL Server, and installation and configuration of enterprise-level software. Consult your IT group for assistance as necessary.

Note: Go to www.telestream.net/telestream-support/vantage/support.htm to browse the Vantage Web library, user's guides, patches, application notes, and other documents.

The following topics provide information you should consider when planning a Vantage installation:

- [Server Hardware Requirements](#)
- [Operating System Requirements](#)
- [Third-Party Software Requirements](#)
- [Network Requirements](#)
- [Database Selection and Configuration Guidelines](#)
- [Vantage Installers Overview](#)
- [Licensing Overview](#)
- [Planning for a Vantage Distributed Domain Installation](#)

Server Hardware Requirements

Vantage is optimized for dual quad-core Intel and Intel-compatible processors that support Windows operating systems. The following topics provide more information on Vantage server hardware requirements:

- [Vantage Server Requirements](#)
- [Database Server Requirements for SQL Standard](#)
- [Disk Space Requirements](#)

Note: Vantage Transcode Multiscreen requires the use of the Lightspeed Server, a high-density Windows server from Telestream that includes multiple GPUs and acceleration software. Transcode Multiscreen will not operate on generic Windows hardware.

Vantage Server Requirements

Vantage server requirements depend on which domain components (services, media files, and database) are installed on the server, as well as how much media you plan to store on the server. [Table 4](#) lists the hardware requirements for servers that host Vantage and SQL Express database services.

Table 4. Vantage Server Hardware Requirements

Hardware	Requirements
Processor	Dual quad-core processors; 4MB cache recommended. A 64-bit processor computer should be used for best performance.
RAM	At least 4GB RAM recommended, depending on the number of concurrent transcode sessions desired. More than 4GB is recommended when running a 64-bit operating system.

Table 4. Vantage Server Hardware Requirements (Continued)

Hardware	Requirements
Disk space	<p>All-in-one installations: 500 GB; approximately 100 MB for Vantage services and clients, approximately 500 MB for the Transcode and Analysis Engine, and approximately 400 GB for the Vantage store media and database. The initial database size is approximately 100 MB.</p> <p>For more information, see Disk Space Requirements.</p>
Ethernet/Fibre	<p>All-in-one installations: Gigabit Ethernet (GbE / 1 GigE) minimum. (Dual Ethernet may be needed in some situations).</p> <p>Distributed domains: Gigabit Ethernet (GbE / 1 GigE) minimum. Recommend dual bonded Ethernet or 10GigE. The Vantage domain database and all Vantage services should be on the same subnet.</p>
Numeric Processing Instruction Set	MMX, SSE, and SSE2 enabled.

Database Server Requirements for SQL Standard

Telestream recommends using a dedicated database server for high-traffic distributed domains that use SQL Standard. The requirements for SQL Standard are different from those for SQL Express. [Table 5](#) lists the hardware requirements for servers that host SQL Standard.

Note: The computer name of the server hosting the principal Vantage domain database is used as the Vantage domain name. Telestream recommends providing a computer name that is appropriate to your Vantage installation. For example: Vantage or Vantage_DB.

Table 5. Database Server Recommendations (With or Without Vantage)

Configuration	Recommendations
Processor	Dual quad-core processors; 4MB cache recommended. A 64-bit processor computer should be used for best performance.
RAM	<ul style="list-style-type: none">• Recommended: minimum 8 GB RAM• Preferred: 32 GB RAM
Disk space	All-in-one installations: 30 GB Distributed domain database servers: <ul style="list-style-type: none">• Minimum 300 GB drive space for the database.• Recommend: 2 physical hard drives or RAID arrays, one for the OS, and one for SQL and the database files. For more information, see Disk Space Requirements .
Ethernet/Fibre	Gigabit Ethernet (GbE / 1 GigE) minimum. Recommend dual bonded Ethernet or 10GigE. The Vantage domain database and all Vantage services should be on the same subnet.
Numeric Processing Instruction Set	MMX, SSE, and SSE2 enabled.

Note: Vantage may have difficulty decoding MPEG2 or H.264 video when running on a server with more than 32 cores (or 16 hyperthreaded cores). This does not include certain MOV wrapped H.264 files. Symptom: the job hangs at 0 percent. To solve this problem, host the Transcode service on servers with 32 cores or less, or turn off hyper-threading in the BIOS.

Note: Telestream recommends utilizing a Gigabit Ethernet or Fibre-Channel for connecting Vantage servers and connecting to media stores to improve performance.

For more guidelines on database installation in a Vantage domain, see [Database Selection and Configuration Guidelines](#).

Disk Space Requirements

A Vantage domain requires disk space for the following:

- Vantage services
- Vantage domain database
- Vantage input and output files

Compared to the storage needs for the database and input and output files, the Vantage services and clients require relatively little disk space (approximately 100 MB). The disk space requirements for a Vantage domain database are listed in [Table 4](#) and [Table 5](#), and additional database guidelines are provided in [Database Selection and Configuration Guidelines](#).

The disk space required for the input and output files depends on the size of the files and how long the files are stored. In a [Vantage store](#), files related to a specific job are deleted when the job expires or the job is deleted by a user.

For all-in-one installations, the disk space requirements listed in [Table 4](#) should be sufficient for all Vantage services, client applications, the database, and the input and output files. However, it is a good practice to monitor disk usage after installation and at periodic intervals to determine if the available disk space is appropriate.

For distributed domains, some form of centralized storage must be used for media files. The centralized storage, which might be a SAN, a NAS, or a network share, is required so that all Vantage services and clients can access the files. To determine the storage needed for input and output files, evaluate the expected media file size and storage duration, and add sufficient disk space. The recommended disk space listed in [Table 5](#) is for the database only; media file storage is not included. If media files are added to the database server, they should be stored on a different drive than the database to prevent resource contention.

Operating System Requirements

The following topics describe the operating system requirements for Vantage components:

- [Vantage Web Applications](#)
- [Vantage Client Software](#)
- [Vantage Services](#)

Vantage Web Applications

Vantage Web Applications should be installed on an IIS server running on the same subnet as the Vantage domain database, so that the Web applications can auto-discover the Vantage domain. To improve the performance of Vantage Web Applications and Vantage services, place the Vantage Web Applications on a dedicated server, separate from the Vantage domain database and Vantage services. The following list ranks the possible Vantage Web Application configurations from most preferred (#1) to least preferred:

1. Dedicated Vantage Web Application server.
2. Vantage Web Applications installed on a Vantage domain database server that does not host Vantage services.
3. Vantage Web Applications installed with the Vantage domain database and Vantage services on the same server (includes all-in-one domains).

Vantage Web Applications should only be installed and operated on the following 32-bit or 64-bit operating systems:

- Windows Server 2008 R1 (32-bit|64-bit) + IIS 7 + .NET Framework 4.0
- Windows Server 2008 R2 (64-bit only) + IIS 7 + .NET Framework 4.0

IIS must be installed with ASP.NET and IIS 6 Management Capability installed.

Note: For information on Vantage Web application browser requirements, see [Vantage Web Applications Browser Requirements](#).

Vantage Client Software

Vantage client programs (Vantage Management Console, Vantage Workflow Designer, and Vantage Workflow Portal) may be installed and run directly on a Vantage server, or on client workstations.

Note: Telestream recommends installing Vantage client programs only on user's workstations (not directly on Vantage servers) when there are three or more Vantage servers and over 500 jobs routinely in the Vantage domain database.

Vantage client programs are supported on the following operating systems:

- Windows Vista
- Windows 7
- Windows Server 2003 R2
- Windows Server 2008 R1 and R2
- Windows XP Pro

Note: To effectively operate Vantage services and their client programs in a distributed domain, and with other networked devices or systems, you must disable the Windows Firewall.

All operating systems must be upgraded with the latest service packs and security updates from Microsoft.

For Windows Server 2008 R2, Telestream recommends that you set the Windows theme to Windows 7 Basic to ensure proper display of the client programs. This theme is only available when Desktop Experience is installed (see [Install the Desktop Experience](#)). If a Remote Desktop Protocol (RDP) product is used to connect to the server, then you must install the following role feature to make this theme available: Remote Desktop Services > Remote Desktop Session Host > Desktop Composition.

Vantage Services

Vantage services should only be installed and operated on the following 32-bit or 64-bit operating systems (64-bit recommended for performance):

- Windows Server 2008 R2 (Recommended, 64-bit only)
- Windows Server 2008 R1 (32-bit | 64-bit)
- Windows Server 2003 R2 (32-bit | 64-bit)
- Windows XP with SP3 (32-bit, all-in-one installations only)
- Windows XP with SP2 (64-bit, all-in-one installations only)

All-in-one installations can be installed on Windows XP Pro. However, the Vantage Enterprise system management products are *not supported* on XP Pro.

The following topics describe additional Vantage service operating system requirements:

- [Windows XP Pro Requirements](#)
- [Windows Server 2003 Requirements](#)
- [Windows Server 2008 Requirements](#)

Windows XP Pro Requirements

The following topics describe additional Vantage requirements for the Windows XP Pro operating system:

- [Use Windows Installer 4.5](#)
- [Supporting Windows Media Advanced Profile Codec](#)

Use Windows Installer 4.5

Windows servers hosting a Vantage domain database must be updated with Windows Installer 4.5, the application installation and configuration service for Windows, before installing the Vantage domain database. To obtain the installer, go to [Microsoft's Download Center Windows Installer 4.5](#) page. Review the requirements, download the appropriate installer, and install it on your server(s) before continuing.

Supporting Windows Media Advanced Profile Codec

If you plan to use the Windows Media Advanced Profile codec on Windows XP Pro, install Windows Media Player 11 from Microsoft. Windows XP Pro does not include the Windows Media Video V9 Advanced Profile (VC1 Advanced Profile) codec, which is included in Windows Media Player 11.

If you install Windows Media Player 11 and Vantage is already installed, restart the Vantage server after installation.

Windows Server 2003 Requirements

The following topics describe additional Vantage requirements for the Windows Server 2003 operating system:

- [Use Windows Installer 4.5](#)
- [Supporting Windows Media Advanced Profile Codec](#)

Use Windows Installer 4.5

Windows servers hosting a Vantage domain database must be updated with Windows Installer 4.5, the application installation and configuration service for Windows, before installing the Vantage domain database. To obtain the installer, go to [Microsoft's Download Center Windows Installer 4.5](#) page. Review the requirements, download the appropriate installer, and install it on your server(s) before continuing.

Supporting Windows Media Advanced Profile Codec

If you plan to use the Windows Media Advanced Profile codec on Windows Server 2003, install Windows Media Player 11 from Microsoft. Windows Server 2003 does not include the Windows Media Video V9 Advanced Profile (VC1 Advanced Profile) codec, which is included in Windows Media Player 11.

If you install Windows Media Player 11 and Vantage is already installed, restart the Vantage server after installation.

Windows Server 2008 Requirements

The following topics describe additional Vantage requirements for the Windows Server 2008 operating system:

- [Use Windows Installer 4.5 or 5.0](#)
- [Install the Desktop Experience](#)
- [Understand User Account Control Admin Approval Mode](#)
- [Enable Computer Browser Service](#)

Use Windows Installer 4.5 or 5.0

Windows servers hosting a Vantage domain database must be updated with Windows Installer 4.5 or 5.0, the application installation and configuration service for Windows, before installing the Vantage domain database. Windows Installer 5.0 is provided with Windows Server 2008 R2. To obtain the Windows 4.5 Installer, go to [Microsoft's Download Center Windows Installer 4.5](#) page. Review the requirements, download the appropriate installer, and install it on your server(s) before continuing.

Install the Desktop Experience

Prior to installing Vantage, the Desktop Experience must be installed. Follow these steps.

1. Click Start > Administrative Tools > Server Manager.
2. In the console tree, click Features, then click Add Features.

3. Check Desktop Experience and click Next.
4. Follow the steps to complete Desktop Experience installation.
5. When installation is complete, restart the server when prompted to do so.

Understand User Account Control Admin Approval Mode

If User Account Control: Run all administrators in Admin Approval Mode is enabled, run installers by right-clicking the installer and selecting Run as Administrator. If this feature is disabled, you can run the installer normally.

To verify the setting value (Enabled | Disabled):

1. Display the command window (Start > Command Prompt).
2. In the command window, type *secpol.msc* and press Enter.
3. In the Local Security Policy window, select Local Policies > Security Options. In the Policy column, find User Account Control: Run all administrators in Admin Approval Mode and view the Security Setting.

Enable Computer Browser Service

Although set by default on the standard distribution of Server 2008, ensure that the Computer Browser service is enabled by doing the following:

1. In Windows, display the Services Control Panel.
2. If the Computer Browser service is set to disabled, right-click and open the Properties window.
3. On the General tab > Startup type, select Automatic and click OK.
4. Start the service.

Third-Party Software Requirements

The following topics describe Vantage software requirements and recommendations for third-party products:

- [QuickTime Requirements](#)
- [.NET Framework Requirements](#)
- [Anti-Virus Software Recommendations](#)

CAUTION: If you do not install/upgrade all required software, Vantage may not operate correctly.

QuickTime Requirements

The Telestream Media Transcode and Analysis engine requires QuickTime if you plan to transcode QuickTime files. Obtain the QuickTime installer or download it from www.apple.com/quicktime/win.html. Click Free Download to download and install it.

Vantage includes Telestream Media Transcode and Analysis engine version 2012.1, which is qualified with QuickTime version 7.6.9.

Note: If you do not install the Telestream Media Transcode and Analysis engine version that is supplied with the Vantage installer, be sure to install the QuickTime version that is recommended for the version you are installing.

The Vantage Setup installer checks for QuickTime. If it is not installed in the default directory, the installer alerts you that QuickTime is not installed or up to date.

After installation, be sure to uncheck Check for Updates, so that this version is not updated without your knowledge, then restart the server.

If you do not install the correct QuickTime version, encoding some formats causes this error: "An error occurred during execution of the Transcode Task: RenderSession Configuration Error, message: Requested encoder | decoder not installed."

.NET Framework Requirements

Vantage requires .NET Framework 3.5 Service Pack 1 on all servers that host the Vantage domain database, Vantage services, or Vantage client programs. All workstations that run Vantage client programs must also run .NET Framework 3.5 Service Pack 1.

Vantage Web Applications require .NET Framework 4 on the IIS server.

Note: Microsoft .NET Framework 3.5 Service Pack 1 and .NET Framework 4 provide different services and can both be installed on the same server. Microsoft .NET Framework 4 does not provide all the services provided in .NET Framework 3.5 Service Pack 1, so you must install both applications on Vantage servers that support Vantage Web Applications.

Install the .NET Framework as follows:

- For Windows Server 2008 R2, install .NET 3.5 SP1 directly from Server Manager > Features.
- For Windows XP, Server 2003 and 2008 R1, download .NET 3.5.1 from Microsoft and install it.
- To install .NET 4.0, download .NET 4.0 from Microsoft and install it.

Anti-Virus Software Recommendations

Telestream recommends that you do not use anti-virus software on Vantage servers. You should not enable real-time scanning. If you do use anti-virus software, you should identify Vantage as a safe or trusted application. Telestream recommends that you disable real-time file scanning, because it will impact performance and potentially lock files being processed, impacting Vantage's ability to operate properly.

Note: Be sure to turn off anti-virus software during Vantage installation or install the anti-virus software after you install Vantage.

Network Requirements

The following topics provide information on Vantage network requirements and guidelines:

- [IP Address Requirements](#)
- [Port Requirements](#)
- [Firewall Guidelines](#)
- [Windows Authentication Guidelines](#)
- [Time Synchronization Guidelines](#)

IP Address Requirements

Telestream recommends using static IP addresses for all machines within a Vantage domain. This is especially important when the network does not have a DNS server.

In a distributed domain installation, Telestream recommends that you install the Vantage domain database, Vantage services, and client programs in the same subnet to avoid communication issues. Within Vantage client and web applications, the service discovery feature automatically discovers all Vantage domains within a subnet. If you must access a Vantage domain from outside the subnet that hosts the Vantage domain database, you can use a DNS host name or IP address to specify the domain.

Port Requirements

Vantage services are preconfigured with default TCP port numbers for network communications. To enable communications between Vantage components, you must ensure that there are no port number conflicts between the applications on each Vantage server. [Table 6](#) lists the default port numbers used by Vantage.

Note: For instructions on viewing or changing the default port settings, see [Configuring Vantage Services](#).

Table 6. Default Port Numbers for Vantage Services

Vantage Service	Ports
Agility	TCP: 8678, 8679
Analysis	TCP: 8672, 8673
Aurora	TCP: 8688, 8689

Table 6. Default Port Numbers for Vantage Services (Continued)

Vantage Service	Ports
Cable	TCP: 8672, 8673
Catalog	TCP: 8664, 8665
Communicate	TCP: 8662, 8663
MediaMate	TCP: 8684, 8685
Metadata	TCP: 8674, 8675
Monitor	TCP: 8658, 8659
Multiscreen	TCP: 8682, 8683
SDK	TCP: 8676, 8677
Staging	TCP: 8686, 8687
Transcode	TCP: 8670, 8671
Transport	TCP: 8660, 8661

Firewall Guidelines

Telestream recommends that you disable the Windows Firewall on all computers that will communicate with or support Vantage services. The default Windows Firewall configuration will block access to a Vantage server from other Vantage components, such as other Vantage servers or workstations running Vantage client software.

If you must run a firewall, keep in mind that Vantage communicates with the following systems/component ports, which should be considered when configuring firewall settings:

- Agility ECS Connection—TCP: 80. Note: this default value is configured on Vantage servers as described in [Configuring an Agility ECS Connection](#).
- Avid Interplay (Unity Client, Transfer Engine, Web Services)—Discovery: UDP port 8321. For other ports, see Avid documents including Interplay Admin Guide and Avid Interplay Software Installation and Configuration Guide.
- FTP (Passive mode)—TCP: 20, 21. Custom FTP port numbers can be entered in Vantage workflows. Also, FTP uses additional port numbers as specified in the protocol specifications. Refer to the protocol specifications for additional information.
- Grass Valley AMP—Port 3811 by default.
- Harris NEXIO—TCP: 2098.
- HTTP—TCP: 80.
- Microsoft Distributed Transaction Coordinator (DTC)—User configurable; default port: 3372 when TIP is enabled. See Microsoft documentation for details.

- Microsoft SQL Server—TCP ports: 1433 and 49150–49300, UDP port: 1434—see Microsoft documentation for details.
- Server Message Block (SMB)—TCP: 137–139, 445, UDP: 137–139, 445.
- SFTP—TCP: 22. Custom SFTP port numbers can be entered in Vantage workflows. Also, SFTP uses additional port numbers as specified in the protocol specifications. Refer to the protocol specifications for additional information.
- SMTP—TCP: 25. Note: this default value is configured on Vantage servers as described in [Configuring Vantage Email Notifications](#).
- Vantage service ports listed in [Table 6](#).
- WS-Discovery—TCP: 46123, UDP: 3702.

Note: The third-party port numbers mentioned above are listed for your convenience and, due to the scope and variety of server products available, this list is not complete. Port numbers utilized by third-party products are obviously beyond control of Telestream; they change over time, and some are user or runtime configurable. Please contact each product’s vendor for additional port usage details.

Windows Authentication Guidelines

By default, Vantage services use the Windows *Local System account* when accessing file space for media storage and delivery. When all Vantage services, clients, and delivery targets are on one server, the default configuration works well. When any Vantage service, client, or delivery target is on another computer, Windows authentication requirements must be met to enable communication between multiple computers.

The following topics provide additional authentication guidelines:

- [About Vantage Windows Authentication](#)
- [Configuration Guidelines for the Vantage Windows User Account](#)
- [Configuring Folders for Vantage Access](#)

About Vantage Windows Authentication

A Vantage domain requires authentication planning when workflows require Vantage to ingest media from or send media to another computer. For remote file access, use the following guidelines:

- Configure each Vantage service that accesses files on another server to use a Windows log on ID and password. For example: *VantageWinUser*.
- Configure each remote storage folder to support access from the log on ID for Vantage services.

- If the same service operates on multiple Vantage servers, and requires access to files at a remote location, configure the same log on ID and password for all instances of that service.

For example, if the Transcode service is running on three servers, it operates as one Transcode service with three instances or *nodes*. Vantage requires that every Vantage node within a service use the same log on ID.

Note: When a service is comprised of multiple nodes, the Local System account, which is the default log on ID for all-in-one installations, cannot be used because it represents a different user on each system.

Configuration Guidelines for the Vantage Windows User Account

To support Vantage service access to other Vantage servers and file folders on other computers, Telestream recommends that you create a Vantage user account within the Windows domain or workgroup. To distinguish the Vantage Windows user account from regular Vantage user accounts, use a name that indicates that this is a Windows user account. For example, VantageWinUser.

Your Windows domain or workgroup administrator can configure the Vantage Windows user account before Vantage installation. When configuring this account, consider the following guidelines:

- The Vantage Windows user account should be added to the local administrator group on each server so that Vantage has the proper authority to run Vantage services and install Vantage software.
- The Vantage Windows user account must be authorized to log on as a service (see your Windows domain or workgroup administrator), so that Vantage services can log on as the Vantage Windows user on each Vantage server.
- The Vantage Windows user account should have appropriate read and write permission to network locations that Vantage will access. These network locations include the Vantage store and input and output storage locations.
- You can use the Vantage Windows user account to install the Vantage software.

For instructions on configuring services to use the Vantage Windows user account, see [Setting the Vantage Windows Log On ID for a Service](#).

Configuring Folders for Vantage Access

Vantage servers and clients may need access to folders on other computers for any of the following:

- Input of files in Watch folders
- Manual submission of input files
- Storage of output files for future Vantage use
- Delivery of output files to remote destination folders

The following topics describe how to configure folders for Vantage use:

- [Configuring Folder Access Within the Windows Domain or Workgroup](#)
- [Configuring Folder Access Outside of the Windows Domain or Workgroup](#)
- [Configuring Access to a SAN System](#)

Note: Vantage cannot access network locations defined using a Windows mapped drive. You must use a UNC path to define network locations for Vantage use.

Configuring Folder Access Within the Windows Domain or Workgroup

If you create a Vantage Windows user account as described [Configuration Guidelines for the Vantage Windows User Account](#), granting Vantage access to any folder within the domain is as simple as granting access to the Vantage Windows user. If Vantage workflow designers, operators, or administrators also need access, grant folder access to their Windows user names.

Configuring Folder Access Outside of the Windows Domain or Workgroup

When Vantage needs to access computers in a different Windows domain or workgroup, the Windows log on ID from the current domain or workgroup is not accepted. To support Vantage service access, you can configure a Vantage authorization record as described in [Specifying Authorization Credentials for Remote Folder Access](#).

Configuring Access to a SAN System

When you want to access files in a SAN system, be aware that some systems expose the shared drive as a letter (mapped) drive (for example, X:) that is visible on any client of the SAN. Although Vantage cannot reference a Windows mapped drive, you can reference SAN drives via a drive letter, provided that each Vantage server is a client of the SAN and that all mount points use the same letter.

Time Synchronization Guidelines

When a Vantage domain includes multiple servers and workstations, you should verify that all the computers are set to the same regional settings and the correct time zone. Otherwise, the timestamps associated with Vantage events may display incorrectly and time-driven events might not occur on schedule. When checking the time configuration in the Vantage domain, be sure to check the configuration on the following:

- All servers with Vantage services
- All Vantage domain database servers
- All Vantage web hosts
- All file servers that support Vantage stores and folders
- All workstations that run Vantage Workflow Designer, Vantage Workflow Portal, and Vantage Management Console (VMC)

Network time protocols on your network should keep the time within tolerances, as long as you correctly configure the following:

- The time zone for each server or workstation should be correct for the respective time zone.
- Any adjustment for daylight savings time should be consistent on all servers and workstations within the same time zone.

Database Selection and Configuration Guidelines

Vantage is supported on the following database systems:

- Microsoft SQL Server 2008 R1 SP2 Express
- Microsoft SQL Server 2008 R1 SP2 Standard
- Microsoft SQL Server 2008 R2 Standard

Note: Microsoft SQL Server 2005 SP3 Standard is supported only for Vantage 3.0 systems which are upgraded, not for new Vantage 4.0 installations.

Telestream recommends the following database installation configurations:

- All-in-one domain with SQL Server 2008 R1 SP2 Express
- All-in-one domain with SQL Server 2008 R2 Standard
- Distributed domain with SQL Server 2008 R2 Standard

If your Vantage installation requires an all-in-one domain, you can choose between SQL Express and SQL Standard. If your installation requires a distributed domain, Telestream recommends SQL Standard. The following topics provide guidelines for choosing a database and for implementing a database:

- [Guidelines for Selecting SQL Express or SQL Standard](#)
- [Guidelines for an All-In-One Installation with SQL Express](#)
- [Guidelines for an All-In-One Installation with SQL Standard](#)
- [Guidelines for a Distributed Domain Installation with SQL Standard](#)
- [Tips for Improving Performance on Non-Dedicated Servers](#)
- [Improving Availability with Mirroring](#)

Note: You cannot use database utility programs to move a Vantage domain database of one version to a later version of Vantage. To upgrade Vantage, only use Vantage installers, as described in the upgrade instructions (see [Upgrading to Vantage 4.0 R3](#)).

Guidelines for Selecting SQL Express or SQL Standard

The decision about whether to use SQL Standard instead of Express should consider your planned maximum database size and the expected average volume of database traffic. The following topics provide information that can help you choose which database system to use:

- [Database Size Guidelines](#)
- [Database Traffic Guidelines](#)
- [SQL Express Limitations](#)
- [SQL Standard Limitations](#)

Database Size Guidelines

The size of the database is generally related to the number of jobs in a database. Each workflow record stores its entire job history, which means that simple workflows (such as a basic transcode) require less database space for each job than complex workflows (such as those involving decision-making or multiple steps).

As a rule of thumb, if you plan to store more than 500-1,000 jobs in your Vantage domain database at the same time—either running or in job history—use SQL Standard.

Database Traffic Guidelines

Several factors affect the volume of database traffic. While there is no single rule for when you should use SQL Standard, the following factors may influence your decision:

- The number of actions in current jobs. If you often have more than 50-100 actions running simultaneously, you may improve performance by using SQL Standard.
- Distributed domain installations (such as a 3-node Vantage Array) are designed for high job throughput and may often have more than 50-100 actions running simultaneously. SQL Standard is recommended for distributed domains where high volumes of media are submitted for concurrent processing.
- High Use of Web Applications. If you have more than three Web clients accessing Vantage simultaneously, or if you have more than 100 jobs in the job history view, consider using SQL Standard to improve client performance.
- Workflow Analytics (provided with Vantage System Management) typically requires SQL Standard, especially if you have more than 50-100 jobs in the database.

Note: Domains with database mirroring require SQL Standard. Database mirroring is not available when using SQL Express.

SQL Express Limitations

SQL Express has the following limitations:

- Database Size, SQL 2008 Express: 10 GB
- Maximum RAM Usage: 1 GB RAM
- Number of CPUs: 1 CPU

SQL Standard Limitations

SQL Standard has the following limitations:

- No size limit for database
- Maximum RAM Usage: 64 GB RAM usage
- Number of CPU Threads: 4 CPUs

Guidelines for an All-In-One Installation with SQL Express

An all-in-one installation with SQL Express supports all Vantage features up to the limits imposed by SQL Express.

When installing an all-in-one domain with SQL Express, ensure that the database requirements do not exceed the limits of SQL Express (see [Guidelines for Selecting SQL Express or SQL Standard](#)) and that the server hardware meets the requirements described in [Vantage Server Requirements](#).

Guidelines for an All-In-One Installation with SQL Standard

When your installation requires the additional features and performance provided by SQL Standard, SQL Standard may compete for system resources (CPU activity and RAM) with Vantage media file transport, analysis, and transcoding services. Both SQL Standard and Vantage services can require a significant amount of network traffic.

When installing an all-in-one domain with SQL Standard, ensure that the server hardware meets the requirements described in [Vantage Server Requirements](#). For optimum Vantage performance, install SQL Standard and the database on a dedicated physical drive or RAID array, separate from the operating system, the Vantage store, and the input and output files. For performance improvement suggestions, see [Tips for Improving Performance on Non-Dedicated Servers](#).

Guidelines for a Distributed Domain Installation with SQL Standard

For high traffic installations, Vantage performance improves when you use SQL Standard and separate the database from other services such as the operating system and Vantage services. The following guidelines provide increasing levels of performance improvement:

- Place SQL Standard and the database on a dedicated server, separate from Vantage services, the Vantage store, and the input and output files. This approach provides the largest increase in performance.
- Place the Vantage database files on a dedicated physical drive or RAID array, separate from the operating system.
- Place the database on a dedicated server, and use dedicated drives as follows:
 - Dedicated physical drive or RAID array for the operating system.
 - Dedicated physical drive or RAID array for the Vantage database files.

Note: Installing a Vantage domain database on a separate server does not require an extra Vantage license for that server.

When installing a distributed domain with SQL Standard, ensure that the server hardware meets the requirements described in [Database Server Requirements for SQL Standard](#). To improve database availability, see [Improving Availability with Mirroring](#).

Tips for Improving Performance on Non-Dedicated Servers

When installing the Vantage domain database on a non-dedicated server, consider the following performance improvement guidelines:

- If you are using SQL Standard, place SQL Standard and the database on a dedicated physical drive or RAID array, separate from the operating system and Vantage services.
- Limit the number of concurrent Transcode/Analysis tasks on the server to ensure that adequate CPU and network resources are available for the database. This can be done by configuring the relevant services in the Vantage Management Console.
- In a distributed domain, limit the number of concurrent transport actions on the server to ensure that adequate network resources are available for database access.
- Limit the typical size of processed media files to less than 1GB.
- Limit CPU processing for the Transcode and Analysis services to 75% by restricting the number of jobs that are performed. This can be done by configuring the Transport service in the VMC.

- Limit Transport actions within a workflow to the transport of one large file (>1GB) at a time. This can be done by using the VMC to configure the Transport service to allow only one session at a time.
- To limit the resources used by Vantage services, set service limits to a low number. For more information, see [Managing Services](#).

Improving Availability with Mirroring

Telestream supports mirroring for SQL 2008. Database mirroring can prevent Vantage domain interruption if a single database server fails. A mirrored database requires the following physical servers:

- A dedicated server to host the principal database
- A dedicated server (of similar capability to the principal database server) to host the mirror database
- An optional dedicated server to host the witness server.

The witness database is a lightweight service which can run effectively on a low-end server, but cannot be installed on a database server.

Note: This guide does not provide instructions for installing a mirrored database and implementing mirroring. Consult your database administrator or contact your Telestream representative regarding installation service options.

Note: Telestream strongly recommends using a dedicated server for the witness server to ensure uninterrupted operation in case of a database failover. If the witness server function is placed on a server with Vantage services, transcoding can consume too many resources and prevent timely database switchover.

Microsoft SQL Server Standard Client Access Licenses (CALs) are required for the principal and optional mirror servers. The witness server can use SQL Express, which does not require a license.

Note: CAL is an acronym for Client Access License, offered by Microsoft for their SQL Server products. There are two types of CALs: A device CAL allows any number of users to gain access to licensed server software from a particular device, and a user CAL allows a particular user gain access to licensed server software from any number of devices. For example, a customer with fifteen Vantage nodes requires one CAL per node. Additionally, if the Vantage Workflow Portal is deployed for use, a CAL for each connection is required.

Vantage Installers Overview

The following topics introduce the Vantage installers:

- [Obtaining the Vantage Installer](#)
- [Vantage Installation Package](#)

Note: The Vantage installer on CD-ROM is available upon request. Contact sales@telestream.net to request a CD-ROM.

Obtaining the Vantage Installer

The Vantage installer is available from Telestream's Web site. To locate and download the Vantage installer, follow these steps:

1. Use your Web browser to go to dynamic.telestream.net/downloads/download-vantage.asp?prodid=vantage.
2. If you do not have a Telestream account, click Create an Account to display the Create a Telestream Account page. Fill out the form and click Create Account. You can use your user name and password immediately. Telestream will send you a confirmation email.
3. On the login page, enter your authorized user name & password, then click Log In.
4. On the Downloads page, click Download Now to download the Vantage installer package.
Select a folder (or desktop) destination and click Save to download and save the zip file on your computer. The zip file is named *Vantage_x.x.x.zip*. For example: *Vantage_4.0.0.zip*.
5. The Download Progress window displays as the file is downloaded to your computer. When the download is complete, close the Web browser.
6. Right-click the Vantage installer zip and select Extract All. Follow the steps to extract the installers and related files:
 - VantageClient
 - VantageSetup
 - VantageDatabaseSetup
 - VantageWebApplicationsSetup
 - WorkflowPortal

Vantage installers can include a version and build number in the filename. For example, *VantageSetup_xx.xx.xxx.xxxxx.exe*.

Also included:

- A quick start guide for a demonstration all-in-one installation.
- Vantage Patch installers as necessary

- Release Notes
- Vantage Installation Guide (this document).

Later, you'll use these installers to install Vantage as directed.

Vantage Installation Package

The installation package includes the following installers:

- [Vantage Domain Database Setup Installer](#)
- [Vantage Setup Installer](#)
- [Vantage Client Installer](#)
- [Vantage Web Applications Setup Installer](#)
- [Vantage Workflow Portal Installer](#)

Vantage Domain Database Setup Installer

When you install the Vantage domain database (using *VantageDatabaseSetup*) in an all-in-one domain, the installer performs the following:

- Installs SQL Server 2008 Express
- Creates a SQL instance named VANTAGE
- Creates the Vantage domain database on the VANTAGE instance.

Note: If you run the database installer and a SQL instance name VANTAGE already exists, this installer will populate the existing instance.

Vantage Setup Installer

When you install Vantage client programs and services (using *VantageSetup*), the installer provides the option of performing an All-in-One installation or a custom installation.

Custom installation is typically used when performing a distributed domain installation so that you can control which servers host specific Vantage components (services and client programs).

The installer performs these tasks during installation:

- Installs Intel Performance Primitives software for Intel processors
- Checks for QuickTime (only Telestream Media Transcode and Analysis engine utilizes QuickTime, if implemented in your workflows) and advises if missing or obsolete.
- Creates a Telestream directory for Vantage and related files
- Installs the Telestream Media Transcode and Analysis engine
- Installs Vantage services and client programs, per your selections

- Installs sample media files: FlipDemo.wmv (48 seconds), FlipDemo_short.wmv (15 seconds), and FlipDemo.MSS (48 seconds) in the */Program Files/Telestream/Vantage/Store* directory
- Creates a Telestream > Vantage entry in the Windows Programs list and provides entries for the Vantage Management Console and the Vantage Workflow Designer
- Creates desktop shortcuts (VMC and Vantage Workflow Designer) on your desktop
- Creates a temporary storage directory on the local hard drive, and creates a default Vantage catalog in the database. (These two items are not created during a custom install – only during an All-in-One install.)

Vantage Client Installer

When you are only installing Vantage Management Console and/or Workflow Designer client programs, you can use the VantageClient installer to simplify installation.

Vantage Web Applications Setup Installer

The Vantage Web Applications installer (*VantageWebApplicationsSetup.xx.xx.xxx.xxxxx.exe*) installs the following Vantage web applications on the Vantage server:

- Vantage Dashboard, which enables Vantage administrators to view Vantage system information.
- Vantage Job Status Views, which enables Vantage operators to view job status information, and if properly authorized, execute job controls.
- Vantage Workflow Portal (VWP), which enables Vantage operators to view job status information, preview job output, and manage job variables and metadata labels.

Vantage Workflow Portal Installer

The Vantage Workflow Portal Installer (*VantageWorkflowPortal*) installs VWP, a client program intended for operators who are defining/reviewing asset metadata, creating edit decision lists, and submitting or forwarding jobs.

Licensing Overview

The following topics describe Vantage license topics:

- [Using Vantage in Demo Mode](#)
- [Obtaining a Vantage License](#)
- [Adding or Replacing License Files](#)

Note: A distributed Vantage domain requires one Array, Enterprise Control, or Master Control license per server. All servers in the same domain must use the same license

type. For example, you cannot use an Array license on one server and a Master Control license on another.

Using Vantage in Demo Mode

When you install Vantage without a license, Vantage operates in demo mode. Demo mode allows you to design workflows, input Windows Media (.wmv and .avi) files for transcoding (with a watermark), and analyze a few seconds of video and audio. Some features that are not available in demo mode include:

- Support for broadcast server protocols
- Support for Transcode Multiscreen, which requires a Lightspeed Server

Note: If you'd like to unlock the entire set of features in Vantage for a time-limited trial, please contact your Telestream sales representative, or contact the Telestream sales team at sales@telestream.net.

Demonstration mode is limited to all-in-one domains.

Obtaining a Vantage License

You must obtain, install, and activate a license to:

- Test a Vantage distributed domain in demo mode
- Operate Vantage in production
- Upgrade Vantage from one version to another
- Add more Vantage services (more Transcode services, for example)
- Add licensed features (GraphicsFactory, for example).

Please contact your Telestream sales representative or contact the Telestream sales team at sales@telestream.net to determine your Vantage requirements and obtain or update your license. When your license has been prepared, Telestream will email you the license as an attachment.

For Telestream contact details, go to www.telestream.net/company/contact-telestream.htm.

When you receive the license (an XML file), save it in a safe place for installation and activation at the end of the installation process.

Adding or Replacing License Files


Depending on your requirements, you may obtain new license file or you may obtain updated files. Follow Telestream Sales or Customer Service instructions for adding or updating license files.

Note: You can evaluate an All-in-One Vantage installation without installing a license. Demo mode allows you to design workflows, perform transcoding with a watermark, and analyze short video or audio clips. However, in demo mode (no license is installed), some features (such as broadcast server protocols) are disabled, and Vantage can only read Windows Media (.wmv and .avi) files for transcoding or analysis. You cannot operate a Vantage distributed domain without a license.

Planning for a Vantage Distributed Domain Installation

Prior to installing a Vantage distributed domain, Telestream recommends that you develop a system diagram, indicating each server and the Vantage services and client programs it should host, plus the database server (and optional mirror and witness server), prior to installing the software.

Figure 3. Typical Vantage Distributed Domain



The diagram should also identify which computers host client programs (Vantage Management Console, Vantage Workflow Designer, and Vantage Workflow Portal).

Additionally, document all network resources utilized by the Vantage domain (file sources and destinations).

When adding Vantage services to scale performance, Telestream generally recommends adding one or more Vantage transcoding servers, which is typically the

first service to max out server capacity. Multiple transcode servers improves load balancing and speeds overall job throughput. Secondly, if you use the Vantage Analysis service heavily, consider hosting it on a dedicated server as well.

Note: Each server hosting Vantage services requires a Vantage Array or Vantage Enterprise System Management license. Dedicated database servers do not require a special license.

Installing and Upgrading Vantage

Use this topic to install, upgrade, or scale Vantage, and configure it for operation.

Note: For instructions on obtaining the Vantage installation software, see [Obtaining the Vantage Installer](#).

Go to www.telestream.net/telestream-support/vantage/support.htm to browse the Vantage Web library, user's guides, application notes, and other documents.

The following topics describe how to install and upgrade Vantage components:

- [Upgrading to Vantage 4.0 R3](#)
- [Installing an All-in-One Domain](#)
- [Installing a Vantage Distributed Domain](#)
- [Enabling a Vantage License](#)
- [Installing/Updating Vantage Client Programs on Workstations](#)
- [Installing/Updating the Vantage Workflow Portal Windows Program](#)
- [Installing/Updating Vantage Web Applications](#)
- [Moving the Vantage Domain Database to Another Database](#)
- [Adding a Server to a Vantage Domain](#)
- [Adding a Lightspeed Server to an Existing Vantage Domain](#)
- [Verifying DTC Service Settings](#)

Upgrading to Vantage 4.0 R3

To upgrade an existing Vantage installation, you must properly remove the Vantage software before you install Vantage 4.0 R3. Removing the software does not remove the existing domain database data files, which can be attached and updated when Vantage 4.0 R3 is installed. If Vantage is not installed, skip this procedure and install Vantage as described in:

- [Installing an All-in-One Domain](#)
- [Installing a Vantage Distributed Domain](#)

To remove Vantage in preparation for installing Vantage 4.0 R3, do the following:

1. Log on to Vantage and stop all jobs or allow all jobs to complete.
2. Close all Vantage client programs and Web applications using this domain.
3. For each computer with Vantage client programs installed in this domain, log on with a local administrator account and perform the following steps:
 - a. Open the control panel tool to remove programs in your operating system:
 - Windows XP and Windows Server 2003: Control Panel > Add/Remove Programs.
 - Windows Server 2008: Control Panel > Programs and Features > Uninstall Programs.
 - b. Select Vantage Workflow Portal and click Remove or Uninstall.
 - c. Select Vantage Client and click Remove or Uninstall.
 - d. Uninstall all Vantage update packs that are installed: Select each Vantage update pack in reverse sequential order, and click Remove or Uninstall. Perform this step for all installed update packs.
4. Log on to the IIS server hosting Vantage Web apps and using the Control Panel tool (see [Step 3](#)), select Vantage Web Applications and click Remove or Uninstall.
5. For each computer with the Telestream Media Transcode and Analysis engine installed, log on with a local administrator account and follow these steps:
 - a. Select Start > Administrative Tools > Services to display the Services window.
 - b. Right-click and select Stop for the following services: Vantage Analysis service and the Vantage Transcode service.
 - c. In the Control Panel tool (see [Step 3](#)), select Telestream Media Transcoding & Analysis and click Remove or Uninstall.
6. Log on to the Vantage database server with a local administrator account, and using the Control Panel tool (see [Step 3](#)), follow these steps:

Note: Subsystems (IPP, QuickTime, etc.) that have been installed during Vantage installation are not removed, and Vantage domain data and media you have created is not removed.

- a. Select Vantage and click Remove or Uninstall.
- b. Select Vantage Domain Database and click Remove or Uninstall.

Note: If you want to change the Microsoft SQL version (for example, from Express to Standard), or if you want to move the Vantage domain database to a different server, follow the procedure in [Moving the Vantage Domain Database to Another Database](#) before you continue.

At this stage, your database files and SQL Server are still intact. When you install Vantage 4.0 R3, Vantage will allow you to use these database files, and it will upgrade them as necessary.

7. Install the Vantage 4.0 R3 software as described in one of the following topics:
 - [Installing an All-in-One Domain](#)
 - [Installing a Vantage Distributed Domain](#)

Installing an All-in-One Domain

An all-in-one Vantage domain is one in which all Vantage server components—all Vantage services, the Vantage domain database, and any Web applications—are installed and operate on a single computer. Vantage client programs are also installed on the single computer, and additional client programs can be installed on workstations.

The default all-in-one installation creates a default storage location (at *Program Files (x86)\Telestream\Vantage\Store*) and a Vantage catalog.

To install an all-in-one Vantage domain, perform the tasks described in the following topics in the specified order:

1. [Installing the Vantage Domain Database](#)
2. [Installing Vantage Services, Transcode & Analysis Engine, and Client Programs](#)
3. [Installing Vantage Updates](#)
4. [Setting Up a Vantage Store](#)
5. [Additional Installation Tasks](#)

Installing the Vantage Domain Database

To install the Vantage domain database, follow these steps:

1. Log on to the target server with a local administrator account, and make sure that virus-checking software and Windows Firewall is off.

Note: For additional information on Vantage use with anti-virus software, see [Anti-Virus Software Recommendations](#). For more information on Vantage use with the Windows Firewall, see [Firewall Guidelines](#).

2. Run the *VantageDatabaseSetup* installer (for example, *VantageDatabaseSetup_SQL2008_xx.xx.xxx.xxxxx.exe*), which extracts the components, then installs SQL Server.
When SQL Server 2008 SP2 Express installation completes, the installer displays the Vantage Domain Database Setup Wizard.
3. When the Welcome dialog appears, click Next to display the license agreement and click *I Accept* if you agree to license terms, then click Next.
4. If you are installing Vantage for the first time on this server, when the Database install mode dialog appears, select *Install new database*, and click Next.

Note: Telestream recommends that you install the database on a different hard drive from the one allocated for temporary media storage. For more information, see [Database Selection and Configuration Guidelines](#).

5. If you are upgrading Vantage on this server, when the Database install mode dialog appears, select *Upgrade existing database*, and click Next.
This instructs the Vantage installer to upgrade your database and preserve information for workflows, design items, job history, catalogs, stores, application configurations, user settings and licenses.

Note: Existing workflows do not require updating to run as they did on the earlier Vantage release. However, you might need to re-create some aspects of existing workflows to take advantage of new user interface components. For example, new options in Flip actions do not display automatically after upgrading.

6. When the Destination Folder dialog appears, accept the default folder or click Change to select an alternate directory on another drive; then click Next.
7. When the Ready to Install Vantage Domain Database dialog appears, click *Install* to begin database installation. This process takes a few minutes to complete.
8. When installation is complete, click Finish to quit.

Installing Vantage Services, Transcode & Analysis Engine, and Client Programs

This procedure installs the Vantage services, Transcode & Analysis Engine, Vantage Management Console (VMC), and Vantage Workflow Designer on a server.

Note: Vantage installers modify Windows Distributed Transaction Coordinator (MSDTC) properties to meet the communication requirements of Vantage services and the database as appropriate. This modification is automatic, and requires no action on your part.

Telestream recommends not using anti-virus software on Vantage servers. If you use anti-virus software, you should identify Vantage as a safe/rusted application. Be sure

to turn off anti-virus software during Vantage installation or install anti-virus software after installing Vantage.

Note: If you plan to install Vantage and Vantage Web Applications on the same server, you can avoid a Vantage service restart by installing Vantage Web Applications before Vantage. For information on installing Vantage Web Applications, see [Installing Vantage Web Applications](#).

To install the Vantage components, do the following:

1. Log on to the target server with a local administrator account, and make sure that virus-checking software and Windows Firewall is off.


Note: For additional information on using Vantage with anti-virus software, see [Anti-Virus Software Recommendations](#). For more information on Vantage use with the Windows Firewall, see [Firewall Guidelines](#).

2. Run the *VantageSetup* installer (*VantageSetup_xx.xx.xxx.xxxxx.exe*, for example). The installer extracts components, then continues.

The IPP, QuickTime, Telestream Media Transcode and Analysis engine steps are silently skipped if they are already installed.

If any subsystems need installing, the Vantage Setup dialog ([Figure 4](#)) appears and lists the subsystems to install.

Figure 4. Sample Vantage Setup Dialog



3. Click Install to install required software and components.

CAUTION: Telestream recommends that you install/upgrade all software and components or Vantage may not operate correctly.

If Intel Performance Primitives (IPP) is not present, it is installed.

If QuickTime 7.5.5 or later is not installed, the installer displays a message advising you to visit Apple's QuickTime for Windows Web page (www.apple.com/quicktime/win.html), download the current version, and install it. Telestream recommends that you install version 7.6.9, which is not available on the Apple Web site.

Note: If you install a different version of the Telestream Media Transcode and Analysis engine than supplied with this Vantage installer, be sure to use the QuickTime version recommended for the version you are installing.

4. If you install QuickTime, do the following when QuickTime installation completes:
 - a. Uncheck Check for Updates, so that QuickTime is not updated without your knowledge.
 - b. Restart the server and re-run the Vantage Setup installer to continue.
5. If you choose to install the Telestream Media Transcoding & Analysis engine, do the following:
 - a. When the Welcome Window appears, click Next to display the license agreement.
 - b. When the License Agreement appears, read the Vantage Software License Terms and Conditions, click *I Accept* (if you agree to license terms), and click Next.
 - c. Accept the default destination folder or click Change to select an alternate folder. Click Next.
 - d. When the Ready to Install dialog appears, click *Install* to begin installation of Telestream Media Transcode and Analysis engine components.
6. When installation is complete, click Finish to close the installer.
7. When the Welcome window appears, click Next to display the license agreement.
8. Read the Vantage Software License Terms and Conditions, click *I Accept* if you agree to license terms, and click Next.
9. Click *All-in-One Install*.
10. To accept the default destination folder, click Next. To change the destination folder, click Change, select an alternate folder, and click Next.
11. When the Ready to install Vantage dialog appears, click *Install*.

Note: For an All-in-One installation, Vantage creates a temporary storage area on the local hard drive, and creates a default Vantage catalog in the database.

12. When installation is done, click *Finish* to close the installer.
13. In Windows, open the Control Panel's Services panel.
14. If you plan to use MediaMate Screen services (only supported on 64-bit Server 2008 operating systems), locate the MediaMate service and check its status. Start the service if it has not started (this is a one-time, post-installation requirement).

Note: Occasionally, only a subset of the Vantage services and actions appear in Vantage Workflow Designer after a new install. This only happens once, immediately following the install. To resolve this issue, restart the Vantage server.

Installing Vantage Updates

Update installers are used to replace Vantage components as necessary between upgrades (version releases). Updates to the current version of Vantage are periodically published by Telestream, and are available from the Telestream Web site.

To locate and install Vantage updates, do the following:

1. Go to the Telestream Vantage download Web site:
<http://dynamic.telestream.net/downloads/download-vantage.asp?prodid=vantage>
2. Review the Vantage download page to determine if there are any updates that should be installed.
3. If there is an update to install, review the Release Notes that accompany the update and install the update according to your requirements and the instructions in the Release Notes.

Setting Up a Vantage Store

A Vantage store is a folder that serves as a temporary location where Vantage can store media files. Vantage must have at least one store to process jobs. When you install an all-in-one domain, Vantage creates a Vantage store named *Local Store*.

The Local Store will work correctly for all Vantage services and clients (Vantage Management Console, Vantage Workflow Designer, and Vantage Workflow Portal) that run on the Vantage server. However, if you install Vantage client programs on workstations, those client programs will not have access to the Local Store. This is because the Local Store is defined with a path from a local drive.

Note: For more information on Vantage stores, see [Understanding Vantage Storage](#). For more information on path specifications, see [Understanding Path Specifications for Vantage Storage](#).

To make the Local Store available to network workstations, do the following:

1. Define the Local Store folder as a Windows share. The path is:
[install_drive]:\Program Files (x86)\Telestream\Vantage\Store\
For more information, see [Configuring Folders for Vantage Access](#).
2. Start VMC, select the domain to manage, and log on as described in [Starting the Vantage Management Console](#).

Note: If you have a Team Management, Enterprise Control, or Master Control license, the default Vantage user account is *Administrator* with no password. This account has administrative privileges.

3. In the component (left) panel, open Vantage Domain to display the domain management options.

4. Open Storage to display the Vantage storage options.
5. Select Vantage Stores to display the Vantage Stores list in the details (right) panel.
6. Select Local Store.
7. To specify a UNC path for the folder that will be accessible to network workstations, do the following:
 - a. Click Modify to display the Browse for Folder dialog box.
 - b. Open Network, open the computer name, and then select the root directory for the store.
 - c. Click OK.

You can also type a UNC path in the Location text box. For example, `\\Computer-Name\Sharename`.

Note: If the Vantage store is on a different computer, you must publish a share and grant access to the appropriate Windows users before it will appear in the Browse for Folder dialog. For more information, see [Windows Authentication Guidelines](#).

8. Consider changing the Local Store name to Network Store to indicate that the store is available to network users.
9. Click OK.
10. Click the Save button  to save the reconfigured store.

Additional Installation Tasks

After installation, you should enable a Vantage license and you might want to install optional Vantage programs, as described in the following topics:

- [Enabling a Vantage License](#)
- [Installing/Updating Vantage Client Programs on Workstations](#)
- [Installing/Updating the Vantage Workflow Portal Windows Program](#)
- [Installing/Updating Vantage Web Applications](#)

Note: During installation, Vantage configures and starts the Distributed Transactional Coordinator (DTC) Windows service. There is no need to verify DTC configuration and operation after the install, but if you later suspect that the DTC service has stopped or the DTC configuration has changed, see [Verifying DTC Service Settings](#) for information on verifying the DTC status and configuration.

Note: If a service cannot access a folder, change the log on ID for that service to a log on ID that has access rights to the folder. For more information, see [Setting the Vantage Windows Log On ID for a Service](#).

Installing a Vantage Distributed Domain

A Vantage distributed domain is one in which two or more Vantage server components—Vantage array services, the Vantage domain database, and Vantage Web Applications—are distributed between two or more servers.

To implement a [Vantage domain](#) across multiple servers—creating a distributed domain—specific configurations must be applied to all computers that host any [Vantage service](#) or host the [Vantage domain database](#) for the distributed domain.

A Vantage distributed domain installation and configuration generally takes two to six hours, depending on the complexity of the installation. To install a Vantage distributed domain, perform the tasks described in the following topics in the specified order:

1. [Setting Up the Vantage Domain Database](#)
2. [Setting Up Vantage Array Servers](#)
3. [Setting Up a Vantage Store](#)
4. [Additional Installation Tasks](#)

Note: A distributed Vantage domain requires one Array, Enterprise Control, or Master Control license per server. All servers in the same domain must use the same license type. For example, you cannot use an Array license on one server and a Master license on another.

Setting Up the Vantage Domain Database

Although you can install and operate the Vantage domain database and Vantage services on the same server (as is done in an all-in-one domain), Telestream recommends that you use a dedicated server for the Vantage domain database. If you do plan to install the Vantage domain database and Vantage services on the same server, you should install the Vantage domain database first and then install the Vantage services.

To set up the Vantage domain database, follow the procedures in the following topics in the order presented:

1. [Installing SQL Server 2008 Standard](#)
2. [Configuring SQL Server Standard Memory Settings](#)
3. [Installing the Vantage Domain Database](#)

Installing SQL Server 2008 Standard

Note: This guide does not provide instructions for installing a mirrored database and implementing mirroring. Consult your database administrator or contact your Telestream representative regarding installation service options.

If you are installing SQL Server 2008 Standard on a server, follow these steps:

1. Log on to the target server with a local administrator account.
 2. Insert the SQL Server 2008 Standard DVD into the server and start the installer (*setup.exe*) if it does not run automatically.
 3. SQL Server Installation Center—Click Installation in the left column, then select *New installation or add features to an existing installation*.
 4. Setup Support Rules—Click OK.
 5. Product Key—Enter your product key and click Next.
 6. License Terms—Accept the license terms and click Next.
 7. Setup Support Files—Click Install, allow the installer to complete its actions, then click Next.
-

Note: If *Restart computer... Failed* displays in the report, this is due to a bug in the SQL Server 2008 Standard R1 installer.

To correct the problem, run Regedit and navigate to this key:

Computer\HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Control\Session Manager\PendingFileRenameOperations. Clear the *Value Data* string.

After you clear the *Value Data* string, return to Setup Support Rules and click Re-run on the right by the status bar. The Setup Support Rules should complete successfully—click OK to continue.

Note: On SQL Server 2008 R2 only, select SQL Server Feature Installation and click Next.

8. Feature Selection—Check Database Engine Services and Management Tools, and click Next.
9. Instance Configuration—Select Named instance, enter *VANTAGE* in the Named instance field and the Instance ID field, and click Next.
10. Disk Space Requirements—Click Next to continue.
11. Server Configuration—Do the following:
 - a. For SQL Server Agent, select NT AUTHORITY\NETWORK SERVICE.
 - b. For Server Database Engine, select NT AUTHORITY\NETWORK SERVICE
 - c. Click Next to continue.

12. Database Engine Configuration—Do the following:
 - a. Click Add Current User.
 - b. Select Mixed Mode.
 - c. Enter the Vantage sa user password (*vantage12!*) in the Enter Password and Confirm Password fields.
 - d. Click Next to continue.
13. Continue to click through the installer windows accepting the default settings to complete installation.
14. Complete—Click Close to close the installer.

Configuring SQL Server Standard Memory Settings

When using SQL Server Standard, the maximum server memory for SQL should be set to utilize a maximum 75% of the system's memory.

1. Select Start > SQL Server Management Studio.
2. Connect to the Vantage domain database using the following information:
 - Server type: Database Engine
 - Server name: [hostname]\VANTAGE
 - Authentication: SQL Server Authentication
 - Login: sa
 - Password: vantage12!
3. In the Object Explorer panel, right-click [hostname]\VANTAGE and select Properties.
4. In the Server Properties window, go to the Memory page.
5. Set the *Maximum server memory (in MB)* to 75% of the system's memory. For example: If the system's memory is 8 GB (8192 MB), then the maximum server memory for SQL should be set to 6 GB (6144 MB) ($8192 \times 0.75 = 6144$).
6. Click OK.
7. Close the SQL Server Management Studio.

Installing the Vantage Domain Database

This task installs the Vantage domain database instance.

Follow these steps:

1. Log on to the database server with a local administrator account, and make sure that virus-checking software and Windows Firewall is off.

Note: To effectively operate Vantage services with other networked devices or systems, you must turn off Windows Firewall.

2. Locate the Vantage domain database installer (for example, *VantageDatabaseSetup_SQL2008_xx.xx.xxx.xxxxx.exe*), copy it to your server, or obtain the Vantage Installer CD.

Note: The setup program checks for SQL Server 2008 Standard, and if the product is found, setup skips the install of SQL Express.

3. Run the Vantage domain database installer, which extracts the components, then continues. Component installation takes a few minutes.
4. When the Vantage Domain Database Setup Wizard appears, click Next to display the license agreement.
5. License Agreement—Read the Vantage Software License Terms and Conditions, then click I Accept if you agree to license terms. Click Next.
6. If there is no database on this server, when the Database install mode dialog appears, select *Install new database*, and click Next.

Note: Telestream recommends that you install the database on a different hard drive from the one allocated for temporary media storage. For more information, see [Database Selection and Configuration Guidelines](#).

7. If there is a Vantage database on this server, when the Database install mode dialog appears, select *Upgrade existing database*, and click Next.

This instructs the Vantage installer to upgrade your database and preserve information for workflows, design items, job history, catalogs, stores, application configurations, user settings and licenses.

Note: Existing workflows do not require updating to run as they did on an earlier Vantage release. However, you might need to re-create some aspects of existing workflows to take advantage of new user interface components. For example, new options in Flip actions do not display automatically after upgrading.

8. Destination Folder—Accept the default folder or click Change to select an alternate folder. Click Next.
9. Ready to Install Vantage Domain Database—Click Install to begin database installation. This process takes a few minutes to complete.
10. Completed...—When installation is complete, click Finish.

Setting Up Vantage Array Servers

Although you can install and operate Vantage services and the Vantage domain database on the same server (as is done in an all-in-one domain), Telestream recommends that you use a dedicated server for the Vantage domain database.

Note: If you do plan to install the Vantage domain database and Vantage services on the same server, you should install the Vantage domain database first and then install the Vantage services.

To set up the Vantage services, follow the procedures in the following topics in the order presented:

1. [Installing Vantage Services, Transcode & Analysis Engine, and Client Programs](#)
2. [Installing Vantage Updates](#)
3. [Setting the Vantage Windows Log On ID for a Service](#)
4. [Adding Vantage Services to a Distributed Domain](#)

Installing Vantage Services, Transcode & Analysis Engine, and Client Programs

This procedure installs the Vantage services, Transcode & Analysis Engine, Vantage Management Console, and Vantage Workflow Designer on a server. To add a or a remove a feature, you can run Vantage Setup again after it completes and utilize the Change option.

Note: Vantage installers modify Windows Distributed Transaction Coordinator (MSDTC) properties to meet the communication requirements of Vantage services and the database as appropriate. This modification is automatic, and requires no action on your part.

Telestream recommends not using anti-virus software on Vantage servers. If you use anti-virus software, you should identify Vantage as a safe/rusted application. Be sure to turn off anti-virus software during Vantage installation or install anti-virus software after installing Vantage.

Note: If you plan to install Vantage and Vantage Web Applications on the same server, you can avoid a Vantage service restart by installing Vantage Web Applications before Vantage. For information on installing Vantage Web Applications, see [Installing Vantage Web Applications](#).

To install the Vantage components, do the following:

1. Log on to the target server with a local administrator account. Make sure that virus-checking software and Windows Firewall is turned off.
2. Locate the Vantage installer (*VantageSetup_xx.xx.xxx.xxxx.exe*, for example) on a network server, copy or locate the Vantage installer on the target server, or obtain the Vantage Installer CD.
3. Run the installer. The installer extracts components, then continues. The IPP, QuickTime, Telestream Media Transcode and Analysis engine steps are silently skipped if they are already installed.
4. Click Install to install required subsystems (you can still skip Telestream Media Transcode and Analysis engine installation).

CAUTION: Telestream recommends that you install/upgrade all software components or Vantage may not operate correctly.

If Intel Performance Primitives (IPP) is not present, it is installed.


If QuickTime 7.5.5 or later is not installed, the installer displays a message advising you to visit Apple's QuickTime for Windows Web page (www.apple.com/quicktime/win.html), download the current version, and install it. Telestream recommends that you install version 7.6.9, which is not available on the Apple Web site.

5. If you install Quicktime, do the following when Quicktime installation completes:
 - a. Uncheck Check for Updates, so that QuickTime is not updated without your knowledge.
 - b. Restart the server and re-run the Vantage Setup installer to continue.
6. If you choose to install the Telestream Media Transcoding and Analysis engine, do the following:
 - a. When the Transcode Installer screen displays, click Install.

Note: If you install a different version of the Telestream Media Transcode and Analysis engine than supplied with this Vantage installer, be sure to use the QuickTime version recommended for the version you are installing.

- b. When the Welcome Window appears, click Next to display the license agreement, or click Cancel to skip installation of the Telestream Media Transcoding and Analysis engine (and skip to [Step 8](#)).
 - c. When the License Agreement appears, read the Vantage Software License Terms and Conditions, click *I accept...* (if you agree to license terms), and click Next.
 - d. Accept the default destination folder or click Change to select an alternate folder. Click Next.
 - e. When the *Ready to install...* dialog appears, click Install to begin installation of Telestream Media Transcode and Analysis engine components.
7. When installation completes, click Finish to close the installer.
8. When the Welcome window appears, click Next to display the license agreement.
9. Read the Vantage Software License Terms and Conditions, click *I Accept...* if you agree to license terms, and click Next.
10. Click *Custom install* to display the Custom Setup dialog.

Figure 5. Custom Setup Dialog



11. Custom Setup—Use the dropdown lists in the Vantage component tree to select which Vantage clients and Vantage services are installed as follows:
 - To disable all features for a branch or to disable a single feature, select *Entire feature will be unavailable*. For example, to skip all client software installation, click the dropdown list for Vantage Client Components and select *Entire feature will be unavailable*.
 - To enable all features for a branch, select *Entire feature will be installed on local hard drive*. For example, to install all Vantage services, click the dropdown list for Vantage Services and select *Entire feature will be installed on local hard drive*.
 - To enable a single feature, select *Will be installed on local hard drive*. For example, to install a specific Vantage service, click the dropdown list for the Vantage service and select *Will be installed on local hard drive*.

Note: If you did not install the Telestream Media Transcode and Analysis engine on this computer, be sure to specify that the Transcode service, the Analysis service, and the Multiscreen service *do not* get installed. These services require that the Telestream Media Transcode and Analysis engine be installed on the same server.

12. To view the disk space required for the selected components, click Disk Usage; then click OK when done.
13. To specify a different directory for installation, click Browse, use the *Change destination folder* dialog to select a new directory, and click OK.
14. Click Next to finalize the component selection.
15. Ready to Install Vantage—Click Install to begin installation.
16. Completed...—When installation is done, click Finish to close the installer.
17. In Windows, open the Control Panel’s Services panel.

18. If you plan to use MediaMate Screen services (only supported on 64-bit Server 2008 operating systems), locate the MediaMate service and check its status. Start the service if it has not started (this is a one-time, post-installation requirement).

Note: Occasionally, only a subset of the Vantage services and actions appear in Vantage Workflow Designer after a new install. This only happens once, immediately following the install. To resolve this issue, restart the Vantage server.

Installing Vantage Updates

Update installers are used to replace Vantage components as necessary between upgrades (version releases). Updates to the current version of Vantage are periodically published by Telestream, and are available from the Telestream Web site.

To locate and install Vantage update packs, do the following:

1. Go to the Telestream Vantage download Web site:
<http://dynamic.telestream.net/downloads/download-vantage.asp?prodid=vantage>
2. Review the Vantage download page to determine if there are any update packs that should be installed.
3. If there is an update pack to install, review the Release Notes that accompany the update and install the update pack according to your requirements and the instructions in the Release Notes.

Setting the Vantage Windows Log On ID for a Service

After installation, the default log on ID for each Vantage service is the *Local System account*. This log on ID provides access to files on the local server only. If a service, such as Transcode, requires access to files on another server, the Local System account cannot provide that access. If Vantage services need access to input folders, output folders, or a Vantage store that is on another computer, you must do the following:

- Create a Vantage Windows user ID for the service
- Grant access to the Vantage Windows user ID for the appropriate file space on other file systems.

For more information, see [Windows Authentication Guidelines](#).

All Vantage services *except* the following require a Vantage Windows user ID to access files on other computers:

- Agility
- Catalog
- Sdk


For services of the same type, the Windows log on ID for that service must be the same on all Vantage servers in the domain. For example, all Analysis services within the

domain must use the same log on ID. However, the Catalog service, which does not access files, can remain set to use the Local System account.

To change the log on ID for a Vantage service, do the following for that service on each Vantage server in the distributed domain:

1. Log on to the target server with a local administrator account.
2. On the Vantage server, select Start > Administrative Tools > Services.
 You can also select Start, type services.msc in the search box, and press Enter.
3. Right click on a Vantage service and select Properties. (All Vantage services begin with the word *Vantage*.)
4. Select the Log On tab.

Figure 6. Vantage Service Log On Properties



5. Select *This account*.
6. Click Browse and use the Select User dialog to select the Vantage Windows user account name (for example, *VantageWinUser*), then click OK.
 If the Vantage Windows user name has not been defined, it will not appear in the browser. You can also enter a user name in the *This account* text box. For information on the Vantage Windows user name and how to create it, see [Windows Authentication Guidelines](#).

Note: All Vantage services in a Vantage domain should be located in the same Windows domain. In [Figure 6](#), *Starfleet* represents the Windows domain.

7. Enter the password for the Vantage Windows user in the *Password* and *Confirm password* text boxes, then click OK.
8. Repeat Steps 3 to 7 as needed for the other Vantage services.

Note: In some cases; you may be required to indicate that the specified user has been granted log on as a service right. If the service fails to start and displays an error indicating that the service log on user name may not have the necessary permissions, consult your IT administrator to set the appropriate rights for the new account.

9. Restart any updated services.

Adding Vantage Services to a Distributed Domain

When Vantage services are installed on a server, the installer looks for the Vantage domain database on the server. If the Vantage domain database is present, all services are configured to connect to that domain. If no Vantage domain database is present, the Vantage services are not configured, and you must configure each service to connect to the appropriate Vantage domain.

To add Vantage services to a Vantage domain, follow these steps:

1. Start VMC, select the domain to manage, and log on as described in [Starting the Vantage Management Console](#).

Note: If you have a Team Management, Enterprise Control, or Master Control license, the default Vantage user account is *Administrator* with no password. This account has administrative privileges.

2. Select Services in the component (left) panel.
The Services details (right) panel shows all services on all servers that are connected to the domain you selected.
3. Click the Add Service button  to display the Select Service dialog.
The Select Service dialog lists all Vantage services running in this subnet, and the list includes unassigned services and services running on other Vantage domains.
4. Select one or more services to add to this domain, and click OK to add them.
Services are identified by name, machine or host, and Vantage domain. Make sure that you do not select services that are properly attached to another domain. To select multiple services, use shift-click to select a series of services, or use option-click to select individual services.
5. If you are moving a service from one domain to another, VMC displays the Reassign Services window. Click OK to add them to this domain.

Setting Up a Vantage Store

A Vantage store is a folder that serves as a temporary location to store media files. Vantage must have at least one store to process jobs. For more information, see [Understanding Vantage Storage](#).

To add a new Vantage store, do the following:

1. If you have not created a Windows share to serve as the Vantage store, create it now and make it available to the Vantage Windows user. For more information, see [Configuring Folders for Vantage Access](#).
2. In the component (left) panel, open Vantage Domain to display the domain management options.
3. Open Storage to display the Vantage storage options.
4. Select Vantage Stores to display the Vantage Stores list in the details (right) panel.
5. Click the New Vantage Store button  in the toolbar to display the Add New Store dialog.
6. Type a name for the store in the Name text box.
The name that you enter here is the name that appears in Workflow Designer when an action is configured to access a media file or attachment.
7. To specify the store root directory, do the following:
 - a. Click Modify to display the Browse for Folder dialog box.
 - b. Open Network, open the computer name, and then select the root directory for the store.
 - c. Click OK.

You can also type a UNC path in the Location text box. For example, `\\Computer-Name\Sharename`.

Note: If the Vantage store is on a different computer, you must publish a share and grant access to the appropriate Windows users before it will appear in the Browse for Folder dialog. For more information, see [Windows Authentication Guidelines](#).

Note: If you use a local drive letter to specify a directory, only Vantage services and clients on the same computer can access the store. For more information, see [Understanding Path Specifications for Vantage Storage](#).

8. Click OK.
9. Click the Save button  to save the new store.

Additional Installation Tasks

After installation, you should enable a Vantage license and you might want to install optional programs as described in the following topics:

- [Enabling a Vantage License](#)
- [Installing/Updating Vantage Client Programs on Workstations](#)
- [Installing/Updating the Vantage Workflow Portal Windows Program](#)
- [Installing/Updating Vantage Web Applications](#)

Note: During installation, Vantage configures and starts the Distributed Transactional Coordinator (DTC) Windows service. There is no need to verify DTC configuration and operation after the install, but if you later suspect that the DTC service has stopped or the DTC configuration has changed, see [Verifying DTC Service Settings](#) for information on verifying the DTC status and configuration.

Enabling a Vantage License

If you are implementing Vantage in a production environment, enable your license now. If you have not yet obtained a license or if you need additional licenses, see [Licensing Overview](#).

The following topics describe Vantage license installation:

- [Installing a Vantage License](#)
- [Troubleshooting License Installation Problems](#)
- [Activating a Vantage License Offline](#)
- [Resolving a DEP Conflict](#)

Note: A distributed Vantage domain requires one Array, Enterprise Control, or Master Control license per server. All servers in the same domain must use the same license type. For example, you cannot use an Array license on one server and a Master license on another.

Installing a Vantage License

Note: You should remove a license from one domain before you use it in another domain—you cannot use the same license in more than one domain at a time. For instructions on removing a license, see [Deactivating a License](#).

When you receive a license (an XML file), install it using these steps:

1. Store a copy of the license file in a safe place.
Always keep a backup in case you need to move the database later.
2. Store a copy of the license file in a location that is accessible to the server where you are installing the license, and note the directory where the file is stored.
3. Start VMC as described in [Starting the Vantage Management Console](#).
4. In the left panel, select Licenses.
5. In the right panel, click the Add License button  in the toolbar to display the Add/Update License dialog.

6. Navigate to the directory where the license is stored, select one or more licenses, then click Open.

If this computer has an Internet connection, Vantage prompts you to accept the license agreement. If an error message appears, see [Troubleshooting License Installation Problems](#).

7. Read the Vantage Software License Terms and Conditions, click *I accept...* if you agree to license terms, and click OK.
8. When the Licensing Changed dialog appears, read the message and click OK.
9. Repeat this procedure to install additional licenses.

When installation is complete, the license is stored in the Vantage domain database for use by all Vantage services and clients in the domain. Telestream recommends that you archive a copy of the original XML file, in case you need to move the license to another Vantage domain later.

Troubleshooting License Installation Problems

There are two common problems that might occur during license installation:

- No Internet connection—see [Activating a Vantage License Offline](#)
- Data Execution Prevention (DEP) conflict—see [Resolving a DEP Conflict](#)

Activating a Vantage License Offline

If the computer has no Internet connection, this error displays:




The Vantage Management Console might not have access to the Internet, or the network firewall might be prohibiting Web server (HTTP) traffic.


You can activate the Vantage license yourself using a different computer, or you can call Telestream Customer Service and they will assist you to activate your license.

To activate your license with a different computer, do the following:

1. Click Cancel to continue. Vantage displays the Product Activation dialog:




2. Click the second option (Activate using a different computer that has Web Access) to indicate you're using a different computer, and click Next. Vantage displays the Activate Using Another Computer dialog, along with the installation ID for your license (sample ID displayed):




3. Click Save to display a File Save dialog, so that you can create a text file which contains the activation key.
4. Save this file locally and copy this file to a computer with Internet access or save it directly to a share on (or accessible to) a computer which has Internet access. After saving the file, leave the dialog open and proceed to the computer with Internet access to validate the Installation ID.

- On the computer with Internet access, open a Web browser and navigate to activate.esellerate.net.
- Open the installation ID text file and copy and paste the Installation ID into the Installation ID field on the Web page:




- Click Submit – Vantage connects to the eSellerate server. The eSellerate server validates the installation ID and returns a page which displays your unique activation key composed of ten groups of numbers and letters.




- If your Vantage server is not immediately adjacent, print this page or write down the activation key.

9. Return to the Vantage server where the Activate Using Another Computer dialog displays:




10. Click Next to display the Enter Activation Key dialog:



11. Paste (or manually enter) the activation key and click Activate (sample shown – this is not a valid activation key).

The activation key is accepted and the Vantage license is activated. Vantage displays a dialog confirming the activation:



12. Click Done—Vantage displays the activated license in the license details panel.

Resolving a DEP Conflict

If Vantage displays the error *eSellerate can not run with Data Execution Prevention enabled*, follow these steps:

1. Right-click My Computer to display the System Properties dialog.
2. On the Advanced tab, click the Performance Settings button to display the Performance Options window.
3. On the Data Execution Prevention tab, check Turn on DEP for all programs and services except those I select.
4. Click Add and navigate to the location of the Vantage Management Console program (Normally located in *C:\Program Files (x86)\Telestream\Vantage\VantageManagementConsole.exe*).
5. Click Open, and click OK to apply this change.
6. Click OK to restart the computer.
7. Restart your computer and activate the license.

The activated license is stored in the Vantage domain database for use by Vantage services in this domain.

Note: If you move your Vantage domain database to another server, remove your license to deactivate it when you move to the new computer; then you can import it

again, and activate it in the new database. Be sure to keep your license file (XML) as a backup.

Installing/Updating Vantage Client Programs on Workstations

The Vantage Client programs include the Vantage Management Console and the Vantage Workflow Designer.

Note: To determine which installer to use for this procedure, open the Add/Remove Programs or Programs and Features control panel, and look for either a Vantage or a Vantage Client program in the list. If you have a *Vantage* program, use the Vantage installer (*VantageSetup_xx.xx.xxx.xxx.exe*). If you have *Vantage Client* program, use the Vantage client installer (*VantageClient_xx.xx.xxx.xxxx.exe*) to perform the installation/update.

To install the Vantage client programs on a workstation, do the following:

1. Copy the Vantage or Vantage Client installer, as appropriate, to where you want to install the software, or make the installer available on a network share.
2. Double-click the installer program.
3. When the Welcome dialog appears, click *Next* to display the license agreement.
4. Read the Vantage Software License Terms and Conditions, click *I Accept...* if you agree to license terms, and click *Next*.
5. To accept the default destination folder, click *Next*. To change the destination folder, click *Change*, select an alternate folder, and click *Next*.
6. When the Ready to Install Vantage Client dialog appears, click *Install* to install the Vantage client software.
7. When installation is done, click *Finish* to close the installer.

Installing/Updating the Vantage Workflow Portal Windows Program

Vantage Workflow Portal (VWP) is provided in a Windows desktop application and in a Web application. This topic describes how to install the Windows program. For information on installing the Web application, see [Installing/Updating Vantage Web Applications](#).

VWP allows operators to browse assets, enter metadata, trim clips or highlights, create edit decision lists, and forward media to workflows. You can install VWP on an operator's workstation or on a server.

If you install Vantage VWP on an operator's workstation, verify that the workstation has the following:

- Network access to any proxy or thumbnail files, using the operator's user account.
- Network access directly to the Vantage domain database server, with port access configured to allow SQL queries.
- Sufficient memory to run VWP. Specific hardware requirements will vary depending upon what you want your operator to do, and how many assets will be in the portal.

You can install VWP on a server in an all-in-one domain or a distributed domain, which can impact Vantage domain performance. If you install VWP on a all-in-one server, verify that the server has the following:

- Local access to any proxy or thumbnail files, using the operator's user account.
- Local access directly to the Vantage domain database server, with port access configured to allow SQL queries.
- Sufficient memory to run VWP.

Note: Each running instance of VWP requires a VWP license. When purchased, these licenses are included in your Vantage license XML file, and are stored in the Vantage domain database. When an operator logs into the Portal, they will acquire a license. If no license is available, the Portal will run in demo mode, which allows asset browsing, but not metadata entry or job submission.

To install Vantage VWP on a server or workstation, follow these steps:

1. Log on to the target computer with a local administrator account.
2. Run the VWP installer file: For example, *VantageWorkflowPortal_xx.xx.xxx.xxxxx.msi*.
3. When the Welcome Window appears, click Next to display the license agreement.
4. Read the Vantage Software License Terms and Conditions, click *I Accept...* if you agree to license terms, and click Next.
5. When the Destination Folder dialog appears, accept the default folder or click Change to select an alternate directory on another drive; then click Next.
6. When the Ready to Install Vantage Workflow Portal dialog appears, click *Install*.
7. When installation is done, click *Finish* to close the installer.

Vantage client programs and services installation is complete.

Installing/Updating Vantage Web Applications

The following topics describe how to manage installation of the Web applications:

- [Installing Vantage Web Applications](#)
- [Upgrading Vantage Web Applications](#)
- [Managing Alias Support for the VWP Web Client](#)
- [Troubleshooting Vantage Web Applications Installation](#)

Installing Vantage Web Applications

When installing the Vantage Web Applications on a server for the first time, the procedure is different for Lightspeed servers and standard servers:

- Standard servers—You must set up IIS first. If IIS is already installed, you must install and uninstall IIS role services to create the configuration that supports Vantage Web Applications.
- Lightspeed servers—Lightspeed servers ship with IIS properly installed. There is no need to set up IIS on a Lightspeed server.

Note: If you are upgrading the Web applications, see [Upgrading Vantage Web Applications](#).

Note: If you are installing the Vantage Web Applications on a server that will have Vantage services running on it in the future, Telestream recommends that you install the Vantage Web Applications before the Vantage services so that you do not have to restart Vantage services after installation. If Vantage services are already installed, plan to install the Vantage Web Applications when the upgrade will cause the least interruption to Vantage users.

Note: If UAC is enabled, the installer displays this error: “You do not have sufficient privileges to complete this installation...”

To resolve this, either disable UAC before installation, or:

1. Select Start > All Programs > Accessories.
 2. Right-click the Command prompt and select Run as Administrator.
 3. CD to the Vantage Web Applications installer directory.
 4. Run the installer from the elevated command prompt.
-

To install the Vantage Web Applications and IIS, follow these steps:

1. Log on to the target server with a local administrator account.
 2. If you are installing the Vantage Web Applications on a Lightspeed server, skip to [Step 7](#).
-

Note: If you are upgrading the Web applications, see [Upgrading Vantage Web Applications](#).

3. Verify that your IIS server requirements are met (see [Vantage Web Applications](#)).
-

Note: The following step ensures that .NET 4.0 is correctly installed.

4. Install .NET 4.0 Framework. If already present on the target system, repair it with the installer option.

5. If IIS 7 is installed on the target server, configure it as follows:
 - a. Open the Server Manager and select Roles.
 - b. When the Roles page appears, click Web Server (IIS).
 - c. Scroll down the page and install and uninstall services as needed so that the role services match those listed in [Table 7](#).
 - d. If prompted, restart the server.

Table 7. IIS Role Service Requirements for Vantage Web Applications

Service	Install	Uninstall
Common HTTP Features	Static Content Default Document Directory Browsing HTTP Errors	HTTP Redirection WebDAV Publishing
Application Development	ASP .NET .NET Extensibility ISAPI Extensions ISAPI Filters	ASP CGI Server Side Includes
Health and Diagnostics	HTTP Logging Request Monitor	Logging Tools Tracing Custom Logging ODBC Logging
Security	Request Filtering	Basic Authentication Windows Authentication Digest Authentication Client Certificate Mapping Authentication IIS Client Certificate Mapping Authentication URL Authorization IP and Domain Restrictions
Performance	Static Content Compression	Dynamic Content Compression

Table 7. IIS Role Service Requirements for Vantage Web Applications (Continued)

Service	Install	Uninstall
Management Tools	IIS Management Console IIS 6 Management Compatibility <ul style="list-style-type: none"> • IIS 6 Metabase Compatibility • IIS 6 WMI Compatibility • IIS 6 Scripting Tools • IIS 6 Management Console 	IIS Management Scripts and Tools Management Services
FTP server		FTP server FTP Service FTP Extensibility
IIS Hostable Web Core		IIS Hostable Web Core

6. If IIS 7 is not installed on the target server, install IIS 7 with ASP.NET and IIS 6 Management Compatibility as follows:
 - a. Open the Server Manager and select Roles.
 - b. When the Roles page appears, click Add Roles.
 - c. Click Server Roles.
 - d. Check Web Server (IIS) and click Next.
 - e. Click Next.
 - f. Enable ASP.NET, IIS 6 Management, and all IIS 6 Management subcomponents, and click Next.
 - g. Click Install.
7. To start the Vantage Web Applications installation, run the Vantage Web Applications installer file: For example, *VantageWebApplicationsSetup_xx.xx.xxx.xxxxx.msi*.
8. When the Welcome Window appears, click Next.
9. Read the license agreement, and if you accept the terms, click *I Agree*, and click Next.
10. When the Installation Notes dialog appears, read the installation notes, and click Next.
11. When the Select Installation Address dialog appears, click Next to accept the default configuration, or change the settings to meet your server requirements, and click Next.

Note: The Application Pool setting automatically defaults to ASP.NET 4.0. If it is not set to ASP.NET 4.0, there is an issue with the IIS or .NET installation.

12. Click Next to confirm installation.
13. When the Installation Complete dialog appears, click Close.
14. If Vantage services were running before the Vantage Web Applications installation, restart those services using the Microsoft Services tool (Start > Administrative Tools > Services).
15. Provide the Vantage Web Applications login requirements to each of your Vantage users, so that they know how to access them.

For example, send Vantage users an email with this suggested text: "You can access the Vantage Web Applications at [http://\[hostname\]/Vantage](http://[hostname]/Vantage)," where [hostname] is the server where you installed them.

Note: For information on the browser requirements for Vantage Web Applications, see [Vantage Web Applications Browser Requirements](#).

Note: If your installation uses the VWP Web application, configure support for this program as described in [Managing Alias Support for the VWP Web Client](#).

Upgrading Vantage Web Applications

Note: If you are upgrading the Vantage Web Applications on a server that also hosts Vantage services, the Vantage Web Applications upgrade will stop those services, which will interrupt Vantage operation. Plan to upgrade the Vantage Web Applications when the upgrade will cause the least interruption to Vantage users. This is not an issue when the Vantage Web Applications are installed on a dedicated server.

If you are upgrading the Vantage Web Applications from version 3.0 or later to 4.0 R3, you do not need to repeat the IIS and .NET server preparation described for new installations. To upgrade Vantage Web Applications, do the following:

1. Uninstall the Web Apps as described in [Uninstalling Vantage Web Applications](#).
2. To start the Vantage Web Applications installation, run the Vantage Web Applications installer file: For example, `VantageWebApplicationsSetup_xx.xx.xxx.xxxxx.msi`.
3. When the Welcome Window appears, click Next.
4. Read the license agreement, and if you accept the terms, click *I Agree*, and click Next.
5. When the Installation Notes dialog appears, read the installation notes, and click Next.
6. When the Select Installation Address dialog appears, click Next to accept the default configuration, or change the settings to meet your server requirements, and click Next.

Note: The Application Pool setting automatically defaults to ASP.NET 4.0. If it is not set to ASP.NET 4.0, there is an issue with the IIS or .NET installation.

7. Click Next to confirm installation.
8. When the Installation Complete dialog appears, click Close.
9. If Vantage services were running before the Vantage Web Applications upgrade, restart those services using the Microsoft Services tool (Start > Administrative Tools > Services).

Note: For information on the browser requirements for Vantage Web Applications, see [Vantage Web Applications Browser Requirements](#).

Managing Alias Support for the VWP Web Client

The Vantage Workflow Portal Web application requires HTTP access to Vantage stores for viewing of proxy media files, and it requires the installation of Microsoft Silverlight on computers that will view proxy media files. If your Vantage installation does not use the VWP Web client, or if operators will not be using the Workflow Portal Web client to view proxy files, you do not need to configure alias support.

Providing HTTP access to Vantage stores requires the following:

- Create and configure a virtual directory on the IIS server that references the Vantage store. A virtual directory must be created for every store that will store proxy files for the VWP Web application.
- Create and configure a Vantage alias for the virtual directory.
- Create and configure a VWP configuration to support operator management as described in [Configuring Vantage Workflow Portal Operation](#).
- Install Microsoft Silverlight on computers that will view proxy media files using the VWP Web application.

The following topics describe how to manage an alias for a Vantage store:

- [Creating a Virtual Directory](#)
- [Creating an Alias](#)
- [Modifying an Alias](#)
- [Deleting an Alias](#)
- [Installing Microsoft Silverlight](#)

Creating a Virtual Directory

For detailed instructions for creating an IIS virtual directory, refer to your Microsoft product documentation. The following procedure provides an example of how to configure a virtual directory on an IIS server:

1. If not already installed, install the Vantage Web Applications as described in [Installing/Updating Vantage Web Applications](#).
2. On the server that hosts the Vantage Web Applications, select Start > Administrative Tools > Computer Management.
3. In the left pane of the Computer Management window, expand Services and Applications and select Internet Information Services (IIS) Manager.
4. In the Connections pane, expand the entry for the server, and expand the Sites entry.

Note: In some situations, adding or removing a virtual directory causes Web Dashboard sessions to close. This does not change the Web Dashboard configuration or operation. Web Dashboard users can restart the program as described in [Starting the Vantage Dashboard](#).

5. Right click Default Web Site and select Add Virtual Directory.
6. Configure the virtual directory as follows:
 - a. Enter an Alias name for the virtual directory.

Consider using a name that is easy to associate with the Vantage store directory, and note this name, as you will need to use it to create a Vantage alias.
 - b. Type the path to the Vantage store directory in the *Physical path* text box, or click the browse button to the right of the text box and select a directory.

For an all-in-one domain, the path to the default *Local Store* is [local drive]:\Program Files (x86)\Telestream\Vantage\Store. The default path works only when the store and the Vantage Web Applications are located on the same server.

If your Vantage store is located on a network attached storage device or other network accessible location, enter the UNC path to the location (for example, //myserver/myStore/).
 - c. Click *Connect as*, click *Specific user*, and click Set.
 - d. Enter user name and password information for a Windows user with access to the Vantage store directory, and click OK twice.

If required, the user name should include a domain name. For example, user@domain.net or VantageGuru@MyCompany.net.

Note: If you are operating in a Windows workgroup, the IIS 7 server machine name and the machine name of the file share for the Vantage store should have the same local account name (VantageUser, for example) and password. This allows for easy

authentication from IIS to the Vantage store location. In this case, the user name in the Set Credentials window can be specified simply as VantageUser.

e. Click Test Settings.

The Test Connection dialog should show that the Authentication and Authorization tests passed.

f. Click Close.

g. Click OK to complete the virtual directory configuration.

The virtual directory should now display in the Computer Management window as a folder below the Web site you modified.

h. Repeat this procedure for all Vantage stores that will store proxy files for use with the VWP Web application.

Creating an Alias

After you create virtual directories for your Vantage stores, you need to create a Vantage alias for each Vantage store that will store proxy files. To create an alias, do the following:

1. Start VMC, select the domain to manage, and log on as described in [Starting the Vantage Management Console](#).

Note: If you have a Team Management, Enterprise Control, or Master Control license, the default Vantage user account is *Administrator* with no password. This account has administrative privileges.

2. In the component (left) panel, open Vantage Domain to display the domain management options.
3. Select Storage > Vantage Stores.
4. Click the Modify button to the right of the Alias text box.
5. In the Folder Location Editor dialog, select the HTTP file system and click Next.
6. Specify a host name or IP address for the HTTP server and the TCP port number, then click Next.
7. Leave the *User name* and *Password* text boxes blank and clear the checkbox to *Use anonymous login*, then click Next.
8. Enter the virtual directory alias you created for the virtual directory, then click Finish.
9. Click the Save button  to save the changes.
10. Repeat this procedure for all Vantage stores that will store proxy files for use with the VWP Web application.

Modifying an Alias

After you have created an alias, you can modify the alias path in the Alias text box and save the changes. To modify other alias settings, do the following:

1. Click the Modify button.
2. Click Next to retain the HTTP file system selection.
3. Verify or change the host name or IP address for the HTTP server and the TCP port number, then click Next.
4. Verify that the *User name* and *Password* text boxes are blank and the checkbox to *Use anonymous login* is empty, then click Next.
5. Verify the correct virtual directory selection, or use the Folder Location Editor dialog to select the virtual directory, then click Finish.
6. Click the Save button  to save the changes.

Deleting an Alias

To delete an alias, select the alias path in the Alias text box, press Delete, and save the change.

Installing Microsoft Silverlight

If Microsoft Silverlight is not installed on the host computer when the VWP Web application is started, a Microsoft Silverlight message appears in the preview window. To install, click *Click now to install* and follow the instructions.

Troubleshooting Vantage Web Applications Installation

The following are some symptoms and remedies that apply to troubleshooting the installation of the Vantage Web Applications:

- HTTP 500.19 error appears in the browser when you attempt to access the Vantage Web Applications after a new install.
Run the ASP.NET registration tool (aspnet_regiis.exe) to fix the .Net installation. For more information, refer to the Microsoft MSDN Web site.
- If your Web applications do not display correctly, it is likely due to problems with .NET Framework 4.0 not being installed correctly.
To solve this problem, uninstall the Vantage Web Applications and IIS, repair .NET 4.0, reinstall IIS with ASP.NET and IIS 6 Management Capability, and reinstall the Vantage Web Applications (see [Installing Vantage Web Applications](#)).
- For other installation issues, refer to the Windows event log for IIS messages that might help you discover the problem.

Moving the Vantage Domain Database to Another Database

You might want to move the Vantage domain database because:

- You are upgrading SQL Server from Express to Standard
- You are upgrading SQL Server from 2005 to 2008
- You are moving the database from one server to another

Note: If you are moving the database in conjunction with a Vantage upgrade, you should complete the upgrade prior to moving the database.

Note: This guide does not provide instructions for moving a mirrored database. Consult your database administrator or contact your Telestream representative regarding installation service options.

To move a Vantage domain database, follow the procedures in the following topics in the sequence presented:

1. [Preparing for the Move](#)
2. [Backing up the Existing Database](#)
3. [Removing the Vantage Domain Database](#)
4. [Removing Microsoft SQL Server](#)
5. [Installing SQL Server 2008 Standard](#)
6. [Configuring SQL Server Standard Memory Settings](#)
7. [Installing the Vantage Domain Database](#)
8. [Restoring the Vantage Domain Database Backup](#)
9. [Finishing the Move](#)

Note: This procedure backs up the database, moves the database to a different SQL Server version and/or server, and restores the database. Vantage does not support a Vantage restore from a version 3 Vantage database to a version 4 domain.

Preparing for the Move

If you are upgrading SQL Server, it is recommended that you back up the Vantage domain database, but it is not required. However, if you are moving the Vantage domain database to a new server, you must backup the database, as the backup file will be used to restore the domain on the new server.

To back up the existing Vantage domain database so that it can be transferred to the new database later, follow these steps:

1. Use Vantage Workflow Designer to deactivate all active workflows to prevent new jobs from starting.
2. Use the Job Status Views tab in Vantage Workflow Designer, the Vantage Job Status Views web application, or Vantage Dashboard to either determine when all jobs are complete or stop any jobs in process or in waiting.
3. If you are moving the database to another server, do the following:
 - a. Take note of any Storage, Variables, and/or Qualification Rules settings for each service.

When you move the Vantage domain database from one server to another, the Storage, Variable, and Qualification rule configuration for each service is lost. Write down any configuration that you want to transfer to the new server.

Note: The service Storage, Variable, and Qualification Rule configuration is not lost when you change the SQL Server version on a server. Skip to Step 4 if you are not moving the Vantage domain database to a different server.

- b. In VMC, remove all services from the Vantage domain as described in [Removing a Service from the Domain](#).

Note: If you have a Team Management, Enterprise Control, or Master Control license, the default Vantage user account is *Administrator* with no password. This account has administrative privileges.

- c. In VMC, select Licenses in the components panel.
 - d. On the Licenses tab, select all licenses and click the Delete button .

Note: To add the licenses back at the end of this procedure, you will need access to the license files. If you do not know where these files are, you might want to postpone the move until you have located them.

4. If you are changing the Microsoft SQL version on a server (and not moving the database to another server), place all services in Maintenance Mode as described in [Entering and Exiting Service Maintenance Mode](#).

Backing up the Existing Database

If you are upgrading SQL Server, it is recommended that you back up the Vantage domain database, but it is not required. However, if you are moving the Vantage domain database to a new server, you must backup the database, as the backup file will be used to restore the domain on the new server.

To back up the existing Vantage domain database so that it can be transferred to the new database later, follow these steps:

1. In VMC, select the domain you want to modify, select Domain Backup/Restore in the components panel, click Backup, and use the file save dialog to save the backup file to a safe location.
You will need to access the backup file to restore the Vantage domain database after you move it. For more information, see [Backing Up the Domain](#).
2. Close all Vantage clients, including Vantage Workflow Designer, Vantage Web Applications, Vantage Workflow Portal, and Vantage Management Console.

Removing the Vantage Domain Database

To remove the Vantage domain database, follow these steps:

1. Log on to the server with a local administrator account.
2. Open the control panel tool to remove programs in your operating system:
 - Windows XP and Windows Server 2003: Control Panel > Add/Remove Programs.
 - Windows Server 2008: Control Panel > Programs and Features > Uninstall Programs.
3. Select Vantage Domain Database and click Remove or Uninstall.

Removing Microsoft SQL Server

When you are upgrading Microsoft SQL Server, you will need to remove either Microsoft SQL Express or Microsoft SQL Server 2005. If Microsoft SQL Server 2008 Standard is installed and you are moving the Vantage domain database to another server, you might want to remove Microsoft SQL Server 2008 Standard.

To remove Microsoft SQL Server, follow these steps:

1. Log on to the server with a local administrator account.
2. Open the control panel tool to remove programs in your operating system:
 - Windows XP and Windows Server 2003: Control Panel > Add/Remove Programs.
 - Windows Server 2008: Control Panel > Programs and Features > Uninstall Programs.

3. If Microsoft SQL Server 2008 Express or Standard is installed, do the following:
 - a. Select Microsoft SQL Express or Microsoft SQL Standard and click Remove or Uninstall.
 - b. Click Remove.
 - c. Click OK.
 - d. Select the Vantage instance, and click Next.
 - e. Click Select All, and click Next.
 - f. Click Next.
 - g. Click Remove.
 - h. Click Next.
 - i. Click Close.
 - j. Optional step—Click the refresh button in the Control Panel to update the display, which will clear some of the SQL Server components from the display.
4. If Microsoft SQL Server 2005 Express or Standard is installed, do the following:
 - a. Select Microsoft SQL Server 2005 and click Remove or Uninstall.
 - b. In the Component Selection dialog, check *Remove SQL Server 2005 instance components*, select VANTAGE: Database Engine, check Workstation Components, and click Next.
 - c. Click Finish.

Note: If you are prompted to stop the SQL Server (VANTAGE) service, be sure to do so in the Services control panel, before proceeding by pressing Retry.

Note: If you have multiple instances (SQLEXPRESS and VANTAGE for example), you will need to remove them both.

5. Select Microsoft SQL Server Native Client and click Remove or Uninstall.

Note: Uninstalling the SQL Server does not delete your Vantage workflows, resources, or transaction history. It leaves your database files intact in [Install_Drive]:\Program Files\Telestream\Vantage\Database. For information on removing the database files, see [Removing Vantage Domain Database Files](#).

At this point, the Vantage domain database and the SQL Server are removed from the server and any Vantage services and clients that were installed on the server remain installed. The domain cannot resume operation until the Vantage domain database and SQL Server are reinstalled on this server or set up on another server.

Installing SQL Server 2008 Standard

This procedure begins the set up of the Vantage domain database and the SQL Server on the server from which you just completed the uninstall or on a new server. The first step is to install Microsoft SQL Server 2008 R2 Standard so that Vantage discovers the server instance when you install the Vantage domain database.

To install SQL Server 2008 Standard on a server, follow these steps:

Note: This guide does not provide instructions for installing a mirrored database and implementing mirroring. Consult your database administrator or contact your Telestream representative regarding installation service options.

1. Log on to the target server with a local administrator account.
2. Insert the SQL Server 2008 Standard DVD into the server and start the installer (*setup.exe*) if it does not run automatically.
3. SQL Server Installation Center—Click Installation in the left column, then select *New installation or add features to an existing installation*.
4. Setup Support Rules—Click OK.
5. Product Key—Enter your product key and click Next.
6. License Terms—Accept the license terms and click Next.
7. Setup Support Files—Click Install, allow the installer to complete its actions, then click Next.

Note: If *Restart computer... Failed* displays in the report, this is due to a bug in the SQL Server 2008 Standard R1 installer.

To correct the problem, run Regedit and navigate to this key:

Computer\HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Control\Session Manager\PendingFileRenameOperations. Clear the *Value Data* string.

After you clear the *Value Data* string, return to Setup Support Rules and click Re-run on the right by the status bar. The Setup Support Rules should complete successfully—click OK to continue.

Note: On SQL Server 2008 R2 only, select SQL Server Feature Installation and click Next.

8. Feature Selection—Check Database Engine Services and Management Tools, and click Next.
9. Instance Configuration—Select Named instance, enter *VANTAGE* in the Named instance field and the Instance ID field, and click Next.
10. Disk Space Requirements—Click Next to continue.

11. Server Configuration—Do the following:
 - a. For SQL Server Agent, select NT AUTHORITY\NETWORK SERVICE.
 - b. For Server Database Engine, select NT AUTHORITY\NETWORK SERVICE
 - c. Click Next to continue.
12. Database Engine Configuration—Do the following:
 - a. Click Add Current User.
 - b. Select Mixed Mode.
 - c. Enter the Vantage sa user password (*vantage12!*) in the Enter Password and Confirm Password fields.
 - d. Click Next to continue.
13. Continue to click through the installer windows accepting the default settings to complete installation.
14. Complete—Click Close to close the installer.

Configuring SQL Server Standard Memory Settings

When using SQL Server Standard, the maximum server memory for SQL should be set to utilize a maximum 75% of the system's memory.

1. On the target server, select Start > Microsoft SQL Server 2008 R2 > SQL Server Management Studio.
2. Connect to the Vantage domain database using the following information:
 - Server type: Database Engine
 - Server name: [hostname]\VANTAGE
 - Authentication: SQL Server Authentication
 - Login: sa
 - Password: vantage12!
3. In the Object Explorer panel, right-click [hostname]\VANTAGE and select Properties.
4. In the Server Properties window, go to the Memory page.
5. Set the *Maximum server memory (in MB)* to 75% of the system's memory. For example: If the system's memory is 8 GB (8192 MB), then the maximum server memory for SQL should be set to 6 GB (6144 MB) ($8192 \times 0.75 = 6144$).
6. Click OK.
7. Close the SQL Server Management Studio.

Installing the Vantage Domain Database

This task installs the Vantage domain database instance.

Follow these steps:

1. Log on to the database server with a local administrator account, and make sure that virus-checking software and Windows Firewall is off.

Note: To effectively operate Vantage services with other networked devices or systems, you must turn off Windows Firewall.

2. Locate the Vantage domain database installer (for example, *VantageDatabaseSetup_SQL2008_xx.xx.xxx.xxxxx.exe*), copy it to your server, or obtain the Vantage Installer CD.
3. Run the Vantage domain database installer, which extracts the components, then continues. Component installation takes a few minutes.
4. When the Vantage Domain Database Setup Wizard appears, click Next to display the license agreement.
5. License Agreement—Read the Vantage Software License Terms and Conditions, then click I Accept if you agree to license terms. Click Next.
6. Database Install Mode—Click *Install new database* and click Next to continue.
7. Destination Folder—Accept the default folder or click Change to select an alternate folder. Click Next.
8. Ready to Install Vantage Domain Database—Click Install to begin database installation. This process takes a few minutes to complete.
9. Completed...—When installation is complete, click Finish.

If you are upgrading SQL Server on the same server, the upgrade is almost complete. Vantage should have discovered the old database files. Now you need to finish the process as described in [Finishing the Move](#).

If the old database files are not found, or if you are installing the Vantage domain database on a different server, restore the database from the backup file as described in [Restoring the Vantage Domain Database Backup](#).

Restoring the Vantage Domain Database Backup

To restore the Vantage domain database using the backup file you previously created, follow these steps:

1. Start VMC on any Vantage server in the domain.

Note: If you have moved the Vantage domain database to a new server, the name of the Vantage domain changed to the name of the new host server.

2. In VMC, select the domain you want to modify, select Domain Backup/Restore in the components panel, click Restore, and use the file open dialog to select the file to restore.

For more information, see [Backing Up the Domain](#).

Finishing the Move

To finish the move, you must enable the services you disabled when preparing for the move. If you moved the Vantage domain database to another server, you must also install the appropriate Vantage licenses. To return Vantage to operation, follow these steps:

1. If you changed the Microsoft SQL version on a server (and did not move the database to another server), do the following:
 - a. Remove all services from Maintenance Mode as described in [Entering and Exiting Service Maintenance Mode](#).
 - b. Skip to [Step 4](#).
2. If you moved the Vantage domain database to a different server, activate Vantage Domain licenses as follows:
 - a. In VMC, open the domain you want to modify, and select Licenses in the components panel.
 - b. On the Licenses tab, click the Add License button  and use the open file dialog to select the license file.

If your domain has multiple license files (for multiple features), repeat this step for additional licenses.
3. If you moved the database to another server, update the configuration of services as follows:
 - a. In VMC, open the domain you want to modify, and select Services in the components panel.
 - b. In the Services panel, click the Add Service button  and use the dialog to select a service to add.
 - c. If any Storage, Variables, and/or Qualification Rules settings were configured for the service, add them now.
 - d. Repeat this step for each service until all services are updated.
4. Use Vantage Workflow Designer to reactivate all workflows.

Adding a Server to a Vantage Domain

[Table 8](#) lists the types of servers you might want to add to a Vantage domain and shows where you can find instructions for adding these servers.

Table 8. Adding Servers to a Vantage Domain

Server Type	Instructions
Vantage Lightspeed server	<p>A Vantage Lightspeed server can be added to a Vantage domain that uses Vantage version 4.0 or later. When you add a Vantage Lightspeed server to a Vantage domain, the Lightspeed server must be running the same Vantage version as the Vantage domain.</p> <p>The Vantage Lightspeed server ships with an installed Vantage domain database, and all Vantage services on the Lightspeed server are assigned to that Vantage domain database. To add the Vantage services on the Lightspeed server to the existing domain, use VMC to reassign the services.</p> <p>After you reassign the Vantage services, Telestream recommends that you remove the Vantage domain database on the Lightspeed server so that the old Vantage domain is no longer advertised to Vantage client programs and Web applications.</p> <p>To remove the Vantage domain database from the Lightspeed server and reassign services, see Adding a Lightspeed Server to an Existing Vantage Domain.</p>
Vantage domain database server	<p>A Vantage domain can host one Vantage domain database, which can be installed on a single or mirrored database server.</p> <p>If your Vantage domain has a Vantage domain database on a single database server, you can do the following:</p> <ul style="list-style-type: none">• Move the Vantage domain database to another server as described in Moving the Vantage Domain Database to Another Database.• Add a database server to mirror the current server. <p>This guide does not provide instructions on setting up a mirrored database server. Consult your database administrator or contact your Telestream representative regarding installation service options.</p>
Vantage array server	<p>Additional Vantage array servers add more throughput capacity to your Vantage domain. When you add a Vantage array server to a Vantage domain, the server must be running the same Vantage version as the Vantage domain. For instructions on adding a Vantage array server, see Setting Up Vantage Array Servers.</p>

Table 8. Adding Servers to a Vantage Domain (Continued)

Server Type	Instructions
Vantage Web Applications server	For instructions on adding a Vantage Web Applications server, see Installing/Updating Vantage Web Applications .
Vantage store	You can add multiple Vantage stores to a domain. A Vantage store can reside on a dedicated server or with Vantage services. For instructions on setting up a Vantage store, see Setting Up a Vantage Store .

Adding a Lightspeed Server to an Existing Vantage Domain

This topic describes how to add a Lightspeed server to an existing Vantage domain. A Vantage domain can host just one Vantage domain database. When you add a Lightspeed server to an existing domain, Telestream recommends that you remove the Vantage domain database and SQL Server on the Lightspeed server so that Vantage does not advertise the unused Vantage domain on the Lightspeed server, and so that memory used by the SQL Server becomes available for Vantage use.

Note: The Lightspeed server and the existing Vantage domain must be using the same Vantage release, which must be Vantage 4.0 or later.

To add a Lightspeed server to an existing Vantage domain, follow the procedures in the following topics in the sequence presented:

1. [Moving Licenses to Another Domain](#)
2. [Moving Vantage Services to Another Domain](#)
3. [Setting the Vantage Windows Log On ID for a Service](#)
4. [Removing the Vantage Domain Database](#)
5. [Removing Microsoft SQL Server](#)

Moving Licenses to Another Domain

Any purchased licenses that have been added to the Lightspeed server should be removed from the Lightspeed server so they can be added to the existing domain. Most Vantage domains have a single license that contains multiple license options. However, Vantage can accept and combine license options in multiple license files. In most cases, you need to remove the license from the Lightspeed server and contact

Telestream to arrange a Lightspeed server update to the license for the existing domain.

To delete licenses from the Lightspeed server and add them to the existing Vantage domain, do the following:

1. In VMC, open the domain for the Lightspeed server, and select Licenses in the components panel.

Note: If you have a Team Management, Enterprise Control, or Master Control license, the default Vantage user account is *Administrator* with no password. This account has administrative privileges.

2. Place all services in Maintenance Mode as described in [Entering and Exiting Service Maintenance Mode](#).
3. On the Licenses tab, select all licenses and click the Delete button .

Note: To add licenses to the other domain, you will need access to any license files sent from Telestream or an updated license file for the other domain.

4. In VMC, open the domain to which you want to add the licenses, and select Licenses in the components panel.
5. If you are updating the license for the existing domain, do the following:
 - a. Select the license you are updating and click the Delete button .
 - b. Click the Add License button  and use the open file dialog to select the updated license file.
6. If you are adding licenses to the existing domain, click the Add License button  and use the open file dialog to select a license file.
Repeat this step for additional licenses.
7. Take all services out of Maintenance Mode as described in [Entering and Exiting Service Maintenance Mode](#).

Moving Vantage Services to Another Domain

To move services from the Lightspeed server domain to the existing Vantage domain, do the following:

1. In VMC, open the existing domain to which you want to add the Lightspeed server services.
2. Select Services in the component (left) panel.
3. Click the Add Service button  to display the Select Service dialog.

The Select Service dialog lists all Vantage services running in this subnet, and the list includes unassigned services and services running on other Vantage domains.

4. Select one or more Lightspeed server services to add to this domain, and click OK to add them.

Services are identified by name, machine, and Vantage domain. Use the machine name to identify the services on the Lightspeed server. To select multiple services, use shift-click to select a series of services, or use option-click to select individual services.

5. If you are moving a service from one domain to another, VMC displays the Reassign Services window. Click OK to add them to this domain.

Setting the Vantage Windows Log On ID for a Service

On the Lightspeed server, the default log on ID for each Vantage service is the *Local System account*. This log on ID provides access to files on the local server only. If a service, such as Multiscreen, requires access to files on another server, the Local System account cannot provide that access. If Vantage services need access to input folders, output folders, or a Vantage store that is on another computer, you must do the following:

- Create a Vantage Windows user ID for the service
- Grant access to the Vantage Windows user ID for the appropriate file space on other file systems.

For more information, see [Windows Authentication Guidelines](#).

All Vantage services *except* the following require a Vantage Windows user ID to access files on other computers:


- Agility
- Catalog
- Sdk

Within a single service, the Windows log on ID for that service must be the same on all Vantage servers in the domain. For example, all Analysis services within the domain must use the same log on ID. However, the Catalog service, which does not access files, can remain set to use the Local System account.

To change the log on ID for a Vantage service, do the following for that service on each Vantage server in the distributed domain:

1. Log on to the target server with a local administrator account.
2. On the Vantage server, select Start > Administrative Tools > Services.
You can also select Start, type services.msc in the search box, and press Enter.
3. Right click on a Vantage service and select Properties. (All Vantage services begin with the word *Vantage*.)
4. Select the Log On tab.

Figure 7. Vantage Service Log On Properties



5. Select *This account*.

6. Click Browse and use the Select User dialog to select the Vantage Windows user account name (for example, *VantageWinUser*), then click OK.

If the Vantage Windows user name has not been defined, it will not appear in the browser. You can also enter a user name in the *This account* text box. For information on the Vantage Windows user name and how to create it, see [Windows Authentication Guidelines](#).

Note: All Vantage services in a Vantage domain should be located in the same Windows domain. In [Figure 6](#), *Starfleet* represents the Windows domain.

7. Enter the password for the Vantage Windows user in the *Password* and *Confirm password* text boxes, then click OK.

8. Repeat Steps 3 to 7 as needed for the other Vantage services.

Note: In some cases; you may be required to indicate that the specified user has been granted log on as a service right. If the service fails to start and displays an error indicating that the service log on user name may not have the necessary permissions, consult your IT administrator to set the appropriate rights for the new account.

9. Restart any updated services.

Removing the Vantage Domain Database

To remove the Vantage domain database, follow these steps:

1. Log on to the server with a local administrator account.
2. Open the control panel tool to remove programs in your operating system:
 - Windows XP and Windows Server 2003: Control Panel > Add/Remove Programs.
 - Windows Server 2008: Control Panel > Programs and Features > Uninstall Programs.
3. Select Vantage Domain Database and click Remove or Uninstall.

Removing Microsoft SQL Server

To remove Microsoft SQL Server, follow these steps:

1. Log on to the server with a local administrator account.
2. Open the control panel tool to remove programs (Control Panel > Programs and Features > Uninstall Programs).
3. Remove Microsoft SQL Server 2008 Standard as follows:
 - a. Select Microsoft SQL Standard and click Remove or Uninstall.
 - b. Click Remove.
 - c. Click OK.
 - d. Select the Vantage instance, and click Next.
 - e. Click Select All, and click Next.
 - f. Click Next.
 - g. Click Remove.
 - h. Click Next.
 - i. Click Close.

Note: If you are prompted to stop the SQL Server (VANTAGE) service, be sure to do so in the Services control panel, before proceeding by pressing Retry.

Note: If you have multiple instances (SQLSTANDARD and VANTAGE for example), you will need to remove them both.

4. Select Microsoft SQL Server Native Client and click Remove or Uninstall.

Note: Uninstalling the SQL Server does not delete your Vantage workflows, resources, or transaction history. It leaves your database files intact in [Install_Drive]:\Program Files\Telestream\Vantage\Database. For information on removing the database files, see [Removing Vantage Domain Database Files](#).

Verifying DTC Service Settings

During installation, Vantage configures and starts the Distributed Transaction Coordinator (DTC) Windows service. There is no need to verify DTC configuration and operation after the install, but if you suspect that the DTC service has stopped or the DTC configuration has changed, you can use the information in this topic to verify the DTC status and configuration.

Vantage uses DTC for communication between services and the SQL Server database to guarantee that messages are processed as atomic messages (that is, the entire message is successfully processed or the database state is reverted to the pre-message state). This guarantees that services do not duplicate jobs and that jobs do not register in a partial or incomplete state in the database.

In a Vantage domain, DTC must be running and correctly configured on each Vantage database server and Vantage server, or Vantage services cannot communicate with the Vantage domain database, and the domain stops operation.

To verify operation and configuration, use the procedures in the following topics:

- [Verifying DTC Operation](#)
- [Verifying the DTC Configuration](#)

Verifying DTC Operation

To verify that the DTC is running, do the following:


1. In Windows, select Start > Administrative Tools > Services.
2. Verify that the startup type for Distributed Transaction Coordinator is set to Automatic.
3. If you need to change the startup type, do the following:
 - a. Right-click on the Distributed Transaction Coordinator service and select Properties to display the Properties window.
 - b. Select Automatic from the Startup Type dropdown and click OK.
4. If the DTC service is not running, right click on the service name and select Start.

Verifying the DTC Configuration

To verify that DTC is configured correctly, do the following:

1. In Windows, select Start > Administrative Tools > Component Services.
2. In the left pane, navigate to Component Services > Computers > My Computer > Distributed Transaction Coordinator.
3. In the right pane, right-click Local DTC and select Properties.
4. Click the Security tab.
5. To enable transactions to properly flow from one machine to another, set the Security configuration settings as shown in [Figure 8](#), and click OK.

Figure 8. DTC Security Settings



Note: You have to restart the database instance in order for SQL to receive notification of the changes to the DTC. You can restart the database by restarting the server that the database is on.

Using the Vantage Management Console

This chapter describes how to use the Vantage Management Console.

The [Vantage Management Console](#) (VMC) enables Vantage system administrators to configure their [Vantage domain](#) and to scale Vantage services across multiple servers (creating a Vantage distributed domain) to meet their operating requirements.

Note: Features in products for which you don't have a license are disabled and indicate that you need a license to use them.

The following topics describe how to use VMC:

- [Introduction](#)
- [Starting the Vantage Management Console](#)
- [Managing the Vantage Domain Connection](#)
- [Using the Vantage Management Console Workspace](#)
- [Managing Tips and Warnings](#)
- [Using the Help System](#)
- [Displaying Vantage Version Information](#)
- [Vantage Management Console Reference](#)

Introduction

VMC is designed to facilitate centralized management of the software components and resources that comprise a [Vantage domain](#), including settings and options, [Vantage catalog](#)s, [Vantage stores](#), [Vantage services](#), [licenses](#), workflow design items, and client application configurations. VMC also provides real-time status details for services, machines, and the domain at large, plus a domain backup/restore utility and other support utilities.

VMC manages a single Vantage domain at a time.

CAUTION: Although VMC is a multi-user application, when used for modifying a domain, it is intended for use by one user on one domain at a time. Connecting multiple consoles to the same Vantage domain for any other purpose than viewing

status and configuration details is not recommended and can lead to domain configuration problems.

Each Vantage domain includes a single [Vantage domain database](#), which consists of a Microsoft SQL Server instance, Vantage domain database software, and database files. All configurations that you create with VMC are stored in the Vantage domain database.

Many organizations implement Vantage as a single domain. However, in large facilities, you may have several separate and independent Vantage domains for scaling to high-volume workflow processing or for specialization and departmentalization purposes.

In a facility with multiple Vantage domains, you can connect to any Vantage domain in the network from any Management Console in the network.

Starting the Vantage Management Console

To start the [Vantage Management Console](#), do one of the following:

- Select Start > Programs > Telestream > Vantage > Vantage Management Console
- Double-click the Vantage Management Console shortcut on your desktop:

Figure 9. Management Console Shortcut




After you start VMC, your domain configuration may prompt you for additional information, which is described in the following topics:

- [Selecting a Domain](#)
- [Entering a Username and Password](#)

Selecting a Domain

Each time you start VMC, the program connects to the last domain to which it was connected. If you are starting the program for the first time, VMC polls the network for domains in the same subnet, and displays the domains that responded in a list ([Figure 10](#)).

Figure 10. Vantage Domain Selection Panel




The name for each Vantage domain is the name of the computer that hosts the Vantage domain database. If you do not know which domain you should connect to, see your Vantage domain administrator.

To select a domain, do the following:

1. If the domain you want appears in the list, select the domain (Figure 10).
2. If the Vantage domain's SQL database default username and password were changed during installation, do the following:
 - a. Click Connection Settings to display a dialog that you can use to specify the correct username and password for the MS SQL Server (Figure 11).

Figure 11. MS SQL Login Settings



- b. Enter the Vantage domain database SQL Server account username and password (obtained from your Vantage administrator).

3. If the domain you want is not in the list (not in your current subnet), do the following:
 - a. Click *My Vantage Domain isn't Listed* to display a dialog to manually enter the domain (Figure 12).

Figure 12. Vantage Domain Server Identification




- b. Enter the domain name or IP address of the server that hosts the Vantage domain database (for example, *VantageServer203* or *192.168.1.1*).
If you do not know IP address of the server that hosts the Vantage domain database, see your Vantage domain administrator.
4. Click OK to continue.

Entering a Username and Password

If you have not installed the Team Management, Enterprise Control, or Master Control license, or if the user management feature is disabled, Vantage does not require you to enter a user name and password when starting VMC. Anyone with access to your computer can open VMC and manage the domain.

When the Team Management, Enterprise Control, or Master Control license is installed and user management is enabled (see [Managing Vantage Users](#)), Vantage prompts you for user information when you start VMC (Figure 13).

Figure 13. Vantage Domain Login Dialog



If the dialog prompts for credentials to a domain you cannot or do not want to access, click Cancel and select the domain to which you want to connect as described in [Selecting a Different Domain](#).

When the dialog displays the correct domain name, enter your Vantage username, and password, if required, and click OK to connect.

The default Vantage user is *Administrator*, with no password assigned, and this user has Administrator privileges. Only Vantage users who are administrators can log into VMC.

Note: All user passwords are encrypted in the Vantage domain database.

Managing the Vantage Domain Connection

Vantage Management Console connects to one domain at a time. You must connect to a domain before you can use VMC to manage that domain. In an environment where more than one Vantage domain is operating, you can use the same Management Console to connect to any single domain.


The following topics describe tasks for managing your domain connection:

- [Identifying the Selected Domain](#)
- [Selecting a Different Domain](#)

Identifying the Selected Domain

Each Vantage domain is identified by the name of the computer on which the [Vantage domain database](#) instance is running. To determine the domain to which the [Vantage Management Console](#) is currently connected, note the Vantage domain name in the window title as shown in [Figure 14](#).

Figure 14. Vantage Domain Component



Selecting a Different Domain

To select a different Vantage domain, do the following:


1. Select File > Change Vantage Domain.
2. Select a domain as described in [Selecting a Domain](#).

When you change domains, VMC closes its connection to the current domain's [Vantage domain database](#) and connects to the new domain's database, refreshing the details of all of its components.

Using the Vantage Management Console Workspace

The Vantage Management Console window displays two panels that display Vantage configuration components and configuration settings as shown in [Figure 15](#).

Figure 15. The Vantage Management Console Workspace



Components Panel

On the left is the Vantage components panel, which lists Vantage configuration components.

Details Panel

To the right of the components panel is the details panel, which lists the configuration settings for the Vantage component selected in the components panel.

For example, when you select the Settings & Options component, the details panel displays all the configuration options for this component as shown in [Figure 15](#). For the Settings and Options component, the details panel options are divided into four tabs. The details panel for other components is further divided into subpanels. These tabs and subpanels help to organize the configuration options.

Managing Tips and Warnings

To restore tip and warning messages that were previously disabled by clicking *Don't show me this again*, select Options > Restore Tips & Warnings. When tips and warnings are restored, these tips and warnings display as you interact with VMC.

To disable all tip and warning messages select Options > Hide Tips & Warnings. These messages can also be individually disabled by clicking *Don't show me this again* when they appear.

Using the Help System

The Vantage Management Console provides the following help documentation:

- [Context-Sensitive Help](#)
- [The Vantage Domain Management Guide](#)
- [Tool Tips](#)
- [Online Help](#)

Context-Sensitive Help

When you are using the Vantage Management Console, context-sensitive help displays the appropriate section of the Vantage Domain Management Guide (which is this guide). For example, if you select the Storage component in the components panel and open context-sensitive help, Vantage displays the Managing Vantage File Storage section of this guide. To start context-sensitive help, press F1 or click the ? button.

The Vantage Domain Management Guide

The Vantage Domain Management Guide is available in PDF and program help formats. When you use context-sensitive help, you are opening the program help version of this guide to a section appropriate for the configuration settings you are viewing. You can also open this guide by selecting one of the following:

- Help > Contents—Displays the table of contents of this guide.
- Help > Index—Displays an index for this guide.
- Help > Search—Displays a search panel that you can use to search for information.

The Favorites tab in program help can be used to display topics you want to quickly access. While viewing a help topic, click the Add button to add the current topic to the favorites list. To remove a topic, select the topic and click Remove.

Tool Tips

Tool tips display information about buttons and configuration options in the Vantage Management Console. To display the tool tip for a button or option, hover the cursor over the button or option.

Online Help

The latest documentation is posted on the Telestream, Inc. Web site. To quickly access the Telestream online documentation from within Vantage Management Console, select Help > Online Help.

Note: Access to the Vantage Online Help requires an Internet connection.

Displaying Vantage Version Information

Vantage software version information can be found in the Help menu of Vantage programs and in the Microsoft Windows Control Panel.

To locate software version information in a Vantage program, select Help > About..., where the About... reference is unique to the Vantage program.

To display Vantage software version information in the Control Panel, do the following:

1. Select Start > Control Panel.
2. Click Programs and then Programs and Features.
3. Scroll through the list of programs to view the Vantage Program versions installed.

Vantage Management Console Reference

The following topics provide descriptions of Vantage Management Console controls:

- [Vantage Management Console Menus](#)
- [Vantage Component Descriptions](#)

Vantage Management Console Menus

[Table 9](#) describes the Vantage Management Console menus.

Table 9. Vantage Management Console Menus

Menu	Selection	Description
File	Change Vantage Domain	Displays a dialog that you can use to select another domain as described in Selecting a Domain .
	Change Vantage User	Displays a dialog that you can use to change to another Vantage user name. See Entering a Username and Password .
	Exit	Quits the Vantage Management Console Program.
Options	Restore Tips & Warnings	Restores tip and warning messages after they have been disabled. See Managing Tips and Warnings .
	Hide Tips & Warnings	Hides tip and warning messages. See Managing Tips and Warnings .
Help	Contents	Displays the contents of this guide in program help.
	Index	Displays an index of this guide in program help.
	Search	Displays a search panel that you can use to search for information in the program help.
	Online Help	When you are connected to the Internet, this option opens the Vantage documentation Web page in your browser.
	About	Displays version information for the Vantage Management Console program.

Vantage Component Descriptions

Table 10 describes the components in the Vantage Management Console components panel.

Table 10. Vantage Configuration Components

Parameter	Description
Settings & Options	Use this panel to display general settings that configure Vantage operation. For more information, see Settings and Options .
Catalogs	The Catalogs panel allows you to manage catalogs and the binders they contain. For more information, see Managing Catalogs .
Storage	The Storage panel allows you to manage the Vantage Stores and Vantage Folders where Vantage files are stored. For more information, see Managing Vantage File Storage .
Services	Use the Services panel to configure your Vantage services according to your requirements. For more information, see Managing Services .
Licenses	Use the Licenses panel to view, add, delete, and deactivate licenses for Vantage features. For more information, see Managing Licenses .
Status	See Viewing the Active Workflows and Actions .
Workflow Design Items	See Managing Workflow Design Items .
Domain Workflow Analytics	See Viewing Workflow and Action Analytics .
Support Utilities	Use the Support Utilities panel to access Vantage utilities for the following: <ul style="list-style-type: none">• Managing Vantage Workflows• Using the Data Collection Utility• Using the Change Log• Using the Error Log• Exporting and Importing Workflow Action Configurations• Displaying Plug-in Versions
Application Configurations	Use the Application Configurations panel to select a Vantage application to configure. For more information, see: <ul style="list-style-type: none">• Configuring Job Status Views Operation• Configuring Vantage Workflow Portal Operation

Table 10. Vantage Configuration Components (Continued)

Parameter	Description
Report Configurations	See Creating Report Formats .
Users	Use the Users panel to manage how Vantage users access and use Vantage features. For more information, see Managing Vantage Users .
Domain Backup/Restore	Use the Domain Backup/Restore panel to back up and restore the Vantage domain database. For more information, see Backing Up and Restoring the Vantage Domain Database .

Settings and Options

[Table 11](#) provides descriptions and references for the parameters for the Settings & Options component.

Table 11. Settings & Options Panel Parameters

Tab	Parameter	Description
General	Enable cost-based load balancing	Enables cost-based load balancing. For more information, see Managing Load Balancing .
	Enable user administration	Enables or disables Vantage user management. For more information, see Managing Vantage Users .
	Expire failed jobs	See Enabling and Disabling Expiration of Failed Jobs .
	Vantage Workflow Designer Grid	See Setting the Vantage Workflow Designer Grid Width/Height .
Email	All	See Configuring Vantage Email Notifications .
Authorization	All	See Specifying Authorization Credentials for Remote Folder Access .
Agility ECS	All	See Configuring an Agility ECS Connection .

Application Configurations

The Application Configurations component lists client applications that the Vantage Management Console can manage.

To display the client programs that you can manage, select Application Configurations in the components panel.


Refer to the following topics for more information on these applications:

- [Configuring Job Status Views Operation](#)
- [Configuring Vantage Workflow Portal Operation](#)

Support Utilities

Vantage provides utilities to import and export workflows, collect important information about your domain, and send this data to Telestream Customer Service to help diagnose and solve a problem. Utilities also perform other important tasks to help you manage your domain effectively.

Figure 16. Support Utilities Panel



Refer to the following topics for more information on these utilities:

- [Managing Vantage Workflows](#)
- [Using the Data Collection Utility](#)
- [Using the Change Log](#)
- [Using the Error Log](#)
- [Exporting and Importing Workflow Action Configurations](#)
- [Displaying Plug-in Versions](#)

Managing a Vantage Domain

This chapter describes how to manage a Vantage domain.

Note: Features in products for which you don't have a license are disabled and indicate that you need a license to use them.

The following topics describe how to manage a Vantage domain:

- [Managing Licenses](#)
- [Managing Vantage File Storage](#)
- [Managing Vantage Users](#)
- [Managing Services](#)
- [Managing Load Balancing](#)
- [Configuring Vantage Email Notifications](#)
- [Specifying Authorization Credentials for Remote Folder Access](#)
- [Configuring an Agility ECS Connection](#)
- [Using the Data Collection Utility](#)
- [Using the Change Log](#)
- [Using the Error Log](#)
- [Displaying Plug-in Versions](#)
- [Backing Up and Restoring the Vantage Domain Database](#)
- [Renaming a Vantage Domain](#)
- [Renaming a Vantage Server](#)

Managing Licenses

Telestream provides Vantage [licenses](#) to enable a specific set of capabilities in a [Vantage domain](#). A single license file activates capabilities for every server in the domain—functionality that was specified in your license request. Production licenses can only be used by one Vantage Domain at a time.

When you receive a license file from Telestream, you need to activate the license file. Activation locks the license in the Vantage domain database, and the license remains

locked until deactivated. Once activated, the license file is no longer used by Vantage. However, you should keep the license file in case it needs to be reactivated later.

The following topics provide information on managing Vantage licenses:


- [Viewing Vantage Licenses](#)
- [Adding a License](#)
- [Deactivating a License](#)

Note: For information on Vantage Workflow Portal session management, see [Viewing and Resetting VWP Sessions](#).

Viewing Vantage Licenses

To view the Vantage licenses in your domain, start the Vantage Management Console and select Licenses in the components panel on the left. Vantage displays the Licenses detail panel shown in [Figure 17](#).

Figure 17. The Licenses Details Panel



You use the Licenses details panel to add a license to the domain and activate it. You also use the details panel to remove a license from the domain.

Select a license to open and view the policies in this license and the associated capabilities it enables.

Adding a License

Vantage licenses are normally installed when the domain is installed. For instructions on adding a license, see [Enabling a Vantage License](#).

Deactivating a License

Note: Before deactivating a license, all jobs using the license should be stopped, and all services using the license should be put into Maintenance Mode. Otherwise, the license will report being in use.

To deactivate a license in a domain, select the license and click the Remove license button  in the toolbar. Click Yes in the warning dialog to confirm.

When you remove a license, Vantage attempts to deactivate it. A license should only be removed if you intend to install the same license on a different Vantage domain. In this case, the removal process also attempts to deactivate the license. The deactivation process will indicate that the license may be loaded on a different domain. If a license is not deactivated prior to adding it to another Vantage Domain, an error occurs—indicating that the license is currently in use on a different Vantage domain and that it can not be activated a second time.

Managing Vantage File Storage

Vantage storage is disk space that can be used to store files for Vantage processing. The following topics provide information on Vantage storage:

- [Understanding Vantage Storage](#)
- [Understanding Path Specifications for Vantage Storage](#)
- [Managing Vantage Stores](#)
- [Managing Vantage Folder Addresses](#)

Understanding Vantage Storage

Vantage storage is disk space that Vantage can use to store media files and attachments. Vantage storage is different from database storage, which stores data for Vantage configuration, job/binder status, and system status.

Vantage provides two types of storage:

- Vantage stores—Managed disk space where media files and attachments are automatically deleted when they are no longer referenced by a binder.
- Vantage folder addresses—Unmanaged disk space to which media files and attachments can be delivered, but from which files are not automatically deleted.

Vantage stores are defined in the [Vantage Management Console](#) and can be used in workflow [actions](#) that perform file operations. Vantage stores can also be associated

with Vantage services for temporary storage (such as the location for a file that is being created during transcoding). Managed files remain in a Vantage store while either of the following is true:

- The files are referenced by a binder during job processing.
- The files are referenced by a binder that has been registered in a catalog, and the binder expiration date has not yet passed.

Vantage folders can be created in the console or in Vantage [Vantage Workflow Designer](#). Like stores, Vantage folders can then be used in [workflow](#) actions that perform file operations.

Transport actions that are responsible for saving files can use both stores and folders as file access and delivery points.

Understanding Path Specifications for Vantage Storage

Vantage stores and folders can be specified using the following path forms:

- UNC form: `\\ComputerName\ShareName`
- Physical drive-letter form: `C:\folder\folder`
- Mapped drive managed by SAN client software (for example, StorNext)

Note: Vantage cannot access network locations defined using a Windows mapped drive. For all network locations other than properly configured SAN locations, you must use a UNC path to define network locations for Vantage use.

If all your Vantage services, clients, and storage are on the same server, you can use either path form. However, Telestream recommends that you always use the UNC path form.

The disadvantage to using the drive-letter path form is that the drive letter is defined on the local machine, and the drive letter does not identify the computer that hosts the drive. For example, if you specify a Vantage store on drive C: using the drive-letter path form and a Vantage Workflow Portal (VWP) operator tries to view files in that store on a different computer, VWP will search for those files on drive C: on the operator's computer, not on the Vantage server.

When any Vantage service or client program will use Vantage storage from a different computer, you must specify the path using the UNC form. You should also use the UNC form if you think you might ever support Vantage services or clients on another computer. You can change the path form later, but it is easier to use the UNC path form now, and it can prevent troubleshooting issues in the future.

Note: When services or clients will access Vantage storage from another computer, the Vantage storage location must be published as a share, and access must be granted to the appropriate Windows users. For more information, see [Windows Authentication Guidelines](#).

When you want to use a SAN system, be aware that some SAN systems expose the shared drive as a letter (mapped) drive (for example, X:) that is visible on any client of the SAN. You can utilize SAN drives via a letter drive reference, provided that each Vantage server is a client of the SAN and that all mount points use the same letter.


Note: If you are creating a store to hold proxy files viewed in VWP, Telestream recommends that you reference the store with a UNC path. Some SAN clients do not allow frame-accurate representation of proxies when using shared drives.

Managing Vantage Stores

Vantage stores management is performed in the [Vantage Management Console](#). When you install Vantage in all-in-one mode, a default store named *Local Store* is created so that you can use [Vantage Workflow Designer](#) and access at least one store. You can add other stores as necessary.

To manage your stores, start the Vantage Management Console and select Storage > Vantage Stores in the components panel. Vantage displays the Vantage Stores detail panel shown in [Figure 18](#).

Figure 18. The Vantage Stores Details Panel



Use the Vantage Stores details panel to add and configure stores. You also use the details panel to modify and delete stores.

The following topics describe how to manage Vantage stores:

- [Adding and Configuring Vantage Stores](#)
- [Viewing Files in a Vantage Store](#)
- [Modifying a Vantage Store](#)
- [Moving a Store Online or Offline](#)
- [Identifying Workflows that Use a Store](#)
- [Setting the Block Size](#)
- [Duplicating a Vantage Store](#)
- [Exporting and Importing Vantage Stores](#)
- [Deleting a Vantage Store](#)

Note: The Alias feature shown in [Figure 18](#) supports the Web-based VWP application as described in [Managing Alias Support for the VWP Web Client](#).

Adding and Configuring Vantage Stores

To add a new Vantage store, do the following:

1. Click the New Vantage Store button  in the toolbar to display the Add New Store dialog.
2. Type a name for the store in the Name text box.
The name that you enter here is the name that appears in Workflow Designer when an action is configured to access a media file or attachment.
3. To specify the store root directory with a UNC path (recommended), do the following:
 - a. Click Modify to display the Browse for Folder dialog box.
 - b. Open Network, open the computer name, and then select the root directory for the store.
 - c. Click OK.

You can also type a UNC path in the Location text box. For example, `\\Computer-Name\Sharename`.

Note: If the Vantage store is on a different computer, you must publish a share and grant access to the appropriate Windows users before it will appear in the Browse for Folder dialog. For more information, see [Windows Authentication Guidelines](#).

4. To specify the store root directory with a drive letter path, do the following:
 - a. Click Modify to display the Browse for Folder dialog box.
 - b. Select a local folder.
 - c. Click OK.

You can also type a drive letter path in the Location text box. For example, `C:\folder\folder`.

Note: If you use a physical drive letter to specify a directory, only Vantage services and clients on the same computer can access the store. For more information, see [Understanding Path Specifications for Vantage Storage](#).

5. Click OK.
6. Click the Save button  to save the new store.

Viewing Files in a Vantage Store

The Files text box on the Vantage Stores page displays the files in the Vantage store. You can also use tools in the host file system (Windows Explorer, for example) to view the files in the store. To refresh the display of files, click the refresh button .

Modifying a Vantage Store

To modify a Vantage store, do the following:

1. Select an existing store in the Vantage Stores list.
2. To change the store name, type a new name in the Name text box.
3. To enter a description for the store, type a description in the Description text box.
4. To specify the store root directory with a UNC path (recommended), do the following:
 - a. Click Modify to display the Browse for Folder dialog box.
 - b. Open Network, open the computer name, and then select the root directory for the store.
 - c. Click OK.

You can also type a UNC path in the Location text box. For example, `\\Computer-Name\Sharename`.

Note: If the Vantage store is on a different computer, you must publish a share and grant access to the appropriate Windows users before it will appear in the Browse for Folder dialog. For more information, see [Windows Authentication Guidelines](#).

5. To specify the store root directory with a drive letter path, do the following:
 - a. Click Modify to display the Browse for Folder dialog box.
 - b. Select a local folder.
 - c. Click OK.

You can also type a drive letter path in the Location text box. For example, `C:\folder\folder`.

Note: If you use a physical drive letter to specify a directory, only Vantage services and clients on the same computer can access the store. For more information, see [Understanding Path Specifications for Vantage Storage](#).

6. To specify a folder naming scheme for the store, select the scheme from the Folder Scheme drop down list.

When content is placed in a Vantage Store, Vantage creates a subfolder in the Store location to save the files in. If you select Identifier, the subfolder is named by auto-generating a GUID. Date uses the current time and date stamp, and Name+Date uses the content name plus the time and date. For example, a Name+Date subfolder for a media file named *Butterfly* would be named something similar to: *Butterfly_2010-09-17_01-59-50-5785*.

7. To take a Vantage store offline, check the Offline checkbox. Clear the checkbox to bring the store back online.

For more information, see [Moving a Store Online or Offline](#).

8. To set the block size used for the store access, click the Advanced button and follow the instructions in [Setting the Block Size](#).

9. For information on managing aliases for the store, see [Managing Alias Support for the VWP Web Client](#).

10. Click the Save button  to save the changes.

Moving a Store Online or Offline

There may be times when you want to move a Vantage store offline to perform maintenance. When a store is offline, the Offline column in the Vantage Stores list displays an X for all stores that are offline.

When you move a store offline, any jobs in progress that are using that store continue to run, but the offline store is no longer available for new jobs. A good practice is to take the store offline, let all jobs in progress for that store complete, and then perform the planned maintenance. If the store becomes inaccessible before the jobs in progress complete, the jobs in progress for that store fail.

To move a Vantage store offline or online, do the following:

1. Select an existing store in the Vantage Stores list.
2. To take a Vantage store offline, check the Offline checkbox. Clear the checkbox to bring the store back online.

The Offline checkbox is disabled if the store is assigned to a Vantage service. To enable the offline checkbox in this situation, identify to which service the store is assigned, and place that service in maintenance mode. You can locate which service is using the store by looking at the Storage tab for each service. For more information, see [Managing Services](#).

3. Click the Save button  to save the changes.

Identifying Workflows that Use a Store

Vantage allows you to search all workflows in a domain to see which workflows are using a store. This is very useful when you need to change or delete a store, and you want to know which workflows might be affected by the change.

To search workflows, do the following:

1. Select the store for which you want to search.
2. Click the Search button  in the toolbar.

If the store is used by any workflows, Vantage displays a list of workflows that use the store. Double-click any workflow in the list to open that list in Vantage Workflow Designer. Click Done to dismiss the list.

If the store is *not* used by any workflows, Vantage displays a message to that effect. Click OK to dismiss the message.

Setting the Block Size


Vantage allows you to specify the block size used when writing data to and reading data from Vantage stores. The default setting works best for most storage systems, but some fiber attached storage systems support higher throughput with larger block sizes.

CAUTION: This is an advanced system feature, and misconfiguration can disable your Vantage store. Be sure you understand the block size requirements of the storage system before making changes, and consider making changes to a production system only when you know the system is idle.

To specify and test a new block size, do the following:

1. Click Advanced to display the Advanced Store Settings dialog.

Figure 19. Advanced Stores Settings Dialog



2. Check the *Specify desired block size* checkbox.
3. Use the up and down arrows to specify the new block size.
4. To test the new block size, do the following:
 - a. Click Test.
 - b. Use the file selection dialog to select a test file, and then click Open.

The test does not open the test file or evaluate file content, so you can use any file, regardless of file content. Larger files usually give a more accurate average throughput result.
 - c. Click OK.

Vantage displays the test results.
5. Click OK to save the new setting and close the dialog.

Duplicating a Vantage Store

To duplicate a Vantage store, do the following:

1. Select an existing store in the Vantage Stores list.
2. Click the Duplicate button .
3. Select the new store and customize it as needed (see [Modifying a Vantage Store](#)).

Exporting and Importing Vantage Stores

Vantage allows you to export one or all Vantage stores to XML files, which you can then use to import the same stores into another Vantage domain.

To export one or all stores, do the following:

1. If you are exporting a single store, select the store to export.
2. Click the Export button  to export a single store, or select *Export all* from the Export button drop down menu.
3. Use the file system dialog to save the exported stores.

The default file name is the store name, but you can change the file name.

Note: Changing the name of the XML file does not change the name of the store in the XML file.

To import a store, do the following:

1. Click the Import button .
2. Use the file system dialog to locate and select the store to import, then click Open.

Note: If you try to import a store that is already in this Vantage domain, Vantage prompts you to either overwrite the existing store (click Yes) or cancel the import (click No).

Deleting a Vantage Store

Click on the store you want to delete, click the Delete button  in the toolbar, and click OK to confirm.


Note: If there are any files in the store that are maintained by Vantage—such as those for unexpired jobs or binders in a catalog, you cannot delete the store. Deleting a store permanently removes the store from the domain. It does not delete directories, shares, or any files in them.

Managing Vantage Folder Addresses

Vantage folder address book management can be performed either directly in the [Vantage Management Console](#) or in Vantage [Vantage Workflow Designer](#) (in Copy or Move actions).

To manage your Vantage folder addresses in VMC, start VMC and select Storage > Vantage Folder Address Book in the components panel. Vantage displays the Vantage Folder Address Book detail panel shown in [Figure 20](#).

Figure 20. The Vantage Folders Address Book Details Panel



You can use the Vantage Folders Address Book details panel to add and configure Vantage folders. You also use the details panel to modify and delete Vantage folders.

The following topics provide information on managing Vantage folder addresses:


- [Adding Vantage Folder Addresses](#)
- [Refreshing the List of Folders](#)
- [Modifying Vantage Folder Addresses](#)
- [Identifying Workflows that Use a Vantage Folder](#)
- [Deleting a Vantage Folder Address](#)
- [Setting the Block Size](#)
- [Duplicating a Vantage Folder Address](#)
- [Exporting and Importing Folder Addresses](#)

Adding Vantage Folder Addresses

To add a new folder address, do the following:

1. Click the Add Folder button  to display the Add New Folder dialog.
2. Enter a folder name in the Add New Folder dialog.
3. Click Modify to display the Folder Location Editor dialog.

Figure 21. Folder Location Editor Dialog



4. Select the file system where the Vantage files will be stored, then click Next.
5. To specify the folder root directory with a UNC path (recommended), do the following:
 - a. Click Browse to display the Browse for Folder dialog box.
 - b. Open Network, open the computer name, and then select the root directory for the folder.
 - c. Click OK.

You can also type a UNC path in the Location text box. For example, `\\Computer-Name\Sharename`.

Note: If the Vantage folder is on a different computer, you must publish a share and grant access to the appropriate Windows users before it will appear in the Browse for Folder dialog. For more information, see [Windows Authentication Guidelines](#).

6. To specify the folder root directory with a drive letter path, do the following:
 - a. Click Browse to display the Browse for Folder dialog box.
 - b. Select a local folder.
 - c. Click OK.

You can also type a drive letter path in the Location text box. For example, `C:\folder\folder`.

Note: If you use a drive letter to specify a folder, only Vantage services and clients on the same computer can access the folder. For more information, see [Understanding Path Specifications for Vantage Storage](#).

7. Click Finish to close the Folder Location Editor dialog. (You may have to click OK on the local folder warning dialog.)
8. Click OK to save this new Vantage folder address to the domain and close the Add New Folder dialog.

Refreshing the List of Folders

To refresh the folder list, click the refresh button .

Modifying Vantage Folder Addresses

To modify a folder address, do the following:

1. Select the folder in the Vantage Folder Address Book.
2. If you want to change the folder name, enter a new name for the Vantage folder. This name is displayed in copy and move [action](#) inspectors where you are specifying the location in which to save a file.
3. If you want to enter a description, enter the description, purpose, or use of this folder address.
4. To change the folder storage location, click Modify and specify the new location as described in [Adding Vantage Folder Addresses](#).
5. To define what action Vantage takes when it saves a file and a file with the same name exists in the Vantage folder, select an action from the Collision Resolution drop down list:
 - Create Unique Name—Vantage creates the file with a unique name, leaving the other file intact.
 - Overwrite—Vantage overwrites the old file.
 - Set Failure State—Vantage does not save a new file and registers a failure with the action that attempted to create the file.
6. For instructions on using the Advanced features, see [Setting the Block Size](#).
7. Click the Save button .

Identifying Workflows that Use a Vantage Folder

Vantage allows you to search all workflows in a domain to see which workflows are using a Vantage folder. This is very useful when you need to change or delete a store, and you want to know which workflows might be affected by the change.

To search workflows, do the following:

1. Select the Vantage folder for which you want to search.
2. Click the Search button  in the toolbar.

If the folder is used by any workflows, Vantage displays a list of workflows that use the folder. Double-click any workflow in the list to open that list in Vantage Workflow Designer. Click Done to dismiss the list.

If the folder is *not* used by any workflows, Vantage displays a message to that effect. Click OK to dismiss the message.

Deleting a Vantage Folder Address

Click on the folder you want to delete, click the Delete button  in the toolbar, and click OK to confirm.

Note: Deleting a folder permanently removes the folder from the domain. It does not delete directories, shares, or any files in them.

Setting the Block Size

Vantage allows you to specify the block size used when writing data to and reading data from Vantage folders. You can also use Vantage to test the throughput of different settings. The default setting works best for most storage systems, but some fiber attached storage systems support higher throughput with larger block sizes.

CAUTION: This is an advanced system feature, and misconfiguration can disable your Vantage folder. Be sure you understand the block size requirements of the storage system before making changes, and consider making changes to a production system only when you know the system is idle.

To specify and test a new block size, do the following:

1. Click Advanced to display the Advanced Store Settings dialog (see [Figure 19](#)).
2. Check the *Specify desired block size* checkbox.
3. Use the up and down arrows to specify the new block size.
4. To test the new block size, do the following:
 - a. Click Test.
 - b. Use the file selection dialog that appears to select a typical media file, and then click Open.

Larger files will usually give a more accurate average throughput result.
 - c. Click OK.

Vantage displays the test results.
5. Click OK to keep the save the new setting and close the dialog.
6. Click the Save button .

Duplicating a Vantage Folder Address

Select the folder you want to duplicate, click the Duplicate button  in the toolbar. Select the duplicated folder, make the necessary changes and save it.

Exporting and Importing Folder Addresses

Vantage allows you to export folder addresses to XML files, which you can then use to import the same addresses into another Vantage domain.

To export one or all folder addresses, do the following:

1. If you are exporting a single address, select the metadata label to export.
2. Click the Export button  to export a single address, or select *Export all* from the Export button drop down menu.
3. Use the file system dialog to save the exported folder addresses.

The default file name is the folder address name, but you can change the file name.

Note: Changing the name of the XML file does not change the name of the folder address in the XML file.

To import a folder address, do the following:

1. Click the Import button .
2. Use the file system dialog to locate and select the folder address file to import, then click Open.

Note: If you try to import a folder address file that is already in this Vantage domain, Vantage prompts you to either overwrite the existing folder address (click Yes) or cancel the import (click No).

Managing Vantage Users

Team Management | Enterprise Control | Master Control

The user management feature enables you to control which users have access to the following:

- Vantage Web Applications
- Vantage Workflow Portal configurations
- Workflow categories in the Vantage Workflow Designer client application
- Vantage Management Console

User management requires Vantage users to log in using a Vantage username and password that is assigned to them by the Vantage administrator. The Vantage administrator uses VMC to create, remove, and edit user profiles. Vantage users are allowed to change their own password.

The following topics describe how to manage Vantage users:

- [Enabling and Disabling User Management](#)
- [Managing Users with Vantage Management Console](#)
- [Adding Users](#)
- [Setting Passwords](#)
- [Removing Users](#)
- [Importing and Exporting Users](#)

Enabling and Disabling User Management

Enterprise Control | Master Control

To enable or disable user management, do the following:

1. Start VMC as described in [Starting the Vantage Management Console](#).
2. In the components panel, select Settings and Options.
3. On the General tab in the details panel, check the *Enable user administration* checkbox to enable this feature, or clear the checkbox to disable this feature.

Note: When you disable user management, users do not need to enter a user name and password to log in to Vantage Management Console, Vantage Workflow Designer, or the Vantage Workflow Portal client application. To access most Vantage Web Applications, users must enter a user name and password. The exception for Vantage Web Applications is Job Status Views. When public access is configured for Job Status Views, users do not need to enter a user name and password.


Managing Users with Vantage Management Console

To start user management in VMC, do the following:

1. Start VMC as described in [Starting the Vantage Management Console](#).
2. In the components panel, select Users.

Vantage displays the Users detail panel shown in [Figure 22](#).

Figure 22. Users Detail Panel



Adding Users

To add a new user, click the *New User* button . When the dialog box displays, enter the username and password (and confirm the password) of the new user. If the new user is to have administrator privileges, check the *Administrator* checkbox. Click *OK* to close the dialog box, then click the *Save* button to save your changes.

Users can be given or denied administrator privileges by checking (or unchecking) the *Administrator* checkbox located at the bottom of the User Management panel. The target user must be selected when this action is taken. After checking or unchecking the *Administrator* checkbox, click on the Users list to prompt a dialog box to confirm this change.

Setting Passwords

To set the password of a user, click the *Set Password* button. When the dialog box displays, enter the password (and confirm the password) of the user. Click *OK* to close the dialog box, then click the *Save* button to save your changes.

Removing Users

Users can be removed by selecting the user in the Users list and clicking the *Delete* button at the top of the User Management panel. When requesting the removal of a user, a dialog box will display asking you to confirm this action. You cannot undo the removal of a user, thus to restore a user you must add him again as a new user.

Importing and Exporting Users

User lists can be imported and exported. To import a list of users, click the Import button , navigate to the XML file containing a list of users, and click the Open button. To export a list of users, click the Export button , enter an XML filename for the list of users, and click the Save button.

Managing Services

Services, as used in Vantage, refers to Vantage running as Windows services, which are required to perform a given [action](#) in a [workflow](#). The term *service* refers to the specific instance of the Windows service on a particular computer that is responsible for actually executing the actions specified in a workflow, when that workflow is executed as a result of a job submission to process a given media file.

Use the Services component of the [Vantage Management Console](#) to configure your Vantage services operating on various machines to function according to your requirements.

You can configure each service's program settings, storage requirements, [variables](#), and [qualification rules](#).


The following topics describe how to manage services:

- [Using the Services Details Panel](#)
- [Adding a Service to the Domain](#)
- [Removing a Service from the Domain](#)
- [Entering and Exiting Service Maintenance Mode](#)
- [Entering and Exiting Server Maintenance Mode](#)
- [Resetting the Service Metrics History](#)
- [Configuring Vantage Services](#)

Using the Services Details Panel

To begin Vantage service management, start the Vantage Management Console and select Services in the components panel. Vantage displays the Services detail panel shown in [Figure 23](#).

Figure 23. The Vantage Services Details Panel



Note: If duplicate entries appear for services on a specific Vantage server, it could be that the server has multiple network interface cards and one of them has been disabled. This does not affect Vantage operation.

Table 12 describes the columns in the Services panel.

Table 12. Services Panel Column Descriptions

Column Heading	Description
Service	Lists Vantage services by name.
Machine	Displays the machine name that hosts the service.
State	Displays the service state, which can be Online, Maintenance, Restarting, or Unreachable.
Active Sessions	Displays the number of active sessions for the service. A service starts a session each time a workflow uses that service to process a job.
Queued Sessions	Displays the number of sessions that have been assigned to a service and are waiting for the service to become available.
Failed Sessions	Displays the number of sessions that did not complete successfully.
Total Sessions	Displays the total number of jobs that have used the related service since the metrics were last reset.

Table 12. Services Panel Column Descriptions (Continued)

Column Heading	Description
Current Resource Usage	<p>In sessions mode (which is the default mode), this column displays the sum of all sessions that are currently being processed by the service.</p> <p>When cost-based load balancing is enabled, this column displays the sum of the configured costs for all actions that are currently being processed by the service. For more information on cost-based load balancing, see Managing Load Balancing. For more information on action costs, see Managing Actions.</p>
Target Resource Usage	<p>In sessions mode (which is the default mode), this column displays the configured maximum number of sessions for this service.</p> <p>When cost-based load balancing is enabled, this column displays the target resource usage level configured for the service. For more information on cost-based load balancing, see Managing Load Balancing.</p> <p>For more information on configuring the maximum number of sessions or the target resource usage level, see Configuring Vantage Services.</p>
License Failures	<p>Displays the number of times users have requested a service and have been denied because no license was available for the session.</p>


Adding a Service to the Domain

Before you can add a Vantage service to a domain, it must first have been installed and started on a computer on your network subnet.

To add a Vantage service to a domain, click the Add Service button  in the toolbar.

VMC scans the network for available services and displays those that are not currently part of this domain.

Figure 24. Select Services Dialog



Select the service you want to add to the current domain and click OK.

Services are added to a domain by removing them from the domain they are currently in. Services can not be part of more than one domain at a time. Be sure that the other domain is prepared to lose the service you are adding to your domain.

Removing a Service from the Domain

To remove a Vantage service from a domain, select in and click the Delete button  in the toolbar.

Note: Removing a service does not stop or uninstall the service from any computer. It merely disengages it from the current domain.

Entering and Exiting Service Maintenance Mode

You can enter and exit maintenance mode by selecting a service and clicking the Enter  or Exit  button. When a service is in maintenance mode it will not process any transactions. Exit maintenance mode to re-activate the selected service and cause it to reload its resources from the database.

Note: The Multiscreen service is supported only on Lightspeed servers. On all other Vantage servers, this service stays in Maintenance Mode.

Note: Placing a service in maintenance mode erases the metrics for that service, and this affects the Vantage Dashboard bar graphs for that service.

Entering and Exiting Server Maintenance Mode

To move all services on a server in and out of maintenance mode, do the following:

1. Display the Services detail panel.
2. Click the top service in the list.
3. Shift-click the bottom service in the list to select all items in the list.
4. Click the Enter button  to place all services in maintenance mode.
5. Click the Exit button  to restart all services and exit maintenance mode.

Note: Placing all services in maintenance mode erases the metrics for all services, and this affects the Vantage Dashboard bar graphs for those services.

Resetting the Service Metrics History

Click the Clear button  to reset the service metrics history. This also resets all failed service metrics for the selected services.

Configuring Vantage Services

Vantage services have a variety of configuration options; most of them with default settings. The following topics describe how to configure the settings on each tab:

- [Setup](#)
- [Service Storage](#)
- [Service Variables](#)
- [Qualification Rules](#)

Setup

The Setup tab includes [Vantage domain database](#) settings, service ports, instrumentation, time-out settings and log file options.

Changing settings in the Setup tab requires that you restart the service before they take effect. You can make changes to settings in the other tabs without restarting the service—they take effect immediately. To modify the settings in the Setup tab, select the service you want to modify and click the Enter Maintenance mode button  in the toolbar. After making the changes, click the Exit Maintenance mode button  in the toolbar. Exit maintenance mode to re-activate the selected service and cause it to reload its resources from the database so it can begin accepting jobs again.

Changes to these settings can only be made in maintenance mode.

Click on each category in the Setup tab to display its settings.

Table 13. Setup Tab

Vantage Domain Settings	
Host	Name of the computer on which this domain database is installed. Not changeable.
Failover	Name of the optional failover database instance that serves as the failover database should the primary database fail. This is the name of the mirrored database server (i.e. "BackupServer").
Instance	Name of the primary Vantage domain database instance.
Database	Name of the database.
User	Username of the Microsoft SQL Server database user. Default: <i>sa</i> . Do not change the user name or password unless you have created a user with <i>db_owner</i> access for the Vantage instance in Microsoft SQL Server.
Password	Password of the database user. Default: <i>vantage12!</i> . Do not change the user name or password unless you have created a user with <i>db_owner</i> access for the Vantage instance in Microsoft SQL Server.
Service Limits	
Session Limit	In sessions mode (which is the default mode), this configures the maximum number of concurrent sessions for a service. For CPU-intensive services—such the Transcode service—you should gate the maximum number of sessions to the power of the computer. For less demanding services, such as the Monitor service, a higher number is less likely to cause problems. When cost-based load balancing is enabled, this setting is disabled. For more information on cost-based load balancing, see Managing Load Balancing .
Target Resource Usage	Enterprise Control Master Control When cost-based load balancing is enabled, this setting configures the target resource usage level for this service. Each service has a default value for this setting. If server performance permits, raise this value to support simultaneous processing of additional workflow actions. If the server is having performance issues, lower this value to reduce the number of actions that run at the same time. For more information on cost-based load balancing, see Managing Load Balancing .

Table 13. Setup Tab (Continued)

Service Settings	
TCP Port	The TCP port is utilized for all intra-service traffic in the domain. If a certain port range is allowed by your IT infrastructure (given constraints such as routers and firewalls) an IT administrator can specify which port to use for intra-service communication to fit their environment. The default port settings are listed in Table 6 .
HTTP Port	The HTTP port is utilized for HTTP server traffic in the domain. An IT administrator can specify which port to use for intra-service communication to fit their environment. The default port settings are listed in Table 6 .
Instrumentation Settings	
Enable Instrumentation	Registers and reports certain internal events as Windows Management instrumentation events.
Service Timeout	
Timeout	The time (in minutes), that a non-responsive task will run before being terminated and failed.
Log File Settings	
Log File Name	The base name of the log file generated by this service. Log files are generated by service, and are stored in each service's folder in <i><installdrive(C:)>\Program Files\Telestream\<Service Folder></i> .
Log File Size	The maximum file size (in bytes) before the service creates an incrementally-numbered log file for continued logging.
Max Log File Count	The maximum number of log files for this service, before the oldest is deleted when a new one is written.

Service Storage

The Storage tab enables you to specify stores for a service to provide a repository so that their [actions](#) can obtain storage if they require it. Certain actions require storage where they can create temporary files or perform other operations that involve writing files to disk.

For example, the Transcode service requires access to a store in order to produce the files that it creates as part of the transcode process.

The process of assigning a specific store to a service is made with performance in mind. If you know you want a particular Transcode service to utilize a specific store, you can assign it here. In the absence of an assigned store for Transcode service, service will utilize any Vantage store it chooses to write temporary files to. This may not be optimal based upon your network topology.

Adding Stores

To add a store to the selected service, click the Add Store button , select the store from the Select Storage dialog and click OK.

Note: The Flip action can specify a store for output files. The selection of a store in a Flip action overrides the store defined for the host service.

Removing Stores

To remove a store from the selected service, select the store and click the Delete button  in the toolbar.

Service Variables

Use the Variables tab to attach [variables](#) to a service. Service variables perform two functions. First, they dictate which services can perform tasks as set up by the Run On Rules. Run On Rules allow you to target specific services to execute tasks, entirely based upon whether or not a variable is set for a Service.

Note: Run on rules only look at Service variables, they do not look at variables in a job.

Second, service variables allow services to add variables to a workflow. Variables (such as job routing and action priority) can be passed to [workflows](#) to provide information about the service, and workflow [actions](#) can include this information in the output or make workflow processing decisions based on the variable values.

When you add a variable to a service, you supply a constant value—one that does not change over time. The value of the variable is static for the service instance.

For example, you may want to implement email generation in the event of a transcode failure in a large domain with 20 separate transcode services, each running on separate machines. This allows a user to receive an email when a transcode fails that identifies the machine where the failure occurred.

To implement this, create a text variable named *EmailSubject* as described in [Creating Variables](#). Next, add the *EmailSubject* variable to each Transcode service as described in [Adding Variables to a Service](#), and set the value of *EmailSubject* for each service to a combination of the respective machine name and the service name by typing it in manually in the Value field. For example, one might be named *M-ORION-VantageTranscodeService*.

Now, in each workflow, you add a Message action and specify the email option, bind the Subject line with the *EmailSubject* variable, and set the Message action to only run on a Failure state.

Now, if a transcode failure occurs, the user receives an email indicating which system was transcoding the media when the failure occurred.

Adding Variables to a Service

To add a variable to the selected service, click the Add Variable button , select the variable from the Select Variable dialog and click OK. Next, enter the static value for this variable in the Value field. When you click away, the Save Variable dialog displays. Click Yes to save this variable and its value.

Note: If you are using a Lightspeed Server, then a read-only Lightspeed variable will be added to services on that server. This is used for automated load balancing and may be used for Run On rule configuration as well.

Removing Variables from a Service

To remove a variable from the selected service, select the variable and click the Delete button  in the toolbar.

CAUTION: Deleting a variable that is used in workflows may render the workflow inoperable.

Qualification Rules

Qualification rules give you control over which actions a service will process. Qualification rules enable a service to compare [variable](#) values set by the [workflow](#) against a baseline value, generate a merit value based on the comparison, and use the merit value in conjunction with other variables to determine if the service should process the job.

Note: Vantage also supports [run on rules](#), which are defined in a workflow and allow a workflow designer to select a service based on Vantage variable values. Generally speaking, run on rules are easier to configure if you want to specify that parts of a workflow execute on specific services. For more information, see the *Vantage User's Guide*.

Qualification rules can be based on system variables (such as *Priority*) and user-defined variables (for example, *File Size*). You can create multiple [qualification rules](#) per service to fine-tune each service's fitness to perform certain tasks and improve over-all domain workflow and performance.

For example, suppose you have a large domain with 20 transcoding services on different machines. Your goal is to divide the transcoding services in to groups: those that process the bulk of the jobs—those involving media of less than about 80MB in size. Another group is configured to optimally transcode media up to 2GB, another for long-form files, over 2GB.

To implement this, you create a variable named *FileSize* (Select Domain > Workflow Design Items > Variables).

Next, you select the service that you want to run short jobs here, in Services > Qualification Rules, and create a qualification rule.

Select the *FileSize* variable and click OK. Configure the rule to specify operator = less than or equal, merit = 100 (an arbitrary value), qualifier = required, and value = 80,000,000. This rule will pass the merit value of 100 to Vantage when a job being considered for execution has a *FileSize* variable with a value less than or equal 80,000,000.

For each other transcode service, add a similar rule (or rules) to qualify it appropriately.

Now, in each workflow, add an identify **action** before each flip action and configure it to update the *FileSize* variable with the File Size metric.

When a job starts, the Identify action updates the *FileSize* variable, and each transcode service examines the variable against its comparison value to determine its fitness to process the flip action, and if true, submits its merit value, if false, submits merit value 0 to Vantage for final arbitration on which transcode service is assigned the job.

Adding Qualification Rules

To add a qualification rule to the selected service, click the Add Qualification Rule button , select the variable from the Select Variable dialog and then configure the rule.

Table 14. Qualification Rule Configuration Options

Option	Description
Operator	<p>Select an operator from the dropdown list to qualify the workflow variable value being compared against the baseline value specified in the rule.</p> <p>For mathematical operators, if the equation is true, the merit value you supply is passed; if the equation is false, 0 is passed.</p> <p>For the <i>contains</i> operator, the equation is true if the workflow variable contains the text specified in the baseline value. The merit value you supply is passed if the equation is true, and 0 is passed if the equation is false.</p>
Merit	<p>When an action meets the qualification rule requirements for multiple service instances, the action is assigned to the service with the highest merit value. For example, if a Flip action meets the qualification rule requirements for the Transcode service on both Server A and Server B, Vantage assigns action processing to the server that hosts the service qualification rule with the highest merit value.</p> <p>Merit values should be consistent with a predetermined plan of implementation, so that each service is responding appropriately to influence the distribution of tasks. If you have few services and rules, values from 1 to 10 may provide enough granularity; for lots of services and/or rules, you may need values from 1 to 100 to provide enough granularity.</p>

Table 14. Qualification Rule Configuration Options (Continued)

Option	Description
Qualifier	Choose Optional when workflows may or may not provide a value for comparison. If no value is provided, the comparison always is false, and 0 merit is provided. Choose Required when workflows must provide a value for comparison. If no value is provided, the service rejects the request to process the job without further analysis.
Value	Enter the baseline value against which the variable 's value is to be compared. (A null value is a valid value.)
Use Wildcards	Enables or disables the use of wildcard characters in the Value field. When enabled (checked), you can use a question mark (?) to indicate a single character that can have any value, and you can use an asterisk (*) to indicate a variable number of characters that can have any value. For example, *.mov matches any value that ends in 'mov'. When disabled (unchecked), the * and ? characters are regular characters, not wildcard characters.
Ignore Case	Enables or disable case validation in the Value field. When enabled (checked), the case in the Value field is ignored when comparing the value to a value received from an action. For example, TEST1 and test1 are considered a match when the Ignore Case option is checked. When disabled (unchecked), the case in the Value field must exactly match that received from an action to be considered a match.

Removing Qualification Rules

To remove a qualification rule from the selected service, select the rule and click the Delete button  in the toolbar.

Managing Load Balancing

The following topics provide information on managing load balancing:

- [Overview of Load Balancing](#)
- [Examples of Cost-Based Load Balancing](#)
- [Enabling and Disabling Cost-Based Load Balancing](#)

Overview of Load Balancing

Load balancing distributes the processing of individual workflow actions between the same service on multiple Vantage servers. For example, if you have the Transcode service running on three Vantage servers, the Flip action, which is processed by the Transcode service, can run on any of the servers. Load balancing determines which server receives the action to process.

Vantage supports session-based load balancing and cost-based load balancing.

Array | Enterprise Control | Master Control

Session-based load balancing requires a Vantage Array license and allows you to distribute the processing of service actions across multiple servers that support the same service. Session-based load balancing distributes action processing among the available servers up to the configured session limit for each server. This load balancing is done by taking the CPU utilization of each machine into account, as well as ensuring that any Run On rules (which allow tasks to be routed to specific machines) are observed. When the configured limit is reached on all servers, actions are queued until the workload drops below the configured session limit.

Enterprise Control | Master Control

Cost-based load balancing requires the Enterprise Control or Master Control license and is similar to session-based load balancing. Cost-based load balancing allows you to do the following:

- Assign a default cost for each type of action used in workflows
- Define a target resource usage level for each service on a server
- Override the default action cost in workflows as needed

Note: Session limits are ignored when cost-based load balancing is enabled, and the target resource usage level is ignored when session-based load balancing is enabled.

To determine its available resources, each service monitors the total cost of all actions it is processing and compares that cost to the configured target resource usage level for that service. A service can accept an action for processing if the available resource usage is at least half the cost of the action.

Actions are assigned to services in the order they are processed, which prevents low cost actions from consuming all service resources and starving higher-cost actions. Each action is forwarded to the service with the most available resources. If the action is forwarded to a service that does not have resources to immediately process the action, the action is queued for later processing.

To implement cost-based load balancing, enable the feature (as described in [Enabling and Disabling Cost-Based Load Balancing](#)) and monitor the following:

- The server performance using server monitoring tools.
- The Services panel in VMC, which displays a list of services, including the current and target resource usage levels. For more information, see [Using the Services Details Panel](#).

If the server is under- or over-loaded, you might adjust the default target resource usage level for each service as described in [Configuring Vantage Services](#).

If you want to adjust the default cost of an action, see [Managing Actions](#). For information on overriding the default action cost in a workflow, see the *Vantage User's Guide*.

Examples of Cost-Based Load Balancing

You can use the target resource usage setting to limit the total action cost that a service will simultaneously process. For example, if you configure the Transcode service for a target resource usage of 16 and you configure the default Flip action resource cost to 4, the Transcode service supports a maximum of 4 simultaneous Flip actions.

Some services support multiple actions, and you can set the action resource cost for each action to a different value to define the relative usage levels. For example, the Transport service supports the Copy, Delete, Deploy, and Move actions, which are assigned default resource costs of 2, 1, 1, and 2, respectively. Based on the default values, a Transport service can support twice as many Delete and Deploy actions as Copy and Move actions.

Different codecs require different levels of processing resources. Using Workflow Designer, you can override the default resource cost for specific actions within a workflow. For example, you might configure a Transcode service to target resource usage of 16, specify a resource cost of 1 for a 3GP Flip action, and a resource cost of 8 for an MPEG-2 HD Flip action. During load balancing, Vantage will ensure that:

- No more than two MPEG-2 HD jobs execute simultaneously
- Up to 16 3GP jobs can execute simultaneously
- One MPEG-2 HD and eight 3GP jobs can execute simultaneously in ideal situations
- MPEG-2 jobs are not starved by 3GP jobs which only require one slot

Note: Resource costs are integer values that have an ordinal relationship to one another. You can implement any scale you want in your domain. Greater scales enable finer-grained control.

Enabling and Disabling Cost-Based Load Balancing

Enterprise Control | Master Control

To enable or disable cost-based load balancing, do the following:

1. Start VMC as described in [Starting the Vantage Management Console](#).
2. In the components panel, select Settings and Options.
3. On the General tab in the details panel, check the *Enable cost-based load balancing* checkbox to enable this feature, or clear the checkbox to disable this feature.
4. Click the Save button .
5. When the Service Restart Required dialog appears, click OK.
6. Restart all Vantage services as described in [Entering and Exiting Server Maintenance Mode](#).

Configuring Vantage Email Notifications

Vantage can send email messages to announce workflow and service events.

[Message actions](#) in Vantage [workflows](#) can be configured to send email messages for workflow events. The configured email destination address can be for an individual, a system, or an alias for a group of Vantage users or administrators.

Note: Until you configure these settings, you will not be able to execute message actions that utilize email in your workflows.

If a Vantage Service starts or stops running, or if a service fails, an email is sent to the administrator email address.

Note: An email is not sent when a Vantage Service enters or exits Maintenance Mode.

To manage email notifications, do the following:

1. Start VMC as described in [Starting the Vantage Management Console](#).
2. In the components panel, select Settings & Options.
3. In the Settings & Options details panel, select the Email tab.
4. Configure the email parameters, which are described in [Table 15](#).
5. Click the Save button .

Table 15. Email Tab Configuration Options

Option	Description
Hostname or IP Address	Supply the computer's host name or IP address of the SMTP server.
SMTP Port	Supply the port number of the SMTP server.
SMTP Host Requires Authentication	Check if the SMTP server is configured to require authentication.
Username and Password	Supply the user name and password if SMTP Host Requires Authentication is checked.
This server requires an encrypted connection (SSL)	Check this checkbox if SMTP server requires an encrypted connection.
Administrator Email Address	Supply the email address of the Vantage administrator. The email specified for this account can be an alias for a larger group, maintained by your IT department.
Send Test Email	Click to test your settings by sending an email to the administrator email address.

Table 15. Email Tab Configuration Options (Continued)

Option	Description
Email administrator upon service starting	Check to email the administrator when a service starts. For example, if a Vantage machine hosting an Analysis and a Monitor service is started without any problems, two emails are sent reporting the starting of each service.
Email administrator upon service stopping	Check this checkbox to email the administrator when a service stops.
Email administrator upon service failure	Check to email the administrator when this service fails (crashes or otherwise stops unexpectedly). For example, if a Vantage Analysis service is stopped from the Task Manager (forced termination), an email is sent to the administrator. Or, if a Vantage Analysis service crashes during start-up, an email is also sent to the administrator.

Specifying Authorization Credentials for Remote Folder Access

This feature allows you to specify credentials (username and password) for a folder that is not located in the Windows domain or workgroup for which the Vantage is authorized. For example, if Vantage services are configured with a username and password for Domain A or Workgroup A, but output files must be saved to a folder in Domain B or Workgroup B, you can use this feature to specify the credentials to access the remote folder.

The following topics provide information on managing authorization settings:

- [Understanding Authorization Settings](#)
- [Displaying the Authorization Settings](#)
- [Refreshing the Authorization Record List](#)
- [Adding an Authorization Record](#)
- [Modifying an Authorization Credentials Record](#)
- [Deleting an Authorization Credentials Record](#)
- [Exporting and Importing Authorization Records](#)

Understanding Authorization Settings

Authorization settings are considered supplemental to Windows account and share settings, which should be your primary means of providing access and authentication to required storage for Vantage services. When accessing computers in workgroups, Vantage administrators should make sure that Vantage services are running under an account that has access to the locations that will be referenced. If this is done, then

authorization records are unnecessary unless some computers must have unique accounts.

Use the Authorization Settings tab to create and manage credentials for Windows shares (on Windows computers) or UNC paths, where media may be ingested, stored, or delivered by a [Vantage service](#) using an account that is different from its logon account, when this Windows account and share settings do not provide access.

When each service starts, it reads all authorization records and stores them for use at runtime, as necessary. For example, the transport service may be called to execute a copy action, which needs to write a file to a share or a non-domain server and directory, where the service is not authorized by its own account. The transport service will process the authorization records based on the path supplied, to determine if it can gain authority via one of its authorization records.

Note: Authorization settings should only be used when the normal Windows account and share settings do not provide access to necessary shares: for example, shares on other Windows domains, or on workgroups.

The purpose of entering authorization records is to enable Vantage to maintain this information for network locations—*independent of the authentication inherent with the logon account of a specific service*—the Vantage [Monitor service](#), for example. If you know that a specific service does not have the authorization to utilize a given network location, you can create an authorization record to provide credentials.

When you provide authorization records for a network location, any service in the domain can utilize it.

It is important to understand that when you access network locations via [Vantage Workflow Designer](#), the locations you navigate to are accessed with Workflow Designer’s logon account permissions—which may be different than the logon account for Vantage services.

However, these locations will ultimately be accessed by Vantage services during execution of your [workflow](#)—services which may have different users and permissions. Therefore, you need to take the extra step of ensuring that the service, which will be accessing this share at workflow runtime, has authenticated access to the location.

Additionally, authentication does not control sharing and security permissions (for example, access, and read/modify/delete/write permissions). Make sure that when you set up network locations, you have set each location with the proper permissions for the user accounts that will access it.

After you add, modify, or delete a record, click the Save button  to update the records in the [Vantage domain database](#) as encrypted data.


Displaying the Authorization Settings

To display the authorization settings, do the following:

1. Start VMC as described in [Starting the Vantage Management Console](#).
2. In the components panel, select Settings & Options.
3. In the Settings & Options details panel, select the Authorization tab.

Vantage displays the Authorization tab shown in [Table 15](#).

Figure 25. Authorization Tab



Refreshing the Authorization Record List

To refresh the list of authorization records, move a Vantage service in and out of maintenance mode as follows:

1. In the Vantage Management Console, click on Services in the details panel.
2. Right-click the target service and select Enter Maintenance Mode.
3. Right-click the service again and select Exit Maintenance Mode.

Adding an Authorization Record

Click the New Entry button  in the toolbar, and supply the details. Click Test to validate the record, and click the Save button to add this validated authorization record to the database for use by all Vantage services in the domain.

Table 16. Authorization Tab Configuration Options

Option	Description
Username	<p>Enter the authorized username required to access the Windows share identified by the UNC path.</p> <p>If the user account is part of a Windows domain, the username must include the domain or computer name, in the format <i>domain\username</i> or <i>ComputerName\Username</i>. For example, <i>SierraVideo\Vantage</i> or <i>NewsServer\Bill</i>.</p> <p>If the username is part of a workgroup (a non-domain account), you must provide the machine name in addition to the user name. For example, if you want to use the account: <i>VantageUser</i> that exists on machine <i>FooServer1</i>, you should specify <i>FooServer1\VantageUser</i>.</p>
Password	Enter the authorized password for the Windows share.
Folder	Click Browse and navigate to the Windows share you are authenticating. Or, enter it manually. The path must be in valid UNC form: <i>\\ComputerName\ShareName\</i> .
Test	Click Test to verify that your credentials are entered correctly for access to the specified Windows share.

Modifying an Authorization Credentials Record

Click on the record you want to modify. Make changes to the username, password, and folder and click the Save button  in the toolbar.

Deleting an Authorization Credentials Record

Click on the record you want to delete, click the Delete button  in the toolbar, and click OK to confirm.

Exporting and Importing Authorization Records

Vantage allows you to export an authorization record to an XML file, which you can then use to import the same record into another Vantage domain.

To export an authorization record, do the following:

1. Select the record to export.
2. Click the Export button .
3. Use the file system dialog to save the exported record.

The default file name is the record name, but you can change the file name.

Note: Changing the name of the XML file does not change the name of the record in the XML file.

To import an authorization record, do the following:

1. Click the Import button .
2. Use the file system dialog to locate and select the record to import, then click Open.

Note: If you try to import an authorization record that is already in this Vantage domain, Vantage prompts you to overwrite the record (click Yes) or cancel the import (click No).

Configuring an Agility ECS Connection

Master Control

When you configure an Agility ECS connection, you enable Vantage domain support for the following:


- Vantage client communications with Agility through the Agility service.
- Vantage Dashboard monitoring of Agility ECS server status and statistics.

To identify the Agility ECS server and test its connection, do the following:

1. Start VMC as described in [Starting the Vantage Management Console](#).
2. In the components panel, select Settings & Options.
3. In the Settings & Options details panel, select the Agility ECS tab.

Vantage displays the Agility ECS tab shown in [Figure 26](#).

Figure 26. Agility ECS Tab




4. Enter the Agility server's host name or IP address.
5. If the default HTTP port value (80), is not correct, enter a new port number.

Note: If the Agility IIS server is using a port other than 80, enter that port number here.

6. To test the connection to the specified Agility ECS server, click Test Connection.

If there is a network problem, or you have supplied an invalid hostname or IP address, or the Agility server is not in a state where it can respond to queries, Management Console displays the following error:

Figure 27. Test Failed Dialog



The connection to the Agility ECS server must be successful before you can use the action inspectors to configure Agility Job Profile and Agility Job XML actions in Vantage workflows and submit jobs.

Using the Data Collection Utility


The Data collection utility enables you to collect relevant information about selected services for transmission to Telestream during a troubleshooting session. You can also log point-in-time details about a selected service into a log file for diagnostics purposes.

To open the Data Collection utility, do the following:

1. Start VMC as described in [Starting the Vantage Management Console](#).
2. In the components panel, select Support Utilities > Data Collection.

Vantage displays the Data Collection details panel shown in [Figure 28](#).

Figure 28. The Data Collection Details Panel



To collect data for one or more services, select the service (option-click to select multiple services) and click Collect data. Files named for each service are saved in the specified directory.

Vantage writes the files out as <ServiceType>.txt and displays a dialog to notify you of the location of the file so that you can open and read the file or send it to others for analysis.

You can email these files to Telestream for assistance in solving problems during troubleshooting sessions.

Using the Change Log

The Change Log utility captures changes to the Vantage domain configuration and operation and records the following for each change:


- Date and time of change
- Vantage user that made the change
- Host computer on which the change occurred
- Change summary message

To open the Change Log utility, do the following:

1. Start VMC as described in [Starting the Vantage Management Console](#).
2. In the components panel, select Support Utilities > Change Log.

Vantage displays the Change Log details panel shown in [Figure 29](#).

Figure 29. Change Log Details Panel



You can use the Change Log utility to copy, delete, and refresh the entries in the change log. You can also use filters to display only the log entries that meet your criteria. [Table 17](#) describes the Change Log utility controls.

Table 17. Change Log Toolbar Buttons and Configuration Options

Button or Option	Description
	<p>To delete one or more change log records, select the records to delete and do one of the following:</p> <ul style="list-style-type: none"> Click the Delete button. Right-click on a selected entry and select Delete from the context menu.
	<p>To copy one or more change log records to the clipboard, select the records to copy and do one of the following:</p> <ul style="list-style-type: none"> Click the Copy button. Right-click on a selected entry and select Copy from the context menu. Press Ctrl-C on the keyboard. <p>After you copy change log entries, you can paste the records into another application document, such as a spreadsheet or word processing document.</p>
Refresh button 	<p>Click to update the table from the database.</p>
Filter By	<p>Check Filter by to enable the filtering controls.</p>

Table 17. Change Log Toolbar Buttons and Configuration Options (Continued)

Button or Option	Description
Modify	Click Modify to display a dialog that enables you to specify the maximum number of log items.
User contains	Specifies change log entries that contain the specified text in the User field.
Host contains	Specifies change log entries that contain the specified text in the Host field.
Message contains	Specifies change log entries that contain the specified text in the Message field.
Newer than	Displays change log entries that are newer than the specified date.
Older than	Displays change log entries that are older than the specified date.

Using the Error Log

The Error Log utility captures Vantage errors and records the following for each error:


- Date and time of error
- Error source (source Vantage service)
- Host computer on which the error occurred
- Type of error (Info or Error)
- Error message

To open the Error Log utility, do the following:

1. Start VMC as described in [Starting the Vantage Management Console](#).
2. In the components panel, select Support Utilities > Error Log.

Vantage displays the Error Log details panel shown in [Figure 30](#).

Figure 30. Error Log Details Panel



You can use the Error Log utility to copy, delete, and refresh the entries in the error log. You can also use filters to display only the log entries that meet your criteria. [Table 18](#) describes the Error Log utility controls.

Table 18. Change Log Toolbar Buttons and Configuration Options

Button or Option	Description
	<p>To delete one or more error log records, select the records to delete and do one of the following:</p> <ul style="list-style-type: none"> Click the Delete button. Right-click on a selected entry and select Delete from the context menu.
	<p>To copy one or more error log records to the clipboard, select the records to copy and do one of the following:</p> <ul style="list-style-type: none"> Click the Copy button. Right-click on a selected entry and select Copy from the context menu. Press Ctrl-C on the keyboard. <p>After you copy error log entries, you can paste the records into another application document, such as a spreadsheet or word processing document.</p>
	<p>Click to update the error log display.</p>
	<p>Check Filter by to enable the filtering controls.</p>

Table 18. Change Log Toolbar Buttons and Configuration Options (Continued)

Button or Option	Description
Modify	Click Modify to display a dialog that enables you to specify the maximum number of log items.
User contains	Specifies change log entries that contain the specified text in the User field.
Host contains	Specifies change log entries that contain the specified text in the Host field.
Message contains	Specifies change log entries that contain the specified text in the Message field.
Newer than	Displays change log entries that are new than the specified date.
Older than	Displays change log entries that are older than the specified date.

Displaying Plug-in Versions


Use the Plug-in Versions utility to display the list of plugins in the domain by service, including their version number.

To open the Plug-in Versions utility and display information for a service, do the following:

1. Start VMC as described in [Starting the Vantage Management Console](#).
2. In the components panel, select Support Utilities > Plug-in Versions > By Service.
3. Double-click a given service to display the details panel for that service.

Vantage displays the details panel for the service, which will be similar to the Metadata service details panel shown in [Figure 30](#).

Figure 31. Plug-In Versions, Metadata Service Details Panel



Backing Up and Restoring the Vantage Domain Database

The domain backup feature allows you to save archival copies of the [Vantage domain database](#) in a separate file. The domain restore feature allows you to replace your current Vantage domain database with the contents of a previously-backed up domain. The domain backup and restore features are primarily used for the following:

- Returning the database to a previously backed-up state.
- Preparation for a database mirroring.

Note: The domain backup and restore features are not designed for use during Vantage upgrades. If you back up the database from a specific version of Vantage, that backup can only be restored to the same Vantage software version. During a Vantage upgrade, the Vantage installers manage any required database updates as described in [Upgrading to Vantage 4.0 R3](#).

The following topics describe domain backup and restore:

- [Understanding Domain Backup and Restore](#)
- [Backing Up the Domain](#)
- [Restoring the Domain](#)

Understanding Domain Backup and Restore

During a domain backup, Vantage creates a single backup file that contains all workflows, all services, and all jobs registered in the domain. It is important to remember that the backup file contents reflect the domain contents as of the moment the backup file is created. Any changes made after the backup are not captured in a former backup. To capture changes made after a backup, you must create another backup.

When you restore a domain, all services are stopped, the current database contents are irretrievably destroyed, and the backup file you specify is used to create the replacement database. The services defined in the backup file are started and the Vantage domain database repopulates with the backup database values.

Because the restore feature irretrievably destroys the contents of the current database, Telestream recommends that you back up the current database before restoring a previous database. Backing up the current database captures all database changes made since the last backup, and it gives you a backup file that you can use to restore the current database if necessary.


Backing Up the Domain

To back up the Vantage domain database, do the following:

1. Start VMC as described in [Starting the Vantage Management Console](#).
2. In the components panel, select Domain Backup/Restore.

Vantage displays the Domain Backup/Restore details panel shown in [Figure 32](#).

Figure 32. Domain Backup/Restore Details Panel



3. Verify that all services in the Active Services list are hosting 0 sessions.

Note: Although you can create a successful backup while services are executing workflow tasks, some job records may be lost. It is best to back up the domain when there is no activity in the domain.

4. Click the Backup button.
5. In the *Save the domain* dialog, browse to the folder where you want to store the backup file, and click Save.
6. When the Backup Complete message appears, click OK.

Restoring the Domain

CAUTION: Telestream recommends that you restore a Vantage domain using the same machine that created the backup file. If you restore the domain from another machine, the services defined in the database must match the services installed on the other machine.

To restore a Vantage domain database, do the following:

1. Start VMC as described in [Starting the Vantage Management Console](#).
2. In the components panel, select Domain Backup/Restore.
Vantage displays the Domain Backup/Restore details panel shown in [Figure 32](#).
3. To provide the option to return to the current Vantage domain database later, back up the current domain database as described in [Backing Up the Domain](#).

CAUTION: Always back up your current database before restoring it to an earlier backup. Restoring your Vantage domain database overwrites the entire contents of the current database with the contents of the backup file selected.

4. Verify that all services in the Active Services list are hosting 0 sessions.

Note: When you restore a domain, all services are stopped, and all information related to any jobs in progress is lost. The restored database contains only the domain information captured when the domain was backed up.

5. Click the Restore button, read the information dialog that appears, and click OK.
6. In the *Load the domain* dialog, browse to the backup file you want to restore, select the backup file, and click Open.
7. When the Restore Complete message appears, click OK.

Renaming a Vantage Domain

Each Vantage domain uses the name assigned to the Windows server that hosts the Vantage domain database. To rename a Vantage domain, you must complete the following tasks (which are described in more detail later in this topic):

- Remove all Vantage services from the Vantage domain.
- Rename the Windows server that hosts the Vantage domain database.
- Restart the renamed server and add all Vantage services to the renamed domain.

Note: If the Vantage domain database is a mirrored database, you *must* remove any Vantage licenses prior to renaming the Vantage domain. If you do not remove the licenses first, your licenses will become invalid after the rename is complete.

When you remove Vantage services from the domain, the Storage, Variable, and Qualification rule configuration for each service is lost. The rest of the Vantage domain configuration is retained. After the Vantage domain is renamed, all Vantage users and administrators will need to specify the new Vantage domain name when connecting to the domain with Vantage client or web applications.

Note: To complete this procedure, you must have permission in your Windows domain to rename the computer, or you must get assistance from your Windows domain administrator. Be sure to schedule the rename during a maintenance window, as renaming the Vantage domain interrupts all Vantage services in the domain and all Windows services on the server to be renamed.

Use the following procedure to rename a Vantage domain:

1. Start the Vantage Management Console, select the domain to manage, and log on as described in [Starting the Vantage Management Console](#).
2. Select Services in the components panel.
3. Take note of any Storage, Variables, and/or Qualification Rules settings for each service.
Write down any Storage, Variable, and/or Qualification Rule settings that you want to reconfigure after the Vantage domain is renamed.
4. Click a service in the Services details panel, and enter Ctrl-A to select all services.
5. Click the Remove Service button  in the toolbar.
6. Click Start > Administrative Tools > Server Manager.
7. Click Server Manager in the left pane.
8. Click Change System Properties in the right pane.
9. Select the Computer Name tab and click Change.
10. Edit the computer name in the Computer Name text box and click OK.
11. If prompted to do so, enter a Windows user name and password for an account that has permission to rename this computer in the Windows domain.

Note: If you do not have the appropriate permissions, contact the administrator for your Windows domain.

12. Restart the server.
13. Start the Vantage Management Console, select the new domain to manage, and log on.
14. Select Services in the components panel.
15. Click the Add Service button  in the toolbar.
16. When the Select Service dialog appears, click Machine to sort the services by machine name.
17. To add Vantage services for a specific machine, select the services you want and click OK.
18. If any Storage, Variables, and/or Qualification Rules settings were configured for services, add them now.
19. Send the new Vantage domain name to all Vantage users and administrators so they can reconnect to the Vantage domain.

Renaming a Vantage Server

To rename a Vantage server, you must complete the following tasks (which are described in more detail later in this topic):

- Remove all Vantage services for the server to be renamed from the Vantage domain.
- Rename the Windows server.
- Restart the renamed server and add all Vantage services on the renamed server to the Vantage domain.

Note: Do not use this procedure to rename a server that hosts the Vantage domain database. Instead, see [Renaming a Vantage Domain](#).

When you remove Vantage services from the domain, the Storage, Variable, and Qualification rule configuration for each service is lost. The rest of the server configuration is retained.

Note: To complete this procedure, you must have permission in your Windows domain to rename the computer, or you must get assistance from your Windows domain administrator. Be sure to schedule the rename during a maintenance window, as renaming the Vantage server interrupts all Vantage services and Windows services on the server to be renamed.

Use the following procedure to rename a Vantage server:

1. Start the Vantage Management Console, select the domain to manage, and log on as described in [Starting the Vantage Management Console](#).
2. Select Services in the components panel.
3. Take note of any Storage, Variables, and/or Qualification Rules settings for each service.
Write down any Storage, Variable, and/or Qualification Rule settings that you want to reconfigure after the Vantage domain is renamed.
4. Click a service in the Services details panel, and enter Ctrl-A to select all services.
5. Click the Remove Service button  in the toolbar.
6. Click Start > Administrative Tools > Server Manager.
7. Click Server Manager in the left pane.
8. Click Change System Properties in the right pane.
9. Select the Computer Name tab and click Change.
10. Edit the computer name in the Computer Name text box and click OK.
11. If prompted to do so, enter a Windows user name and password for an account that has permission to rename this computer in the Windows domain.

Note: If you do not have the appropriate permissions, contact the administrator for your Windows domain.

12. Restart the server.
13. Start the Vantage Management Console, select the domain to manage, and log on.
14. Select Services in the components panel.
15. Click the Add Service button  in the toolbar.
16. When the Select Service dialog appears, click Machine to sort the services by machine name.
17. To add Vantage services for the renamed server, select the services you want and click OK.
18. If any Storage, Variables, and/or Qualification Rules settings were configured for services, add them now.

Supporting Workflow Design and Operation

This chapter describes how to use the Vantage Management Console (VMC) to manage Vantage features that support workflow designers and operators.

Note: Features for which you do not have a license are disabled and indicate that you need a license to use them.

The following topics describe how to manage the features to support workflow design and operation:

- [Managing Vantage Workflows](#)
- [Managing Workflow Design Items](#)
- [Managing Binders](#)
- [Managing Catalogs](#)
- [Viewing the Active Workflows and Actions](#)
- [Viewing Workflow and Action Analytics](#)
- [Creating Report Formats](#)

Managing Vantage Workflows

Typically, workflow designers manage workflows using Vantage Workflow Designer, and workflow operators manage the jobs that use workflows using Vantage Workflow Portal (VWP). The Vantage Management Console provides a limited set of workflow management options that allow you to do the following:

- View the workflows in a domain, sorted by category
- Select a workflow and open that workflow in Vantage Workflow Designer
- Export workflows to files for portability to other domains
- Import workflows previously exported to files

The following topics describe how to manage workflows with the Vantage Management Console:


- [Managing Workflows with VMC](#)
- [Opening Workflow Designer and a Workflow](#)
- [Exporting Workflows](#)
- [Importing Workflows](#)
- [Refreshing the Workflow List](#)

Managing Workflows with VMC

To start the workflow management with the Vantage Management Console, do the following:

1. Start VMC as described in [Starting the Vantage Management Console](#).
2. In the components panel, select Support Utilities > Vantage Workflows.
Vantage displays the Vantage Workflows details panel shown in [Figure 33](#).
3. Double-click category folder icons to hide or display the workflows in the categories.

Figure 33. Vantage Workflows Details Panel



Opening Workflow Designer and a Workflow

You cannot edit a workflow with the Vantage Management Console, but you can select a workflow listed in the Vantage Management Console and open that workflow for management with the Vantage Workflow Designer. To launch Vantage Workflow Designer from Vantage Management Console and manage a workflow, select the workflow in Vantage Management Console and click the Workflow Designer button .

Note: If Vantage Workflow Designer is already open and positioned behind the Vantage Management Console window, VMC remains in front of the Workflow Designer window and the Workflow Designer button flashes in the task bar. Click the Workflow Designer button in the task bar to display the Workflow Designer window in front of VMC.

Exporting Workflows

When exporting workflows, workflows are saved as XML files—there is one workflow per file. You might want to export some workflows to send to a colleague at another station to replicate the same workflow. Or, you might want to export a workflow to import it into another domain. During a troubleshooting session with Telestream customer service, you might be asked to send the workflow in question to Telestream for clarity and review.

To export a one or more workflows, do the following:

1. If you are exporting a single workflow, select a workflow to export.
2. Click the Export button  to export a single file, or click the export button drop down list and select Export All to export all workflows.
3. When the file system dialog appears, select the folder where you want to store the exported workflows.

Note: Vantage does not export a workflow when Vantage detects an error in the workflow. For example, if the output file nickname is missing in a Flip action, Vantage does not export the workflow.

The exported workflows are stored in a folder that is named for the workflow category that contains the workflow. For example, if you have four workflows in a category named *Production*, exporting all four workflows stores four XML files in a folder named *Production*. Each exported file is named the same as the workflow name.

Note: Telestream recommends that you do not change the exported file name during or after the export.

Importing Workflows

To import a one or more workflows, do the following:

1. Click the Import button  in the toolbar to display a file system dialog, which you can use to select a workflow file to import.
2. Navigate to the directory where the workflow XML file is stored, select the file or files you want to import, and click OK.

3. When prompted to select a workflow category, select a category from the drop down list or type a new category name, then click OK. (The default category name is *Imported*.)

Note: You cannot import two copies of the same workflow, regardless of whether the XML filenames are the same or different. To duplicate a workflow, perform the task in Vantage Workflow Designer.

Refreshing the Workflow List

To refresh the list of Vantage workflows, click the Refresh button .

Related Workflow Management Topics

For additional information on workflow management, refer to the following topics:

- [Managing Workflow Categories](#)
- [Viewing the Active Workflows in a Domain](#)
- [Viewing Workflow Analytics](#)

Managing Workflow Design Items

The workflow design items described in this topic are configuration options that support workflow design, operation, and management. Some of these configuration options can be set for individual workflows using Vantage Workflow Designer, but some configuration options are only available in VMC.

The following topics describe how to configure workflow design items with VMC:

- [Enabling and Disabling Expiration of Failed Jobs](#)
- [Setting the Vantage Workflow Designer Grid Width/Height](#)
- [Managing Workflow Categories](#)
- [Managing Media Nicknames](#)
- [Managing Metadata Labels](#)
- [Managing Attachment Nicknames](#)
- [Managing Variables](#)
- [Managing Style Sheets](#)
- [Managing Actions](#)

Enabling and Disabling Expiration of Failed Jobs

To use storage space efficiently, Vantage can regularly delete binders and any associated temporary files related to failed jobs.

Note: The feature only deletes binders and job-related files in a Vantage Store. By default, Flip action output is saved to a Vantage store, so you should use a Copy, Deploy, or Move action to place files that you want to keep in an output directory. Files in an input or output folder can be deleted using a workflow Delete action, but files in input and output folders are not automatically deleted when a job expires.

Each job has an expiration time and date, which can be disabled. If a job completes successfully and job expiration is enabled, the binder and all job-related files in the Vantage store are deleted when all the following are true:

- The job expiration time is exceeded or an operator has deleted the job.
- The binder expiration time defined in the catalog is exceeded or the binder is deleted.
- Temporary files to be deleted are not being used by any other unexpired binder.

If a job fails and the expiration period ends, the job is either retained or deleted, based on the configuration of this feature. When the Expire failed jobs feature is enabled, all job related files in the Vantage store are deleted as described above for completed jobs. When this feature is disabled, the binder and all job related files are retained until manually deleted.

To enable or disable expiration of failed jobs, do the following:

1. Start VMC as described in [Starting the Vantage Management Console](#).
2. In the components panel, select Settings and Options.
3. Select the General tab.
4. To enable expiration of failed jobs, check the *Expire failed jobs* checkbox.
5. To retain failed jobs until manually deleted, clear the *Expire failed jobs* checkbox.
6. Click the Save button .

Setting the Vantage Workflow Designer Grid Width/Height

Vantage Management Console allows you to define the width and height values for the Vantage Workflow Designer grid. To define these values, do the following:

1. Start VMC as described in [Starting the Vantage Management Console](#).
2. In the components panel, select Settings and Options.
3. Select the General tab.
4. Enter the width and height values.
5. Click the Save button .

Managing Workflow Categories

Workflow categories are folders that contain workflows. These folders can be created or deleted in Vantage Workflow Designer or Vantage Management Console. When managing categories in VMC, you can also do the following:

- Duplicate categories
- Export and import category folders
- Define which Vantage users can access the workflows in a category

To configure categories with the Vantage Management Console, do the following:

1. Start VMC as described in [Starting the Vantage Management Console](#).
2. In the components panel, select Workflow Design Items > Workflow Categories.
Vantage displays the Workflow Categories details panel shown in [Figure 34](#).
3. Configure categories using the controls listed in [Table 19](#).
4. Click the Save button .

Figure 34. Workflow Categories Panel




Table 19. Workflow Categories Toolbar Buttons

Button	Description
Create 	Click the Create button to create a new category (folder). Categories can also be created in the Workflow Designer.
Delete 	Click the Delete button to delete a category (folder). A warning about losing all workflows in this category is displayed to prevent accidental removal of workflows.
Save 	Click the Save button to save changes made in user permissions. If changes are not saved, you will be prompted to save upon leaving that category.
Duplicate 	Click the Duplicate button to duplicate a selected category. Only the category (folder) is duplicated. None of the workflows in the folder are duplicated. However, all of the user permission are duplicated in the new folder.
Import 	Click the Import button to display a file system dialog, so you can select a category file. Navigate to the directory where the category XML file is stored, select the file (or files) you want to import, then click OK. Note: If you attempt to import a category that is already present in the domain, Vantage prompts you to overwrite the category (click Yes) or cancel the import (click No).
Export 	Click the Export button to display a file system dialog to select the server and directory where you want to save the selected category as an XML file. The file by default is named the same as the category name, but can be changed before saving it. Note: Changing the name of the XML file does not change the name of the category in the XML file.
Refresh 	Click the Refresh button to update the list of categories.

Managing Media Nicknames

The following topics describe media nickname management concepts and tasks:

- [Understanding Media Nicknames](#)
- [Managing Media Nicknames with VMC](#)
- [Creating Media Nicknames](#)
- [Deleting Media Nicknames](#)
- [Exporting and Importing Media Nicknames](#)
- [Searching for Media Nicknames in Workflows](#)

Note: Workflow designers can only define new media nicknames in Vantage Workflow Designer. Vantage administrators must perform all other nickname management tasks.

Understanding Media Nicknames

A media nickname serves as an alias for a media file within a workflow. Without media nicknames, workflow designers would need to refer to the full path and name of each file in every workflow action that uses a file. When a media nickname is assigned to a file, the workflow designer can simply refer to the nickname; Vantage associates the full path and file name of the actual file with the nickname.

Vantage requires that a workflow designer associate a media nickname with every unique media file that is processed by a workflow. This means that each input media file must be assigned a nickname, and every unique output media file must have a nickname. Vantage provides the default nicknames described in [Table 20](#).

Table 20. Vantage-Provided Media Nicknames

Media Nickname	Description
Original	This media nickname can be use to specify an input media file.
Vantage EDL	This media nickname identifies media than contains an Edit Decision List (EDL).
Vantage Proxy	The Vantage Proxy nickname identifies a file that suitable for viewing in the preview panel in Vantage Workflow Portal, Vantage Workflow Designer, or Vantage Management Console.
Vantage Thumbnail	The Vantage Thumbnail nickname identifies a file that contains an image that can be used to visually represent the contents of a media file. Thumbnail images typically represent content when the media file appears in Windows Explorer or in the binder view in Vantage programs.

The media nicknames make it easier to manage files in a workflow. Consider the following:

- When a media file is input to a workflow, either manually or automatically from a watch folder, the workflow origin action immediately assigns a nickname (typically *Original*) to the file. The workflow designer does not need to know the name of the input file, so the same workflow can be used with any suitable media file, regardless of the media file name.
- When the workflow designer configures a Flip action to transcode the input file, the designer specifies the input file nickname (typically *Original*) and a different output

file nickname. Selecting nicknames is as easy as selecting them from a dropdown list or entering a new nickname.


- Actions displayed in Vantage Workflow Designer display media nicknames on the action, which makes it easier to visualize how the workflow processes a file.

Managing Media Nicknames with VMC

To start managing media nicknames with the Vantage Management Console, do the following:

1. Start VMC as described in [Starting the Vantage Management Console](#).
2. In the components panel, select Workflow Design Items > Media Nicknames.
 Vantage displays the Media Nicknames details panel shown in [Figure 35](#).

Figure 35. The Media Nicknames Panel



Creating Media Nicknames

To create a new nickname, click the Create Nickname button  in the toolbar. VMC displays a Create Media Nickname dialog. Enter the name of this nickname and click OK.

VMC adds this nickname to the table. Optionally, add a description and click the Save button .

Deleting Media Nicknames

To permanently remove a media nickname from the domain, select the nickname and click the Delete button  in the toolbar. Click OK to confirm the deletion.

Exporting and Importing Media Nicknames

Vantage allows you to export media nicknames to XML files, which you can then use to import the same media nicknames into another Vantage domain.

To export a media nickname, do the following:

1. Select the media nickname to export.
2. Click the Export button .
3. Use the file system dialog to save the exported media nickname.

The default file name is the media nickname, but you can change the file name.

Note: Changing the name of the XML file does not change the name of the media nickname in the XML file.

To import a media nickname, do the following:

1. Click the Import button .
2. Use the file system dialog to locate and select the media nickname to import, then click Open.

Note: If you try to import a media nickname that is already in this Vantage domain, Vantage warns you that you cannot overwrite an existing media nickname.

Searching for Media Nicknames in Workflows

Vantage allows you to search all workflows in a domain for a media nickname. This is very useful when you need to change or delete a nickname, and you want to know which workflows might be affected by the change.

To search for media nicknames, do the following:

1. Select the media nickname for which you want to search.
2. Click the Search button  in the toolbar.

If the media nickname is used in any workflows, Vantage displays a list of workflows that use the nickname. Double-click any workflow in the list to open that list in Vantage Workflow Designer. Click Done to dismiss the list.

If the media nickname is *not* used in any workflows, Vantage displays a message to that effect. Click OK to dismiss the message.

Managing Metadata Labels

The following topics describe Vantage metadata label concepts and management tasks:

- [Understanding Metadata Labels](#)
- [Vantage Metadata Label Applications](#)
- [Managing Metadata Labels with VMC](#)
- [Creating Metadata Labels](#)
- [Adding Metadata Label Parameters](#)
- [Duplicating a Parameter within a Metadata Label](#)
- [Adding a Copy of a Metadata Label Parameter to Another Metadata Label](#)
- [Deleting a Metadata Label Parameter](#)
- [Modifying Metadata Labels and Parameters](#)
- [Previewing Metadata Labels and Values](#)
- [Sorting Metadata Label Parameters](#)
- [Exporting and Importing Metadata Labels](#)
- [Searching for Metadata Labels in Workflows](#)

Note: Workflow designers can use Vantage Workflow Designer to perform some metadata label management tasks, and operators can also perform some label management with Vantage Workflow Portal. Only Vantage administrators can use Vantage Management Console to export, import, and delete metadata labels.

Understanding Metadata Labels

Vantage supports metadata attachments and metadata labels. Metadata attachments are separate files that contain data about associated media. Metadata labels are used in some media files as containers to carry data about the media. In Vantage, metadata labels are defined using the Vantage Management Console and can be used to manage media data within and between workflows.

Each metadata label has a name and is comprised of one or more parameters. Each parameter has a name and holds a data value that conforms to a data type, such as text, date, timecode, or integer.

Vantage provides a comprehensive list of industry-standard metadata labels with parameters for use in Vantage workflows. You can also define custom labels with custom parameters.

During workflow processing, metadata labels can be populated with the following types of data:

- Data imported from metadata attachments
- Data from workflow analysis (Analysis, Examine, and Identify actions)

- Data from workflow variables (Metadata Populate action)
- Data entered by VWP operators

During workflow processing, metadata label content can be used to do the following:

- Provide media information to operators, who use the information to make media processing decisions
- Provide media information to workflow processes for automated decision processing
- Output media information to metadata attachments for use after workflow processing
- Add metadata labels to the output media (embedded in the media file)

Vantage Metadata Label Applications

The following are some examples of how metadata labels can be used with workflows:


- Operator selection of distribution channels—An ingest workflow can be used to collect data and populate metadata labels. When the ingest workflow completes, an operator examines the workflow output (media and metadata labels) and configures metadata labels that are used by a target workflow to choose a distribution channel.
- Easier operator selection of trim points and thumbnails—An ingest workflow can be used to generate a proxy media file, which the operator can use to review media. During review, the operator can use *hotkeys* to instantly transfer timecodes for the trim points and thumbnail to metadata labels, and the label timecode values can be used in the target workflow to trim the media and generate a thumbnail. Also, three timecode metadata parameters can be grouped together as a *Trim Group*, which automatically calculates and displays the difference between a *Mark In* and *Mark Out* point to show a duration.
- Metadata addition to media output files—For media formats that support metadata, a workflow can be configured to collect metadata from operators or populate the metadata with default values.
- Quicker location and evaluation of macroblocking—An ingest workflow can be configured to detect the worst macroblocking in input media and store the frame timecode in a metadata label. An operator can then use the label timecode value to quickly locate the issue and evaluate the severity.
- Flexible graphics and title insertion—With the addition of a template produced by GraphicsFactory software, the same workflow and template can be reused for multiple applications by using metadata labels to define a graphic file to insert, title text to insert, and timecodes for placement.
- Operator specification for automatic commercial insertion—As with trim points and thumbnail selection, proxy media from an ingest workflow can be used with hotkeys and metadata labels to simplify operator specification for commercial insertion. After the metadata labels are populated, a target workflow can automatically insert commercial media at the point specified by the metadata labels.

Managing Metadata Labels with VMC

To start managing metadata labels with the Vantage Management Console, do the following:

1. Start VMC as described in [Starting the Vantage Management Console](#).
2. In the components panel, select Workflow Design Items > Metadata Labels.
 Vantage displays the Media Nicknames details panel shown in [Figure 36](#).

Figure 36. Metadata Labels Panel



Creating Metadata Labels

To create a new metadata label, do the following:

1. Click the New Label button  to create a new metadata label (far left) in the toolbar.
2. In the dialog that appears, enter a name for the new metadata label, and click OK.
 Metadata label names are case-sensitive. For example, *FrameHeight* and *frame-height* are different labels.
3. If desired, enter a description for the metadata label.

4. Add metadata label parameters as described in [Adding Metadata Label Parameters](#).
5. Click the Save button .

Adding Metadata Label Parameters

To add a metadata label parameter, do the following:

1. Click an existing metadata label name, or create a new metadata label as described in [Creating Metadata Labels](#).
2. Click the Create Parameter button  in the design toolbar.
3. Enter a name for the new parameter.
4. If desired, do the following to configure the optional parameter values:

- a. Enter a description for the new parameter.
- b. Enter a category name.

Categories can be used to group logically related parameters. Parameters with the same category name are grouped together in the parameter list. If no category is specified, the parameter displays in the Misc category.

- c. Select a parameter value type from the dropdown list of values.
- d. Click the password option if you want the parameter value to be obscured by asterisk (*) characters.
- e. To define a list of optional values for the parameter, click the Modify button, enter one value per line, and click OK.

This feature can be used to create a dropdown list to reduce the chance of data entry errors. For example, you might create a Ratings parameter and specify the terms *G*, *PG*, *PG-1*, *TV-14*, and *R*. Operators can they use a dropdown list in VWP to select one of these values, instead of typing the value.

- f. To limit the parameter value to one of the values defined with the Modify button, check the Exclusive checkbox.

In the above example for a Ratings parameter, checking the Exclusive checkbox limits operators to selecting one of the specified ratings. Operators are not allowed to type in a rating.

- g. To define a default value for the parameter, enter the default value in the Default Value text box, or select a default value from the dropdown list.

The entry options depend on the other parameter value option settings.

- h. To change the displayed order of parameters, select a parameter in the parameter list and use the green up  and down arrow  buttons to move the variable in the list.

The parameter list order that you define configures the order of parameters displayed in VWP.

- i. To view how parameters appear to VWP operators, click the Categorize button , which toggles the display between showing categories and showing a flat list with no category names.

Note: Operators can configure VWP to display or hide the category names.

5. Click the Save button .

Duplicating a Parameter within a Metadata Label

To add a parameter that is a copy of another parameter in the same metadata label, do the following:

1. Select the parameter to copy.
2. Open the Copy button  dropdown list in the Design toolbar and select *Duplicate selected*.
3. Modify the parameter options and values as needed.
4. Click the Save button .

Adding a Copy of a Metadata Label Parameter to Another Metadata Label

To add a copy of one parameter to a different metadata label, do the following:

1. Select the parameter to copy.
2. Open the Copy button  dropdown list in the Design toolbar and select *Copy selected*.
3. Select the metadata label to which you want to copy the parameter.
4. Click the Paste button  in the Design toolbar.
5. Modify the new parameter options and values as needed.
6. Click the Save button .

Deleting a Metadata Label Parameter

To delete a parameter from a metadata label, do the following:

1. Select the parameter to delete.
2. Click the Delete button  in the design toolbar (a red X).
3. Click the Save button .

Modifying Metadata Labels and Parameters

To modify a metadata label, do the following:

1. Click an existing metadata label name.
2. Make changes to the metadata label description as needed.
3. To modify a parameter, select the parameter and change the parameter settings.
4. Click the Save button .

Previewing Metadata Labels and Values

To preview a metadata label and its values, select the label. All parameters for that label appear in the Preview/Test panel.

To toggle the display of to include or exclude category names, click the Categorize button . One display state displays parameters with the category headings, and the other display state displays parameters without the category headings.

Sorting Metadata Label Parameters

To change the order of the label parameters in the list, select a parameter and click the green up  and down arrow  buttons on the right side of the label list. Categories will display according to the order of the first parameter in each category.

Deleting Metadata Labels

To permanently remove a metadata label from the domain, select the label and click the Delete button  in the toolbar. Click OK to confirm the deletion.

Note: When you delete a metadata label, the deletion can render services and workflows inoperable. Be sure to update all actions and services that used the deleted label. For information on locating workflows that contain a specific metadata label, see [Searching for Metadata Labels in Workflows](#).

Duplicating a Metadata Label

It can be easier to duplicate and rename a metadata label than it is to make a new one. To duplicate a metadata label, do the following:

1. Select the metadata label.
2. Click the Duplicate button  in the toolbar.
3. Enter a new metadata label name.
4. Change additional metadata label settings as needed.
5. Click the Save button .

Exporting and Importing Metadata Labels

Vantage allows you to export metadata labels to XML files, which you can then use to import the same labels into another Vantage domain.

To export one or all metadata labels, do the following:

1. If you are exporting a single label, select the metadata label to export.
2. Click the Export button  to export a single label, or select *Export all* from the Export button drop down menu.

3. Use the file system dialog to save the exported metadata labels.

The default file name is the metadata label name, but you can change the file name.

Note: Changing the name of the XML file does not change the name of the metadata label in the XML file.

To import a metadata label, do the following:

1. Click the Import button .
2. Use the file system dialog to locate and select the metadata label to import, then click Open.

Note: If you try to import a metadata label that is already in this Vantage domain, Vantage prompts you to either overwrite the existing label (click Yes) or cancel the import (click No).

Searching for Metadata Labels in Workflows

Vantage allows you to search all workflows in a domain for a metadata label. This is very useful when you need to change or delete a metadata label, and you want to know which workflows might be affected by the change.

To search for metadata labels, do the following:

1. Select the metadata label for which you want to search.
2. Click the Search button  in the toolbar.

If the metadata label name is used in any workflows, Vantage displays a list of workflows that use the label. Double-click any workflow in the list to open that workflow in Vantage Workflow Designer. Click Done to dismiss the list.

If the metadata label name is *not* used in any workflows, Vantage displays a message to that effect. Click OK to dismiss the message.

Managing Attachment Nicknames

Like media nicknames, an [attachment](#) nickname serves as an alias for an attachment file within a workflow. Without attachment nicknames, workflow designers would need to refer to the full path and name of each file in every workflow action that uses a file. When an attachment nickname is assigned to a file, the workflow designer can simply refer to the nickname; Vantage associates the full path and file name of the actual file with the nickname.

Vantage administrators can use the Vantage Management Console to manage attachment nicknames. The following topics describe nickname management concepts and tasks:

- [Understanding Attachment Nicknames](#)
- [Managing Attachment Nicknames with VMC](#)
- [Creating Attachment Nicknames](#)
- [Deleting Attachment Nicknames](#)
- [Exporting and Importing Attachment Nicknames](#)

Note: Workflow designers can only define new attachment nicknames in Vantage Workflow Designer. Vantage administrators must perform all other nickname management tasks.

Understanding Attachment Nicknames


Vantage requires that a workflow designer associate an attachment nickname with every unique attachment file that is processed by a workflow. This means that each input attachment file must be assigned a nickname, and every unique output attachment file must have a nickname.

Managing Attachment Nicknames with VMC

To start managing attachment nicknames with the Vantage Management Console, do the following:

1. Start VMC as described in [Starting the Vantage Management Console](#).
2. In the components panel, select Workflow Design Items > Attachment Nicknames.
Vantage displays the Attachment Nicknames details panel shown in [Figure 37](#).

Figure 37. Attachment Nicknames Details Panel



Creating Attachment Nicknames

To create a new nickname, click the Create Nickname button  in the toolbar. VMC displays a Create Attachment Nickname dialog. Enter the name of this nickname and click OK.

VMC adds this nickname to the table. Optionally, add a description and click the Save button .

Deleting Attachment Nicknames

To permanently delete a nickname from the domain, click the Delete button  in the toolbar. Click Yes in the warning to confirm.

Note: When you delete a nickname, it will render services and workflows inoperable if the nickname was used in it. Be sure to modify all actions and services that used the nickname you just deleted.

Exporting and Importing Attachment Nicknames

Vantage allows you to export attachment nicknames to XML files, which you can then use to import the same nicknames into another Vantage domain.

To export one or all attachment nicknames, do the following:

1. If you are exporting a single attachment nickname, select the attachment nickname to export.
2. Click the Export button  to export a single attachment nickname, or select *Export all* from the Export button drop down menu.

3. Use the file system dialog to save the exported attachment nicknames.
The default file name is the attachment nickname, but you can change the file name.

Note: Changing the name of the XML file does not change the name of the attachment nickname in the XML file.

To import an attachment nickname, do the following:

1. Click the Import button .
2. Use the file system dialog to locate and select the attachment nickname file to import, then click Open.

Note: If you try to import an attachment nickname that is already in this Vantage domain, Vantage prompts you to either overwrite the existing attachment nickname (click Yes) or cancel the import (click No).

Managing Variables

The following topics describe variable management concepts and tasks:

- [Understanding Variables](#)
- [Managing Variables with VMC](#)
- [Creating Variables](#)
- [Modifying Variables](#)
- [Deleting Variables](#)
- [Duplicating a Variable](#)
- [Exporting and Importing Variables](#)
- [Searching for Variables in Workflows](#)

Note: Workflow designers can create new variables and change variable values in Vantage Workflow Designer. With the proper permissions, operators can use Vantage Workflow Portal to change variable values. Vantage administrators must perform all other variable management tasks using the Vantage Management Console.

Understanding Variables

Variables in Vantage are similar to [variable](#) in programming languages. You can create a variable, name it, assign and change its value, and use the variable in workflow [actions](#) and services to automate decisions.

Each variable can be configured with a name, description, value type, and default value. The name and type are required, and the description and default value are optional.

The variable type describes what type of value the variable represents. Some supported types include text, date, integer number, and timecode.

The default value is only used by a workflow action when the variable has not been assigned a value earlier in the workflow.

For example, suppose you want a variable named *Email* that you can use to specify an email address for use in a Message action within a workflow. Also suppose that you want to send the email to a single address most of the time, but you want the option to override the email address in a workflow. To do this, create an Email variable in Vantage Workflow Designer or the [Vantage Management Console](#), and set the default value to the email address you want to use most of the time.

During workflow execution, the Message action operates as follows:

- If no other instance of the Email variable is created earlier in the workflow, the email is sent to the address specified by the default value in the email variable.
- If the Email [variable](#) is set earlier in the workflow, before the message action, the email is sent to the address specified by the earlier workflow action.


Managing Variables with VMC

To start managing variables with the Vantage Management Console, do the following:

1. Start VMC as described in [Starting the Vantage Management Console](#).
2. In the components panel, select Workflow Design Items > Variables.

Vantage displays the Variables details panel shown in [Figure 38](#).

Figure 38. Variables Details Panel



Creating Variables

Variables are typically created in Vantage Workflow Designer, but you can create variables in Vantage Management Console as follows:

1. Click the Create Variable button  in the toolbar.
2. Provide a name for the variable.
Variable names are case-sensitive. For example, FrameHeight and frameheight are different variables.
3. Select a variable type from the Value Type dropdown menu.

Note: You cannot change a variable type after you save the variable configuration.

4. Enter a default value for the variable.
5. If needed, enter a description for the variable.
6. Click the Save button .

Modifying Variables

Exercise caution when modifying a variable that is already being used by a workflow. If you change the variable name, all workflows that use the variable must be updated. If you change the default value of a variable, existing workflows continue to use the older default value until you unbind and rebind the variables in the workflows.

To modify a variable, select the variable, make your changes, and click the Save button .

Note: When you modify a variable, the change can render a service or workflow inoperable. Be sure to modify all services/actions that use the modified variable. For information on locating workflows that contain a specific variable, see [Searching for Variables in Workflows](#).

Deleting Variables

To permanently remove a variable from the domain, select the variable and click the Delete button  in the toolbar. Click OK to confirm the deletion.

Note: When you delete a variable, the deletion can render services and workflows inoperable. Be sure to update all actions and services that used the deleted variable. For information on locating workflows that contain a specific variable, see [Searching for Variables in Workflows](#).

Duplicating a Variable

It can be easier to duplicate and rename a [variable](#) than it is to make a new one. To duplicate a variable, do the following:

1. Select the variable.
2. Click the Duplicate button  in the toolbar.
3. Enter a new variable name.
4. Change additional variable settings as needed.
5. Click the Save button .

Exporting and Importing Variables

Vantage allows you to export variables to XML files, which you can then use to import the same variables into another Vantage domain.

To export a variable, do the following:

1. Select the variable to export.
2. Click the Export button .
3. Use the file system dialog to save the exported variable.

The default file name is the variable name, but you can change the file name.

Note: Changing the name of the XML file does not change the name of the variable in the XML file.

To import a variable, do the following:

1. Click the Import button .
2. Use the file system dialog to locate and select the variable to import, then click Open.

Note: If you try to import a variable that is already in this Vantage domain, Vantage prompts you to cancel or confirm replacement.

Searching for Variables in Workflows

Vantage allows you to search all workflows in a domain for a variable. This is very useful when you need to change or delete a variable, and you want to know which workflows might be affected by the change.

To search for variables, do the following:

1. Select the variable for which you want to search.
2. Click the Search button  in the toolbar.

If the variable is used in any workflows, Vantage displays a list of workflows that use the variable. Double-click any workflow in the list to open that list in Vantage Workflow Designer. Click Done to dismiss the list.

If the variable is *not* used in any workflows, Vantage displays a message to that effect. Click OK to dismiss the message.

Managing Style Sheets

The following topics describe style sheet management concepts and tasks:

- [Understanding Style Sheets](#)
- [Managing Style Sheets with VMC](#)
- [Adding a Style Sheet](#)
- [Renaming a Style Sheet](#)
- [Deleting Style Sheets](#)
- [Exporting and Importing Style Sheets](#)

Understanding Style Sheets

A style sheet defines how an input metadata format is converted to an output metadata format. A style sheet does not change the metadata values; it changes the presentation of the metadata. The Transform action requires a style sheet, and style sheets can only be managed using the Vantage Management Console.

Style sheets (XSL files) are the keystone of the Transform action. Style sheets enable you to convert one [attachment](#) file (XML) into a different attachment (XML file) or to convert the contents of an attachment into a custom label schema and vice-versa. Each style sheet has a nickname to make it easy to assign style sheets in a workflow.

When you are processing media with metadata in a specific XML format and you are creating a workflow to convert the XML file into a different format or into a specific contextual metadata structure (for example, a label); you will need to provide a style sheet to perform the transformation.

When you add a new style sheet to your Vantage domain, the style sheet itself is wrapped in an XML file, providing a structure for the Vantage metadata: the name, description and identifying GUID.

When you export style sheets, the entire XML file (the wrapper and the actual style sheet inside it) is saved. When you import a previously exported style sheet, you are importing an entire wrapper back into the domain.

Note: Style sheets and metadata transformation are advanced concepts. If you require assistance in implementing specific metadata transformations, please contact

your customer service representative at Telestream to discuss custom style sheets for your specific workflow requirements.


Managing Style Sheets with VMC

To start style sheet management with the Vantage Management Console, do the following:

1. Start VMC as described in [Starting the Vantage Management Console](#).
2. In the components panel, select Workflow Design Items > Style Sheets.
Vantage displays the Style Sheets details panel shown in [Figure 39](#).

The [Vantage Management Console](#) displays the Style Sheets details panel:

Figure 39. Style Sheets Details Panel



Adding a Style Sheet

To add a new style sheet to the domain, do the following:

1. Click the Add Style Sheet button  in the toolbar.
Vantage displays a file system dialog, so you can select a style sheet (XSL) file.
2. Navigate to the directory where the style sheet file is stored, select the file you want to import, and click OK.
VMC adds the new style sheet to the table.
3. Name the style sheet and enter a description.
4. Click the Save button .

Renaming a Style Sheet

To rename a style sheet definition, select it in the table, edit the name to meet your requirements, and click the Save button .

Deleting Style Sheets

To permanently remove a style sheet from the domain, click the Delete button  in the toolbar. Click Yes in the warning to confirm.

Note: When you remove a style sheet from the domain, the XSL file is not erased—its reference is removed from the Vantage domain database. Removing a style sheet will render services and workflows inoperable if the style sheet was used in them. Be sure to update all actions and services that used the style sheet you just deleted.

Exporting and Importing Style Sheets

Vantage allows you to export style sheets to XML files, which you can then use to import the same style sheets into another Vantage domain.

To export one or all style sheets, do the following:

1. If you are exporting a style sheet, select the style sheet to export.
2. Click the Export button  to export a single style sheet, or select *Export all* from the Export button drop down menu.
3. Use the file system dialog to save the exported style sheet.

The default file name is the style sheet name, but you can change the file name.

Note: Changing the name of the XML file does not change the name of the style sheet in the XML file.

To import a style sheet, do the following:

1. Click the Import button .
2. Use the file system dialog to locate and select the style sheet to import, then click Open.

You cannot import XSL files—only style sheets that have been previously exported as XML files.

Note: If you try to import a style sheet that is already in this Vantage domain, Vantage prompts you to cancel or confirm replacement.

Managing Actions

The following topics describe action management tasks:

- [Understanding Actions](#)
- [Managing Action Default Settings with VMC](#)
- [Configuring the Resource Cost](#)
- [Configuring Retry Settings](#)
- [Exporting and Importing Action Default Settings](#)
- [Exporting and Importing Workflow Action Configurations](#)
- [Related Action Management Topics](#)

Understanding Actions

An *action* is the smallest unit of work that can be specified in a Vantage workflow. Actions are connected together in a workflow to perform a useful task. Each action must be configured to perform its subtask in the context of the workflow task.

Vantage services execute the actions within a workflow. Each service executes a specific set of actions, so the actions are often sorted by service in Vantage programs. For example, workflow designers select individual actions from action groups that are usually named for the service that executes the action.

Note: The Common group displayed in Vantage Workflow designer is an exception because it lists actions that can be executed by any service.


Managing Action Default Settings with VMC

The action default settings define the default resource cost and retry settings for Vantage workflow actions. You can export these settings for use in other domains, and you can import settings from exported files.

To start action default setting management with the Vantage Management Console, do the following:

1. Start VMC as described in [Starting the Vantage Management Console](#).
2. In the components panel, select Workflow Design Items > Action Defaults.
Vantage displays the Action Defaults details panel shown in [Figure 40](#).

Figure 40. Action Defaults Details Panel



Configuring the Resource Cost

Enterprise Control | Master Control

When cost-based load balancing is enabled, the *resource cost* establishes a default cost for an action. A higher resource cost means that fewer actions can run at the same time, which reduces demand on server resources. A lower resource cost allows more actions to run simultaneously. For information on enabling cost-based load balancing, see [Managing Load Balancing](#).

Note: When cost-based load balancing is disabled (which is the default setting), the resource cost for every action is 1 and any other setting is ignored.

Configuring Retry Settings

For some actions, Vantage allows you to configure a retry rule that defines how and when Vantage tries to execute an action that failed. Retry rules can be configured for an action type in the Vantage Management Console, and rules can be configured for specific actions in a workflow using Vantage Workflow Designer. When a retry rule is defined in a workflow for an action, that rule overrides any rule for that action type that is defined in Vantage Management Console.

The default retry rule for all action types defined in Vantage Management Console is No Retry. When an action type supports retry rules, you can specify a limited retry rule or a recurring retry rule.

A limited retry rule can specify up to 3 retries, each with a defined delay period and a priority. For example, you can specify (in the Vantage Management Console) that all Flip actions retry the first time after five minutes at priority 10, and that Flip actions retry a second time after 10 minutes at priority 20.

A recurring retry rule specifies that Vantage retry all failed actions of the specified type until the action executes. You can specify a retry interval and priority for a recurring retry rule. For example, you can specify that Vantage retry failed Copy actions every 2 minutes at priority 30 until the Copy action executes successfully. You can also specify a maximum retry count or unlimited retries.

It is important to keep in mind that individual action retry rules specified in Vantage Workflow Designer override the default retry rules specified in the Vantage Management Console. For example, if a workflow is configured to retry a message action twice after failure and the Vantage Management console is configured for No Retry for message actions, Vantage will retry the failed message action twice, as specified in the workflow.

The following topics describe retry rule management:

- [Viewing Action Retry Rules](#)
- [Configuring Action Retry Rules](#)

Viewing Action Retry Rules

To view the retry configuration for any action, do the following:

1. In the Vantage Management Console components panel, open Workflow Design Items > Action Defaults.
 2. Select an action in the Action Defaults details panel.
 3. View the configuration in the Action panel.
- Not all actions support action retry rules.

Configuring Action Retry Rules

To configure a retry rule for any action, do the following:

1. In the Vantage Management Console components panel, open Workflow Design Items > Action Defaults.
2. Select an action in the Action Defaults details panel.
3. To disable retries, click No Retry.
4. To define a limited retry rule, click Limited Retry and complete the rule as follows:
 - a. For the first retry, specify the delay period number and units and execution priority.
 - b. For a second or third retry, check the appropriate checkbox and complete the rule configuration.

5. To define a recurring retry rule, click Recurring Retry and complete the rule as follows:
 - a. Specify the delay period number and units and execution priority.
 - b. Clear the *Stop after* checkbox to enable unlimited retries, or check the checkbox and specify a maximum number of retry iterations.
6. Click the Save button .

Exporting and Importing Action Default Settings

Vantage allows you to export action default settings to XML files, which you can then use to import the same default settings into another Vantage domain.

To export default settings for one or all actions, do the following:

1. If you are exporting settings for a single action, select the action.
2. Click the Export button  to export settings for a single action, or select *Export all* from the Export button drop down menu.
3. Use the file system dialog to save the exported settings.

The default file name is the action name, but you can change the file name.

Note: Changing the name of the XML file does not change the name of the action in the XML file.

To import settings for an action, do the following:

1. Click the Import button .
2. Use the file system dialog to locate and select the file to import, then click Open.

Note: When you import settings for an action that is already in this Vantage domain, Vantage prompts you to confirm replacement of the current settings or cancel the import.

Exporting and Importing Workflow Action Configurations

Every workflow action and action template is stored in the Vantage domain database, and you can use the Vantage Management Console to view these actions and action templates. With VMC, you can view when an action was created, which workflow uses the action, and whether the action is a template or not. You can also export and import actions and action templates.

You might want to export an action so that you can import it to another domain, or you might want to export an action so that you can email it to Telestream for evaluation. When you import an exported action or action template from another domain, Vantage automatically makes the imported action a template in the new domain. Imported action templates make the imported action available to all workflow designers in the Vantage domain.

Actions are saved as XML files—one [action](#) per file. The following topics describe export and import tasks:

- [Displaying Actions for Export and Import](#)
- [Exporting Actions](#)
- [Importing Actions](#)


Displaying Actions for Export and Import

To display actions for export and import, do the following:

1. Start VMC as described in [Starting the Vantage Management Console](#).
2. In the components panel, select Support Utilities > Actions > By Service.
3. Select the service for which you want to display actions.

Vantage displays a service details panel that lists actions, similar to the Transport details panel shown in [Figure 41](#).

Figure 41. Transport Service Details Panel, Showing Actions for the Transport Service



Exporting Actions

To export one or more actions, do the following:

1. Select the actions to export.
2. Click the Export button .
3. Use the file system dialog to save the exported actions.

The default file name is the action name, but you can change the file name.

Note: Changing the name of the XML file does not change the name of the action in the XML file.

Importing Actions

When you import an action into a domain, Vantage imports the action as a template, and the action template becomes available to all workflow designers in the Vantage domain. If a workflow designer creates a new action using the imported template, the new action uses all of the settings of the original action.

To import an action, do the following:

1. Click the Import button .
2. Use the file system dialog to locate and select the action file to import, then click Open.

Related Action Management Topics

For additional information on action management using Vantage Management Console, refer to the following topics:

- [Viewing Active Actions](#)
- [Viewing Action Analytics](#)

For information on action management using Vantage Dashboard, refer to the following topics:

- [Displaying Action Error Details](#)
- [Changing Action Priority](#)
- [Restarting Actions](#)

Managing Binders

The following topics describe binder management concepts and tasks:

- [Understanding Binders](#)
- [Managing Binders with VMC](#)
- [Creating and Deleting Binders](#)
- [Submitting Binders from VMC](#)
- [Renaming a Binder](#)
- [Configuring a Binder Expiration Policy](#)
- [Managing Media Files in a Binder](#)
- [Managing Metadata Labels in Binder](#)
- [Managing Binder Attachments](#)

Understanding Binders

When a workflow executes, Vantage creates a job and a *binder*, which is a collection of job-related references and metadata labels. The references in a binder identify media files and attachment (non-media) files such as XML or PDF files. The binder references identify the name and location of input, output, and temporary files used by a workflow.

Vantage uses binders as follows:

- Records the locations of all media files, attachment files, temporary files, and output files for a job.
- Stores metadata labels for a job.
- Retains job information for evaluation by a Vantage Workflow Portal operator and submission to a new workflow.
- Determines which files can be deleted when Vantage is done with a binder.

To manage binders, you need to understand how the workflows in your Vantage domain use the binders. For example, one workflow might be designed to produce output to be evaluated by a Vantage operator for approval. If the operator approves the output, the operator might forward the output of the first workflow to a second workflow for processing. When the output is forwarded, what is actually forwarded is the binder, which contains all the file references and metadata needed for the next job.

In the preceding example, the binder must be retained long enough for the operator to become aware of job completion, evaluate the results, and make a decision. You might want to retain the binder for an extra day, week, or month, for auditing purposes. However, if your business creates many workflows, you will eventually want to delete the binder and related temporary files to conserve disk space.

Vantage stores binders in the Vantage domain database. By default, binders are deleted according to an expiration policy defined for each workflow in Vantage Workflow Designer. Workflow designers can also use Workflow Designer to manually delete jobs, which deletes the associated binders. This default setting places binder management under the control of Vantage workflow designers.

To extend binder management to support access from Vantage Management Console or Vantage Workflow Portal, you can use the Vantage Management Console to create *catalogs* (see [Managing Catalogs](#)). A catalog serves as a container or folder to which a binder can be associated. Because each catalog has its own expiration policy, some additional conditions must be met before a binder is deleted. Binders and the related temporary files are deleted only when all the following are true:

- The job expiration time is exceeded or an operator has deleted the job.
- The binder expiration time defined in the catalog is exceeded or the binder is deleted.
- Temporary files to be deleted are not being used by any other unexpired binder.

Note: Only files in a Vantage Store are automatically deleted according to the above rules. By default, Flip action output is saved to a Vantage store, so you should use a Copy, Deploy, or Move action to place files that you want to keep in an output directory. Files in an input or output folder can be deleted using a workflow Delete action, but files in input and output folders are not automatically deleted when a job expires.

To associate a binder with a catalog, Workflow designers add a Register action to a workflow and configure it for the appropriate catalog. The Register action and catalog are required to support binder forwarding from one workflow to another or to retain a binder beyond the expiration period and control of Workflow Designer.

Workflows are not limited to accessing or registering media in a single catalog. For example, a given workflow might ingest media from Catalog A, produce another version of the content, and register the new content in Catalog B.

As a Vantage administrator, you might need to manage binders as follows:

- Establish binder expiration times, so that the binders and related temporary files are deleted (to conserve disk space) at an appropriate time after job completion.
- View binder contents to evaluate workflow operation or troubleshoot workflow issues.
- Submit a binder to a workflow to test workflow operation.
- Create, delete, rename, and modify binders as needed to support the development of workflows and manage Vantage resources.


Managing Binders with VMC

Vantage Management Console provides binder management only for binders that are associated with a catalog. The following tasks must be completed before you can manage binders with VMC:

1. You must create a catalog if you want workflow designers to use a catalog other than the Default Catalog.
2. A workflow designer must create a valid workflow with a Register action that registers the workflow (and the binders it produces) to the catalog.
3. A job must be submitted to Vantage using the workflow with the Register action.

When binders are associated with a catalog, you can start binder management by doing the following:

1. Start VMC as described in [Starting the Vantage Management Console](#).
2. In the components panel, select Catalogs.
Vantage displays the Catalogs details panel shown in [Figure 42](#).
3. In the Catalogs details panel, select a catalog in the list on the left; then select a binder from the list on the right.

Figure 42. Catalogs Details Panel, Showing Catalog and Binder Lists

Creating and Deleting Binders

In normal operations, binders are created when a new job starts, and they are deleted as described in [Understanding Binders](#).

Note: The Vantage Management Console controls for creating and deleting binders are provided for testing and troubleshooting, not for regular maintenance.

To create a new binder, do the following:

1. Select the catalog to which you want to add the binder.
2. Click the New Binder button .

The [Vantage Management Console](#) displays a file system dialog so that you can navigate to and select the media you want to assign the binder.
3. Select the target media file and click Open to create the binder for this media file.

To delete a binder, do the following:

1. Select the catalog and folder in which the binder resides.
2. Select the binder to remove.
3. Click the Delete button .

CAUTION: Removing a binder permanently deletes Vantage store files as described in [Understanding Binders](#).

Submitting Binders from VMC


You can use the catalog feature in VMC to submit binders to workflows. Binder submission in VMC is intended as a test/diagnostic feature and is not recommended for regular use in production.

When submitting a binder, it is your responsibility to ensure that the binder contains the requisite items (source media, metadata labels and/or [attachments](#)) that the targeted [workflow](#) requires. If the binder specified does not contain all of the required items, the job will fail.

To submit a binder to a workflow from VMC, do the following:

1. Select the catalog and folder in which the binder resides.
2. Right-click a binder and select Submit To Workflow.


Figure 43. Submit to Workflow Dialog



3. When the Submit To Workflow dialog appears, select a target workflow.

4. If you need to submit variables with the binder, do the following:
 - a. Click the Variables button.
 The [Vantage Management Console](#) displays the Select Variable dialog ([Figure 44](#)).


Figure 44. Select Variables Dialog



- b. To add variables to the Variable list, click the Add Variable button , select one or more [variable](#) (control-click), and click OK.
- c. To change a variable value, select a variable and change the value (which appears below the list).

The Vantage Management Console displays the Variables dialog, with the selected variables listed, so you can update the values:

Figure 45. Variables Dialog



- d. When all the variable values are set, click OK.

5. In the Submit To Workflow dialog, click Submit to process this binder using the selected workflow.

To view job processing, open [Vantage Workflow Designer](#), select the workflow, and click the Job Status tab.

Renaming a Binder

To rename a binder, do the following:

1. Select the catalog and folder in which the binder resides.
2. Right-click a binder and select Properties.
3. Edit the binder name and click OK.

Configuring a Binder Expiration Policy

The binder expiration policy overrides the binder configuration policy for the parent catalog or folder.

To configure the binder expiration policy, do the following:

1. Select the catalog and folder in which the binder resides.
2. Right-click a binder and select Properties.
3. Edit the binder expiration date or check the Never Expire checkbox.
4. Click OK.

Note: The expiration policy can be set for individual binders when they are registered in a catalog; this is done using the workflow Register action.

Managing Media Files in a Binder

To view and manage the media files referenced in a binder, click the target binder in the binder list, then click the Media Files tab. You can add and delete media file references to a binder, and you can rename the media file names listed in the binder.

Each [binder](#) may also contain references to metadata and [attachments](#). You can view and manage these items by clicking the appropriate tab. You can also right-click a binder and select Properties to change the binder name or expiration policy.

Figure 46. Binder Assets, Organized by Tab

Media Files Toolbar.



Mini-player controls.

Adding a Media File Reference

When you add a media file to a binder, you select the file from a browse dialog, name the media file, and specify a *media nickname*.

Within a binder, each media and attachment file has a nickname; these nicknames are how Vantage workflows access the underlying files. Nicknames serve a dual purpose. First, because they are abstracted from the actual location of the underlying files, it allows workflows to be designed without worrying about the underlying file locations. Second, when a step in a workflow requires one or more input files, nicknames allow Vantage to pre-validate the workflow and availability of nicknames prior to execution.

However, binders may in fact be processed by more than one workflow simultaneously (either by using the Forward action or using VWP). When this happens, Vantage cannot pre-detect which nicknames are necessary in each separate workflow. Administrators who build workflows in this way must take care to ensure that their design does not cause files necessary in one workflow to be deleted by another.

To add a media file reference, do the following:

1. Click the Add Media File button  in the toolbar.
2. In the Select the Media Version text box, type a media nickname or select an existing media nickname from the drop down list.
3. Click the Browse button and use the browse dialog to select a media file.
4. In the Enter the Name text box, enter the media file name that appears in the binder.

Note: The filename you specify in this dialog applies only to the name displayed in the binder. The original media filename remains unchanged.

Removing a Media File Reference

To remove a media file reference from a binder, select the file, and click the Delete button  in the toolbar.

Note: Removing a file reference from a binder does not delete the source media file.

Renaming a Media File Reference

To rename a media file reference, click the media file name, and enter a new name.

Note: Renaming a media file does not rename the source media file.

Previewing a Media File

The preferred preview format for Vantage 4.0 is QuickTime H.264, and you can preview files that use this format in VWP.

You can use VMC to preview ASF, WMV, and MP4 media files. Select the media file on the Media Files tab, and use the playback controls below the media display area to the right of the Media Files tab.

Note: You can also preview ASF, WMV, and MP4 media directly in the Workflow Designer (right-click a job on the Job Status tab and select View Binder).

Managing Metadata Labels in Binder

Metadata labels in a binder are stored in the Vantage domain database. Only one of each type of metadata label can be part of a binder (for example, a binder may contain one Identify label and one Curtains label, but not two Identify labels). Some labels may contain information that is specific to one media file—for example, an Identify label will typically contain file properties for one of the media files in a binder, not necessarily all of them.

You can use the Vantage Management Console to view and manage the metadata labels assigned to a binder. To view, add, delete, or modify the labels assigned to a binder, start by clicking the target [binder](#) in the binder list, then click the Metadata Labels tab.

Note: This topic discusses metadata label use with binders. For additional metadata label management information, see [Managing Metadata Labels](#).

Adding a New Label

To add a new label, click the New Label  button in the toolbar.

The [Vantage Management Console](#) displays a list of labels, so that you can select the label you want to assign the binder. Select the label and click OK to add the label to the binder.

Removing a Label

To remove a label reference from a binder, select the label to remove, and click the Delete button  in the toolbar.

Note: This procedure removes the reference in the binder; it does not remove the metadata label from the Vantage domain.

Modifying Label Parameter Values

To modify a label parameter value for the binder, select the label to display the parameters and values in the parameter detail table on the right. Select the parameter to edit and make your changes. Click Save to update the [Vantage domain database](#) with your changes.

Managing Binder Attachments

To view and manage [attachments](#)—independent files associated with this binder—click the target [binder](#) in the binder list, then click the Attachments tab.

Binders can contain multiple attachments. You can add, delete and rename attachments.

Adding a New Attachment

To add a new attachment, click the Add Attachments button  in the toolbar.

The [Vantage Management Console](#) displays a file system dialog so that you can navigate to and select the file you want to assign the binder. Select the target attachment file, select an attachment tag, enter a name, and click OK to add the file reference to the binder for this media file.

Removing an Attachment

To remove an attachment, select the attachment to permanently remove, and click the Delete button  in the toolbar.

Note: Removing an attachment does not delete the underlying file.

Renaming an Attachment

To rename an attachment, select the attachment to rename, and enter the new name.

Note: Renaming an attachment does not rename the underlying file.

Managing Catalogs

The following topics describe catalog management concepts and tasks:

- [Understanding Catalogs](#)
- [Managing Catalogs with VMC](#)
- [Creating and Deleting Catalogs](#)
- [Creating and Deleting Catalog Folders](#)
- [Configuring a Catalog or Folder Expiration Policy](#)

Understanding Catalogs

Vantage *catalogs* serve as containers for the binders created by workflows (see [Managing Binders](#)). You can use catalogs to organize binders, define a binder expiration policy at the catalog level, and control access to binders. Vantage provides a default catalog named *Default Catalog*.

Similar in concept to file folders that organize files, Vantage catalogs organize the binders that are created each time a workflow is run. A *catalog folder* serves as a subfolder for a catalog or a catalog folder. Catalog folders allow you to further organize and group associated content together. For example, you might have a National Parks catalog, with a Yellowstone and a Yosemite folder. You can make as many folders as you need to organize your content, and you can create catalog folders in catalog folders to create a hierarchy.

Each catalog and catalog folder has an expiration policy that you can use to define when binders within that catalog or folder expire. For more information, see [Understanding Binders](#).

You can use catalogs to control operator access to binders. When configuring VWP support (see [Configuring Vantage Workflow Portal Operation](#)), you can specify which operators can access a specific catalog or folder. For example, you can create catalogs for different organizations or departments, and then restrict operators to managing binders in the appropriate catalogs.


Managing Catalogs with VMC

To start catalog management using the Vantage Management Console, open the Catalogs details panel as follows:

1. Start VMC as described in [Starting the Vantage Management Console](#).
2. In the components panel, select Catalogs.

Vantage displays the Catalogs details panel shown in [Figure 47](#).

Figure 47. Catalogs Details Panel



Hover over a toolbar button to display a description for the button. Right-click in the Catalogs details panel (on or away from an object) to display a context menu for available options (see [Table 21](#)).

Table 21. Catalogs Panel Context Menu Options

Option	Description
Import Folder	Select to import a Windows directory of media, which is organized in the manner you want the catalog organized. Vantage replicates the directory structure, and create a binder for each media file located in the folder hierarchy being imported.
New Binder	Select to create a new binder in the selected folder or catalog.
New Catalog	Select to create a new catalog.
New Folder	Select to create a new folder in the selected catalog.
Properties	Select to display and configure properties (including the expiration time) for the selected catalog/folder.

Table 21. Catalogs Panel Context Menu Options (Continued)

Option	Description
Refresh	Click to refresh the catalog list.
Remove	Select to permanently delete the selected catalog or folder. Note: Removing a catalog/folder permanently deletes binders and Vantage store files as described in Understanding Binders .
Rename	Select to rename the catalog/folder.

Creating and Deleting Catalogs

You can create as many catalogs as you need to meet the needs of your organization.

To create a new catalog, do the following:

1. Click the New Catalog button  in the toolbar.
The [Vantage Management Console](#) displays a new catalog in the catalog tree, with the default text selected.
2. Type in the name of the new catalog and click away from the catalog.

To delete a catalog, do the following:

1. Select the catalog to permanently remove.
2. Click the Delete button .

CAUTION: Removing a catalog permanently deletes binders and Vantage store files as described in [Understanding Binders](#).

Creating and Deleting Catalog Folders

Inside each catalog, you can create as many folders as you need to organize the media in this catalog. Folders can be created in a hierarchy, and you can drag them around to re-organize them.

To create a new folder, do the following:

1. Click the catalog or folder where you want to create a new folder.
2. Click the Add Folder button  in the toolbar.
VMC displays a new folder in the catalog explorer panel and also in the Folders panel, with the default text selected.
3. Type in the name of the new folder and click away from the folder.

To delete a folder, do the following:

1. Select the folder to permanently remove.
2. Click the Delete button  in the toolbar.

CAUTION: Removing a catalog folder permanently deletes binders and Vantage store files as described in [Understanding Binders](#).

Configuring a Catalog or Folder Expiration Policy

A catalog or folder expiration policy defines the default expiration policy for all binders in the catalog/folder. This policy can be overridden by a binder expiration policy as described in [Configuring a Binder Expiration Policy](#).

To configure the binder expiration policy, do the following:

1. Right-click the catalog or folder you want to configure, and select Properties.
2. Edit the binder expiration date or check the Never Expire checkbox.
3. Click OK.

Note: The expiration policy can be set for individual binders when they are registered in a catalog; this is done using the workflow Register action.

Viewing the Active Workflows and Actions

During Vantage operation, workflows might be deactivated for updates, and actions are only active when needed. When monitoring Vantage or troubleshooting problems, it can be helpful to see which workflows and actions are active and view information about those workflows and actions.

The following topics describe how to use Vantage Management Console to get information on the active workflows and actions:

- [Viewing the Active Workflows in a Domain](#)
- [Viewing Active Actions](#)

Viewing the Active Workflows in a Domain

When you view the active workflows in the domain, you can view the following information about each workflow:

- Workflow name
- Type of workflow
- Category
- State
- Date and time started
- Date and time updated
- Scheduled expiration date and time


This information can help you discover the source of problems. For example, if a workflow was working until yesterday and you notice the workflow was updated today, you might want to investigate what change was made.

To view the active workflows, do the following:

1. Start VMC as described in [Starting the Vantage Management Console](#).
2. In the components panel, select Status > Active Workflows in Domain.

Vantage displays the Active Workflows in Domain details panel shown in [Figure 48](#).

Figure 48. The Active Workflows In Domain Panel



You can sort the workflows in ascending or descending order by clicking a column title.

Viewing Active Actions

When you view the active actions, you can view the following information about each action:

- Action name
- State
- Host Vantage server (machine)
- Host workflow
- Job name
- Resource cost
- Date created

- Date updated
- Description

You can view the active actions for a specific service or a specific Vantage server as described in the following topics:

- [Viewing Active Actions for a Service](#)
- [Viewing Active Actions for a Vantage Server](#)

Viewing Active Actions for a Service

To view the active actions for a service, do the following:

1. Start VMC as described in [Starting the Vantage Management Console](#).
2. In the components panel, select Status > Actions By Service.
3. Select the service that hosts the actions you want to view.

Vantage displays a details panel for the service you selected, which lists all active actions for that service.

You can sort all action entries in ascending or descending order by clicking a column label.

Note: VMC might not display action list items the first time that VMC is started after installation. To resolve this issue, close and restart VMC.

Viewing Active Actions for a Vantage Server

To view the active actions for a Vantage server, do the following:

1. Start VMC as described in [Starting the Vantage Management Console](#).
2. In the components panel, select Status > Actions By Machine.
3. Select the Vantage server that hosts the actions you want to view.

Vantage displays a details panel for the Vantage server you selected, which lists all active actions on that server.

You can sort all action entries in ascending or descending order by clicking a column label.

Note: VMC might not display action list items the first time that VMC is started after installation. To resolve this issue, close and restart VMC.

Viewing Workflow and Action Analytics

Workflow and Action Analytics is a Vantage Enterprise Control and Master Control feature that calculates and displays key statistics and performance data about your Vantage domain. You can use analytics information to identify problems and improve overall system performance.

Enterprise Control | Master Control

You can use Vantage Management Console to view analytics as described in the following topics:

- [Viewing Workflow Analytics](#)
- [Viewing Action Analytics](#)

Note: Analytics features in Vantage Workflow Designer display analytics information on the actions in a workflow. For details on how to use Workflow Analytics in the Workflow Designer, click the Help button  in the toolbar to display the Designer help system.

Viewing Workflow Analytics

You can use workflow analytics to collect information that will help you improve Vantage workflow design and domain performance and efficiency.

In VMC, the workflow analytics feature displays columns for the workflow data listed in [Table 22](#).

Table 22. Column Descriptions, Workflow Analytics Details Panel

Column	Description
Workflow	The name of the workflow as it was defined in Vantage Workflow Designer.
Total Jobs	The total number of jobs (in a selected group) that have run using the named workflow.
Cumulative Workflow Processing Time	The total execution time for all jobs that used the workflow.
Average Completion Time	Total Completion Time divided by Total Jobs.
Cumulative Action Execution Time	The total execution time of all actions in a workflow.
Average Action Execution Time	Total Action Execution Time divided by the number of actions in the workflow.

Table 22. Column Descriptions, Workflow Analytics Details Panel (Continued)

Column	Description
Bottleneck Action Average Execution Time	The longest action execution time in the workflow.
Bottleneck Action	The name of the bottleneck action. If there is no apparent bottleneck, no action is listed (blank).
Bottleneck Action Description	Description associated with the bottleneck action.

Each analytic provides key information about your Vantage domain performance. For example, you can click on the Cumulative Workflow Processing Time column head to sort all the times in that column and quickly identify which workflows require the most processing time.

The bottleneck identification feature identifies the action within each workflow that requires the most time to process, while the Bottleneck Action Average Execution Time column shows how much time the bottleneck action requires. If the Bottleneck Action Average Execution Time value is insignificant, there is likely no issue with that action. However, if you identify a workflow that is consuming significant resources, knowing the bottleneck action for that workflow gives you an indication of where to look for issues.

To view workflow analytics in VMC, do the following:

1. Start VMC as described in [Starting the Vantage Management Console](#).
2. In the components panel, select Domain Workflow Analytics > Workflow Analytics.
Vantage displays a the Workflow Analytics details panel shown in [Figure 49](#).

Figure 49. Workflow Analytics Details Panel

Workflow	Total Jobs	Cumulative Workflow Processing Time	Average Completion Time	Cumulative Action Execution Time	Average Action Execution Time	Bottleneck Action Average Execution Time	Bottleneck Action	Bottleneck Action Description
Basic Workflow I Regist...	1	1 min. 7 sec.	1 min. 7 sec.	1 min. 58 sec.	29 seconds	1 min. 1 sec.	Flip	Quicktime H.264
Multi-Format Transcod...	0	0 seconds	0 seconds	0 seconds	0 seconds	0 seconds		
New Language - Subtit...	0	0 seconds	0 seconds	0 seconds	0 seconds	0 seconds		
Test	0	0 seconds	0 seconds	0 seconds	0 seconds	0 seconds		
Smart SD and HD Tran...	0	0 seconds	0 seconds	0 seconds	0 seconds	0 seconds		
Challenge 3: Apply Bu...	0	0 seconds	0 seconds	0 seconds	0 seconds	0 seconds		
Tour 6	0	0 seconds	0 seconds	0 seconds	0 seconds	0 seconds		
608 to 708 Conversion	0	0 seconds	0 seconds	0 seconds	0 seconds	0 seconds		
Filename & Duration t...	0	0 seconds	0 seconds	0 seconds	0 seconds	0 seconds		
Email on Error I	0	0 seconds	0 seconds	0 seconds	0 seconds	0 seconds		
Add & Convert Captio...	0	0 seconds	0 seconds	0 seconds	0 seconds	0 seconds		
Flip to QuickTime I	0	0 seconds	0 seconds	0 seconds	0 seconds	0 seconds		
Automatic Black Detect...	0	0 seconds	0 seconds	0 seconds	0 seconds	0 seconds		
Review and Approval P	0	0 seconds	0 seconds	0 seconds	0 seconds	0 seconds		

You can sort all entries in ascending or descending order by clicking a column label.

You can right-click on any workflow and select Open Workflow to launch (or display, if already running) Workflow Designer and display the selected workflow.

Note: If Workflow Designer is already running and is hidden behind another window when a workflow is requested, the Windows task bar button will flash, indicating that the Workflow Designer has something new to display.

The set of workflows to be analyzed can be selected by checking the *Only analyze jobs* checkbox, checking other checkboxes that apply, and changing dates and times. [Table 23](#) describes the options that you can use to filter the list of displayed workflows.

Figure 50. Workflow Analytics Selection Panel




Table 23. Workflow Analytics Configuration Options

Option	Description
Only analyze jobs	Enables filtering of the job list based on the other options specified.
Newer than and Older than	Workflows within a range of dates and times can be selected by checking <i>Newer than</i> and <i>Older than</i> checkboxes and setting the dates and times accordingly.
That ran between	Workflows between a beginning and end time can be selected by checking the <i>That ran between</i> checkbox and setting the times.
That ran after the last workflow layout change	Check the <i>That ran after the last workflow layout change</i> check box to select all workflows that ran after the last workflow layout change.
Whose state is	Check any combination of the four provided state checkboxes to select a set of workflows. (See the <i>Vantage Workflow Designer User Guide</i> for the definitions of these states).

Viewing Action Analytics


Action analytics displays the average execution time for each action in every workflow. The workflow analytics show the average execution time for all actions in a workflow and the bottleneck action execution time. Use workflow analytics to discover a workflow and bottleneck action that require a closer look; use the action analytics to display analytics for the other actions in workflows.

To view action analytics in VMC, do the following:

1. Start VMC as described in [Starting the Vantage Management Console](#).
2. In the components panel, select Domain Workflow Analytics > Action Analytics.

Vantage displays a the Action Analytics details panel shown in [Figure 51](#).

Figure 51. Action Analytics Details Panel



[Table 24](#) describes the data and controls in the Action Analytics details panel.

Table 24. Action Analytics Buttons and Configuration Options

Button or Option	Description
Workflow Designer button 	Click the Workflow Designer button to open the Workflow Designer. Note: If Workflow Designer is already open and positioned behind the VMC window, VMC remains in front of the Workflow Designer window and the Workflow Designer button flashes in the task bar. Click the Workflow Designer button in the task bar to display the Workflow Designer window in front of the VMC window.
Refresh button 	Click the Refresh button to update the list of actions.
Action Name	This column displays all of the actions in the workflows.
Action Description	This column displays the descriptions that are associated with each action.
Average Execution Time	This is the average execution time of the named action for all workflows.
Workflow	The name of the workflow that contains the named action. The set of workflows to be analyzed can be selected by checking the <i>Only analyze jobs</i> checkbox, checking other checkboxes that apply, and changing dates and times.
Newer than and Older than	Workflows within a range of dates and times can be selected by checking <i>Newer than</i> and <i>Older than</i> checkboxes and setting the dates and times accordingly.
That ran between	Workflows between a beginning and end time can be selected by checking the <i>That ran between</i> checkbox and setting the times.
That ran after the last workflow layout change	Check the <i>That ran after the last workflow layout change</i> check box to select all workflows that ran after the last workflow layout change.

Creating Report Formats

Master Control

Report formats define which data Vantage exports when a workflow designer uses Vantage Workflow Designer to export data. In the current release, Vantage supports custom report formats for exporting job data as described in [Creating Job Report Formats](#).

Creating Job Report Formats

Job report formats define which job status and metadata label data is exported when workflow designers generate reports using Vantage Workflow Designer. Exported data is saved to files using the comma separated value (CSV) format, which can be read by many programs, including word processor and spreadsheet programs. The following topics describe how to view and manage job report formats:


- [Managing Job Reports with VMC](#)
- [Creating a New Job Report Format](#)
- [Including and Excluding the Header Row](#)
- [Choosing the Report Format Columns](#)
- [Duplicating a Job Report Format](#)
- [Deleting a Job Report Format](#)
- [Refreshing the Format List](#)
- [Exporting and Importing Job Report Formats](#)

Managing Job Reports with VMC

To view and manage job reports using the Vantage Management Console, do the following:

1. Start VMC as described in [Starting the Vantage Management Console](#).
2. In the components panel, select Report Configurations > Job Reports.
Vantage displays the Job Reports details panel shown in [Figure 52](#).

Figure 52. Job Reports Details Panel



Creating a New Job Report Format

You can create job report formats in VMC and in Workflow Designer.

To create a new report format in VMC, do the following:

1. Display the Job Reports details panel (Figure 52).
2. Click the Create button .
VMC adds a new report format to the list.
3. Select the new report format in the list.
4. Enter a new name in the Name text box.
5. If you want, enter a report format description in the Description text box (the description is optional).
6. Click the Save button .

Including and Excluding the Header Row

To include or exclude a header row in the report format, do the following:

1. Display the Job Reports details panel (Figure 52).
2. Select the report format to modify.
3. Check the Add Header Row check box to include the header row, or clear the checkbox to exclude the header row.
4. Click the Save button .

Choosing the Report Format Columns

You can configure report formats to include or exclude the following columns:

- Job ID
- Job Name
- State
- Progress
- Started
- Updated
- Expires
- Workflow Name
- Additional columns for metadata label parameters

When you choose to display a column for a metadata label, the column displays the label value.

To define which columns appear in a report, do the following:

1. Display the Job Reports details panel.
2. Select the report format to modify.
3. In the Columns row (see Figure 52), check (display) or clear (hide) the checkboxes for the columns you want to display.
4. To add or delete columns for metadata labels, do the following:
 - a. Click the Column button .
 - b. In the *Labels* pane, select a label for which you want to display parameters.
 - c. In the *Parameters* pane, check the checkbox for any parameter you want to display, and clear the checkbox for any parameter you do not want to display.
 - d. To toggle the display to include or exclude category names, click the Categorize button . One display state displays parameters with the category headings, and the other display state displays parameters without the category headings.
 - e. Repeat parameter label selection until all labels are properly selected.
 - f. Click OK.

5. To change the displayed order of parameter labels, select a label in the list and use the green up  and down arrow  buttons to move the label in the list.
The top item in the list appears to the right of the columns listed in the Columns row, and to the left of all the other label columns. The last item in the list becomes the last column on the right.
6. Click the Save button .

Duplicating a Job Report Format

When you duplicate a job report format, a new format is created with a modified name. All other configuration settings in the duplicate format match those in the original format.

To duplicate a job report format, do the following:

1. Display the Job Reports details view.
2. Select the report format to duplicate.

Note: You duplicate one report at a time.

3. Click the Duplicate button .
4. In the Name text box, enter a name for the duplicate format.
5. In the Description text box, enter a description for the duplicate format.
6. Click the Save button .

Deleting a Job Report Format

To delete a job report format, do the following:

1. Display the Job Reports details view.
2. Select the format or formats to delete.
3. Click the Delete button .
4. When the confirmation dialog appears, click OK.

Refreshing the Format List

When you open the Job Reports detail panel, VMC displays the current list of job report formats. If another administrator adds or changes formats, you must refresh the display to see those changes. To refresh the display, click the Refresh button .

Exporting and Importing Job Report Formats

Vantage allows you to export report formats to XML files, which you can then use to import the same reports into another Vantage domain.

To export one or all job report formats, do the following:

1. If you are exporting a single format, select the format to export.
2. Click the Export button  to export a single format, or select *Export all* from the Export button drop down menu.
3. Use the file system dialog to save the exported formats.
The default file name is the format name, but you can change the file name.

Note: Changing the name of the XML file does not change the name of the report format in the XML file.

To import a report format, do the following:

1. Click the Import button .
2. Use the file system dialog to locate and select the format file to import, then click Open.

Note: If you try to import a report format that is already in this Vantage domain, Vantage prompts you to cancel or confirm replacement.

Configuring Job Status Views Operation

Team Management | Enterprise Control | Master Control

Job Status Views is a Web application that provides operators and managers with job status information that focuses on jobs, rather than the comprehensive system point of view offered by Web Dashboard. Using VMC, you can configure *views*, which define what information an operator sees when opening a view.

The default view is the All Workflows view, which displays information on all workflows. You can create additional views that represent a single workflow, and those views can be configured as *public* or *private*. Public views are available to all Vantage users, and private views are available only to approved users.

Note: For a comprehensive overview of the Job Status Views Web application program, see the *Vantage User's Guide*.


The following topics provide information on view configuration tasks:

- [Displaying the View Configuration Panel](#)
- [Enabling and Disabling the All Workflows View](#)
- [Creating a New View](#)
- [Renaming a View](#)
- [Duplicating a View](#)
- [Deleting a View](#)
- [Selecting and Changing the Workflow for a View](#)
- [Displaying All Jobs or All Jobs in Process](#)
- [Selecting Full or Read-Only Access](#)
- [Choosing the Display Columns](#)
- [Configuring User or Public Access](#)
- [Refreshing the View List](#)
- [Exporting and Importing Views](#)

Displaying the View Configuration Panel

To view the view configuration window, open Application Configurations in the component panel and select Job Status Views. VMC displays the Job Status Views detail panel shown in [Figure 53](#).

Figure 53. The Job Status View Configuration Window



Enabling and Disabling the All Workflows View

When you enable the All Workflows view, any Vantage user with access to this view sees information on all workflows in the domain. When this view is disabled, no user can view information on all workflows.

To enable or disable the All Workflows view, do the following:

1. Display the Job Status Views details view.
2. Select the All Workflows view.
3. Check (enable) or clear (disable) the Enable checkbox.
4. Click the Save button .

Creating a New View

To create a new view, do the following:

1. Display the Job Status Views details view.
2. Click the Create Configuration button .
3. When the Select Workflow dialog appears, select a workflow for the view and click OK.
4. If you want, enter a description of the view in the Description text box (this is optional).
5. Click the Save button .

Renaming a View

To rename a view, do the following:

1. Display the Job Status Views details view.
2. Select the view to rename.

Note: You cannot rename the All Workflows view.

3. In the Name text box, enter a new name for the view.
4. Click the Save button .

Duplicating a View

To duplicate a view, do the following:

1. Display the Job Status Views details view.
2. Select the view to duplicate.

Note: You cannot duplicate the All Workflows view.

3. Click the Duplicate button .
4. In the Name text box, enter a name for the duplicate view.
5. In the Description text box, enter a description for the duplicate view.
6. Click the Save button .

Deleting a View

To delete a view, do the following:

1. Display the Job Status Views details view.
2. Select the view to delete.

Note: You cannot delete the All Workflows view.

3. Click the Delete button .
4. When the confirmation dialog appears, click OK.

Selecting and Changing the Workflow for a View

To change the workflow for a view, do the following:

1. Display the Job Status Views details view.
2. Select the view to modify.

Note: You cannot change the workflow displayed in the All Workflows view.

3. Click the Select.
4. When the Select Workflow dialog appears, select a workflow for the view and click OK.
5. Click the Save button .

Displaying All Jobs or All Jobs in Process

You can configure each view to display all jobs or only the jobs that are currently in process. When configured to display only *in process* jobs, jobs that are in any other state (completed, failed, stopped by user, etc.) do not display. Some people might prefer to view all jobs, while others prefer to view the shorter list of *in process* jobs.

To configure the scope of jobs for a view, do the following:

1. Display the Job Status Views details view.
2. To display *in process* jobs only, check the Show Only "In Process" Jobs checkbox.
3. To display all jobs, clear the Show Only "In Process" Jobs checkbox.
4. Click the Save button .

Selecting Full or Read-Only Access

You can configure each view to support full access or read-only access. Full access permits operators to use Job Status Views to control jobs with the Stop, Restart, and Delete actions. Read-Only access allows operators to view job status and disallows the control functions.

To configure the scope of access for jobs in a view, do the following:

1. Display the Job Status Views details view.
2. Check (read-only access) or clear (full access) the Read Only Access checkbox.
3. Click the Save button .

Choosing the Display Columns

Every view displays the Job and State columns. You can configure views for individual workflows to include or exclude the following columns:


- Total Progress
- Started
- Updated
- Expires
- Additional columns for workflow actions

When you choose to display a column for a workflow action, the column displays the state of that action. This can help you use Job Status Views to view the state of actions during workflow processing.

To define which columns appear in a view, do the following:

1. Display the Job Status Views details view.
2. Select the view to modify.
3. In the Columns row, check (display) or clear (hide) the checkboxes for the columns you want to display.

Figure 54. Single Workflow Configuration



4. If you are modifying a view for a single workflow, you can add or delete columns for actions as follows:
 - a. Select the Actions tab.
 - b. In the *Available* pane, select the actions you want to display in the view, and click Add.
 - c. In the *Visible to user* pane, select the actions you want to hide, and click Remove.
 - d. To change the display order in the view, select an Action in the *Visible to user* pane, and use the green up  and down arrow  buttons to arrange the viewing order.

The top item in the list appears to the right of the columns listed in the Columns row, and to the left of all the other action columns. The last item in the list becomes the last column on the right.
5. Click the Save button .

Configuring User or Public Access


You can configure a view to be available to all users (public) or to individual Vantage users.

Note: Users with administrative privileges will have full access whether or not they are given permission.

To define which Vantage users can access a view, do the following:

1. Display the Job Status Views details view.
2. Select the view to modify.
3. Select the Permitted Users tab.

Figure 55. All Workflows Configuration



4. To make the view available to all Vantage users, do the following:
 - a. Check the Everyone (Public View) check box.
 - b. Click the Save button .
5. To make the view available to select Vantage users, do the following:
 - a. Clear the Everyone (Public View) check box.
 - b. In the *Available* pane, select the users who should have access, and click Add.
 - c. In the *Visible to user* pane, select the users who *should not* have access, and click Remove.
 - d. Click the Save button .

Refreshing the View List

When you open the Job Status Views detail panel, VMC displays the current view configuration. If another administrator is making changes (such as adding Vantage users), you must refresh the display to see those changes. To refresh the display, click the Refresh button .

Exporting and Importing Views

Vantage allows you to export views to XML files, which you can then use to import the same views into another Vantage domain.

To export one or all views, do the following:

1. If you are exporting a single view, select the view to export.
2. Click the Export button  to export a single view, or select *Export all* from the Export button drop down menu.
3. Use the file system dialog to save the exported views.

The default file name is the view name, but you can change the file name.

Note: Changing the name of the XML file does not change the name of the view in the XML file.

To import a view, do the following:

1. Click the Import button .
2. Use the file system dialog to locate and select the view file to import, then click Open.

Note: If you try to import a view that is already in this Vantage domain, Vantage prompts you to cancel or confirm replacement.

Configuring Vantage Workflow Portal Operation

Use this chapter to learn how to set up and configure Vantage Workflow Portal (VWP) *configurations* that control how VWP operators use VWP. This chapter includes the following topics:

- [Introduction to Vantage Workflow Portal](#)
- [VWP Licensing](#)
- [Introduction to VWP Configurations](#)
- [Managing VWP Configurations](#)
- [VWP Deployment Tips](#)
- [Vantage Workflow Portal Tours](#)

Introduction to Vantage Workflow Portal

Vantage includes two VWP applications, a Windows client and a Web client, that allow operators to do some or all of the following:

- View binder information created by a workflow
- View proxy media generated by a workflow
- View metadata provided by the source media or generated by a workflow
- View variables generated by a workflow
- Make changes to metadata labels and variables in preparation for submission to a target workflow
- Submit media to a target workflow for processing

With proper configuration, VWP allows operators to perform tasks such as:

- Review and approve workflow output prior to production
- Enter and review metadata for controlling multi-channel distribution in a target workflow
- Forward media to specific distribution channels or audience targets
- Extract sub-clips from media

- Assemble (stitch) multiple assets into a single output file
- Automate *tag & bag* editing for promo and highlights production

Note: For more information on Vantage Workflow Portal, see the *Vantage User's Guide*.

VWP Licensing

Each Vantage Workflow Portal license supports a single user or a single machine, depending on your Vantage configuration. Under certain conditions, a single user or machine can host multiple instances of a license, and these instances are called *sessions*. When a license is in use by a user or a machine, it is unavailable to other users or machines. To support multiple users or machines, you must purchase additional licenses. The following topics provide additional information on VWP licensing:

- [User-Based Licensing](#)
- [Machine-Based Licensing](#)
- [Viewing and Resetting VWP Sessions](#)

Note: For information on VWP license management, see [Managing Licenses](#).

User-Based Licensing

When Vantage user administration is enabled (see [Managing Vantage Users](#)), each Vantage operator reserves a single VWP license when starting the program. That operator can open additional VWP sessions on other machines without reserving additional licenses, provided that the operator uses the same username on all machines. However, no other user can use the reserved license until the first operator closes all VWP sessions that use the first operator's username.

Machine-Based Licensing

When Vantage user administration is disabled (see [Managing Vantage Users](#)), a Vantage operator reserves a single VWP license when starting the program on a machine. That operator or other operators can open additional VWP sessions on the same machine without reserving additional licenses. However, no other machine can use that license until all Workflow sessions are closed on the first machine.


Viewing and Resetting VWP Sessions

When a license is in use by a user or a machine, it becomes unavailable to other users or machines. If all licenses are in use and another license is needed, you might need to do one or more of the following:

- Reset all sessions for a license that is now idle due a lost network connection or sudden program termination.
- Reset all license sessions for a lower priority user or machine to make a license available for a higher priority user or machine.
- Buy more licenses.

To view the VWP license and session usage, select Licenses in the components panel, and click on the Portal Sessions tab. The [Vantage Management Console](#) displays the Portal Sessions details panel ([Figure 56](#)).

Figure 56. The Licenses details License Sessions Panel



The Portal Sessions list displays a row for each portal session in use. When user administration is enabled (see [Managing Vantage Users](#)), a single Vantage user can open multiple VWP sessions, and each session is represented by a row in the session list. When user administration is disabled, a single machine can host multiple VWP sessions, and each session is represented by a row in the session list.

When user administration is enabled, the User column displays the username of the operator using a license session. When user administration is disabled, the Machine column displays the computer name of the machine that is using a license session.

The Status column displays Licensed when the session is using a valid license, and it displays Demo when the session is unlicensed and open in demo mode.

To reset a license session for a user or machine, select the session and click the Stop  button.

Introduction to VWP Configurations

As a Vantage domain administrator, you can create and configure VWP *configurations*, which control which VWP features an operator can use. While VWP operators do have some control over the application display, most features are controlled by the Vantage domain administrator using VMC.

Vantage administrators must create and configure at least one VWP configuration before operators can access binders using VWP.

When a workflow requires operator involvement, workflow support requires some or all of the following tasks:

- Preparation of an ingest workflow, which can analyze source media and produce media for evaluation. The ingest workflow is optional for some applications.
- Preparation of at least one VWP configuration, which enables and supports the tasks you want operators to do when working with workflows.
- Installation of VWP to test VWP configurations.
- Preparation of a target workflow to process the media submitted by operators.

VWP installation is described in [Installing/Updating the Vantage Workflow Portal Windows Program](#). For guidelines on creating workflows for use with VWP, see the “Using Workflow Portal” topic in the *Vantage User’s Guide*.

Managing VWP Configurations

Note: If you are creating a store to hold proxy files viewed in the VWP, Telestream recommends that you reference the store with a UNC path. Some SAN clients do not allow frame-accurate representation of proxies when using shared drives.

The following topics describe configuration tasks for VWP configurations:

- [Creating and Editing VWP Configurations](#)
- [Selecting a Configuration Mode for Response to Ingest Workflows](#)
- [Selecting the Configuration Mode to Forward Network Files to a Workflow](#)
- [Specifying Catalog Access for a Configuration](#)
- [Hiding and Displaying the Media List \(Nicknames\)](#)
- [Managing Asset Requirements for Ingest Workflows](#)
- [Enabling and Disabling Binder Deletions](#)
- [Enabling and Disabling Binder Filtering](#)
- [Defining the Controls and Display Items in Binder View](#)
- [Managing Metadata Label Configuration Options for Operators](#)
- [Managing Variable Configuration Options for Operators](#)
- [Controlling Operator Workflow Forwarding](#)

- Defining EDL Storage
- Managing User Access to VWP Configurations
- Deleting a Configuration
- Saving a Configuration
- Duplicating a Configuration
- Exporting and Importing Configurations
- Refreshing the Configuration List


Creating and Editing VWP Configurations

To create or edit a VWP configuration, do the following:

1. Start the Vantage Management Console and connect to the appropriate Vantage domain.
2. Select Application Configurations > Workflow Portal.

As shown in [Figure 57](#), the Workflow Portal pane displays the options for VWP configurations.

Figure 57. The Workflow Portal Configuration Pane



3. To create a new configuration, click the Create configuration button  in the tool bar and name the new configuration.

4. To make changes to an existing configuration, select the configuration in the Configuration list.
5. If you have created a new configuration, or if you have made changes to an existing configuration, click the Save button  to save your changes.

Selecting a Configuration Mode for Response to Ingest Workflows

Some projects require operators to evaluate ingest workflows and take actions such as the following:

- Forward media to a target workflow for further processing and distribution
- Quarantine media that does not meet specifications
- Edit metadata and then forward to a target workflow

Configurations that support the evaluation of ingest workflows are called *catalog-based configurations*. Catalog-based configurations present jobs to operators based on the catalog to which the binder is assigned. In a simple configuration, all workflows assign binders to the same catalog, and operators can view all binders. Workflows in a more complex configuration might assign binders to different catalogs, and each operator might be permitted to view only the binders for which he is responsible.

To select a catalog-based configuration mode, do the following:

1. Display the Workflow Portal configuration pane as described in [Creating and Editing VWP Configurations](#).
2. Click the radio button that corresponds to the mode you want to use.
3. Click the Save button  to save your changes.

The following topics describe topics that apply to each of the three catalog-based configuration modes:

- [Browse Catalogs \(Copy Binder\) Mode](#)
- [Browse Catalogs \(Forward Binder\) Mode](#)
- [Create EDLs from Catalogs \(Create Binder\) Mode](#)
- [Ingest Workflow Considerations](#)

Browse Catalogs (Copy Binder) Mode

This configuration mode enables an operator to browse the selected Vantage catalog for binders. They can then select one binder, and submit it to one or more workflows. When the submission occurs, the original binder is copied, and the copy is submitted to the workflow—the original binder remains in the catalog and remains unchanged.

Note: A binder contains metadata labels, and references to media files and attachments. When a binder is copied, the metadata labels are also copied and thus may be different than the original. Any media files or attachments that exist in the

original binder are not copied, and are referenced by both the original and the new copy.

The Browse Catalogs configuration mode is ideal when:

1. You want the original binder to remain in the catalog
2. You do not want to change the original binder's metadata
3. The original media files are not affected by the target workflow, and
4. You want operators to be able to submit the same asset multiple times.

Target Workflow Considerations

The target workflow should include a Receive action. Remember that any media files or attachments present in the original binder will also be referenced in the copy. As a result, the target workflow should not delete any of those original files; the original binder would then have missing files.

Example Workflows

- Operator marks an in point, and an out point for a highlight; multiple highlights can be extracted from the same input.
- Operator marks trim points around a promo from a captured satellite feed, and marks a branding entry point on the timeline; the target workflow then trims the promo and applies graphics for multiple distribution channels.

Browse Catalogs (Forward Binder) Mode

This configuration mode enables an operator to browse the selected Vantage catalog for binders. The operator can select a binder, and either edit its metadata, or submit it to one or more workflows. When the submission occurs, the original binder is forwarded to the workflow (and optionally removed from the catalog, if configured that way by the administrator).

Note: Because the binder is directly affected by the target workflow, if the binder remains in the catalog, any changes to the binder will appear in the catalog as the workflow runs.

The Browse Catalogs (Forward Binder) configuration mode is ideal when:

- You want to use the catalog as a task list for the operator, automatically removing binders from the catalog when they are forwarded
- You want the workflows to update binders that remain in-place in the catalog
- You want operators to edit metadata in-place.

Target Workflow Considerations

The target workflow should include a Receive action. Remember that if the binder is not removed from the catalog, any changes made during the target workflow will be apparent in the catalog.

Example Workflows

- Operator reviews an asset, marks it as approved/rejected, and forwards to a workflow that responds to that metadata. The asset is removed from the catalog.
- An ingest workflow detects quality issues and places an asset in a catalog for review. An operator reviews the asset, using a proxy to review the video at error timecodes published by the ingest workflow. If the asset is unacceptable, the operator forwards to a workflow for quarantine; otherwise the operator forwards to the appropriate next step for the asset.
- Operator edits asset metadata in-place in the catalog. When the asset is ready for distribution, the operator chooses distribution channels and forwards to the target workflow. The target workflow responds to the operator choices and forwards for distribution.
- Operator reviews black segments detected by Vantage, and confirms black removal points. The target workflow uses those timecode parameters to remove black from the original media.

Create EDLs from Catalogs (Create Binder) Mode

This configuration mode changes VWP operation to include a tab that enables an operator to stitch assets using an EDL (edit decision list). An operator can use the EDL to stitch multiple assets in the catalog together or to trim a clip.

The EDL is stored in a .tsedl file, which can be stored with other media files in a Vantage store or folder, or it can be stored in a special Vantage store or folder, designated for EDL files. (For more information, see [Defining EDL Storage](#).)

After an operator has created an EDL, the operator can forward that EDL to a target workflow to create the output defined by the EDL. To support EDL processing, you must modify the configuration to support forwarding to a workflow that contains a Receive action. (For more information, see [Controlling Operator Workflow Forwarding](#).)

Note: The Microsoft User Account Control (UAC) feature denies access to the default Vantage store for submitted EDLs. If Vantage users report that access to the Vantage store is denied, do one of the following: 1) reconfigure the default store to specify a UNC path or a directory that is not protected by UAC, 2) specify a different store for EDLs as described in [Defining EDL Storage](#), or 3) disable UAC on the Vantage server that hosts the default store.

The following topics provide additional information on supporting EDL creation in VWP:

- [Target Workflow Considerations](#)
- [Example Workflows](#)

Target Workflow Considerations

The target workflow should include a Receive action. It will receive a .tsedl file with the nickname *Original* and can then transcode—or direct convert—this list into an output file (or multiple output files).

Note: If MPEG-2 is the EDL source format, a Direct Convert mode can be used to avoid a full transcode. Any timeline cut that breaks GOP structures is replaced with I-Frame material, otherwise original GOPs are preserved. If the output file is not MPEG-2, a full transcode can be performed. In either case, the VANC, captions, and audio are correctly stitched during the processing of the EDL.

Example Workflows

- Operator creates a list of syndication segments that are stitched together into a single program.
- Operator selects a bumper, a clip, and a trailer, enters metadata, chooses distribution channels, and submits the package for distribution. The target Vantage workflow uses distribution channel choices and metadata to generate the correct formats and deploy to the chosen distribution channels.

Ingest Workflow Considerations

In order for assets to appear in a Vantage catalog, they must be registered as part of an ingest workflow. A thumbnail should also be added to the binder and given the nickname *Vantage Thumbnail*; a QuickTime H.264 MOV proxy can also be added and given the nickname *Vantage Proxy*.

Note: If you are using the Safari 5 browser, the Silverlight viewer in the VWP Web application is supported only on Mac OS X. For more information on supported browsers, see [Vantage Web Applications Browser Requirements](#).

For *Create EDL from Catalogs* mode, EDL processing requires Program Stream or Transport Stream MPEG-2 video, and such a file should be provided in the binder with the nickname *Vantage EDL*. Vantage provides support for MXF DV, IMX, and XDCAM HD video formats as well.

Note: All assets in the EDL list must have the same frame size and frame rate; operators are not allowed to combine mixed media.

Selecting the Configuration Mode to Forward Network Files to a Workflow

Some projects require operators to browse network locations to locate files to submit to workflows. The configuration mode that supports this is called *Browse Windows Network* mode, and this mode allows multiple files to be submitted simultaneously.

Each submitted file becomes a separate job with its own binder. During submission, the operator can add metadata labels (as permitted by the VWP configuration). For a batch submission (of multiple media files), each media file receives a copy of the same metadata label in its binder.

The Browse Windows Network (create binder) configuration mode is appropriate when:

- You expect operators to manually search for and submit files, rather than copy those files to a hot folder.
- No ingest workflow is required before operator involvement.

To select the Browse Windows Network configuration mode, do the following:

1. Display the Workflow Portal configuration pane as described in [Creating and Editing VWP Configurations](#).
2. Click the Browse Windows Network (create binder) radio button.
3. Click the Save button  to save your changes.

Media files are submitted directly, so there is no ingest workflow. However, operators should ensure that any media files submitted are in locations that are accessible to the Vantage services. For example, files on a local drive (for example, `C:\media\myvideo.mpg`) are not accessible to a remote Vantage server.

The target workflow should include a Receive action. Each media file is assigned the nickname *Original* when it is submitted.

Specifying Catalog Access for a Configuration

For catalog-based configurations, Vantage allows you to specify how operators access those catalogs and the binders they contain, as described in the following topics:

- [Enabling and Disabling Operator Access to Catalogs](#)
- [Hiding and Displaying the Operator Catalog List](#)

Enabling and Disabling Operator Access to Catalogs

The Browse Catalogs configurations and the Create EDL from Catalogs configuration support catalog access control on a per-configuration basis. When you configure a VWP configuration, any users who have access to the configuration have access to any catalogs supported by that configuration and to the binders the catalogs contain.


The default setting for each catalog-based configuration enables access to all catalogs for all users who have access to the configuration. To limit access to one or more catalogs, you add the catalogs to the *Visible to user* list as described in the procedure below. When the list is empty, all catalogs are available to all permitted users. Once a catalog name is added to the *Visible to user* list, the permitted users can view and access only those catalogs in the list, and all other catalogs are hidden from the users for that configuration.

Note: Vantage provides one catalog named *Default Catalog*. If you use only the Default Catalog, you can add that catalog to the *Visible to user* list to prevent future catalogs from automatically becoming available to configuration users, or you can leave the *Visible to user* list empty to enable automatic access to future catalogs for all configuration users.
 For instructions on creating additional catalogs, see [Managing Catalogs](#).

To enable or disable operator access to a catalog, do the following:

1. Select the configuration to change.
2. Select the Browseable Catalogs tab (see [Figure 58](#)).
3. To add a catalog to the list of available catalogs, select the catalog in the *Available* list and click Add.
4. To remove a catalog from the list of available catalogs, select the catalog in the *Visible to user* list and click Remove.
5. Click the Save button  to save your changes.

Figure 58. Workflow Portal Details Panel, Showing Browse Catalogs Tab



Hiding and Displaying the Operator Catalog List

If your domain uses only one catalog, you can simplify the VWP operator interface by hiding the list of catalogs, which is also called the *catalogs browser*. If operators need access to multiple catalogs using a single VWP configuration, you should display the catalogs browser so that operators can select a catalog to work with.

The design and choice of catalogs has an impact on how easily operators can perform their tasks. For example:

- In Forward mode, bear in mind that the configuration can be set to automatically remove the binder from the catalog when it is forwarded. When using this mode, the catalog can serve as a task list for operators to work from.
- In Copy mode, the binders are not removed from the catalog by the operators. As a result, you might want to set appropriate expiration times on the catalogs.
- In all cases, you can use folders to structure how operators see assets. For example, bumpers assets may be kept in a *Bumpers* folder, separate from Primary Assets, in a *Primary Assets* folder.
- You might have multiple ingest workflows all providing binders to a target catalog.

To hide or display the catalogs browser, do the following:

1. Select the configuration to change.
2. Select the Browsable Catalogs tab.
3. To hide the catalogs browser, clear the *Show Catalogs browser* checkbox (see [Figure 58](#)).
4. To display the catalogs browser, check the *Show Catalogs browser* checkbox.
5. Click the Save button  to save your changes.

Hiding and Displaying the Media List (Nicknames)

The media list displays the media files for a binder/job that you select in the binder list. For example, the media list might include the original media submitted to a workflow and the output media from that workflow. When the media list is visible, operators can play the media or view the contents of the folder that contains the media.

To hide or display the media list, do the following:

1. Select the configuration to change.
2. Select the Browsable Catalogs tab.
3. To hide the media list, clear the *Show media nickname list* checkbox (see [Figure 58](#)).
4. To display the media list, check the *Show media nickname list* checkbox.
5. Click the Save button  to save your changes.

Managing Asset Requirements for Ingest Workflows

When you create a catalog-based configuration, Vantage allows you to define whether or not media files, labels, and attachments referenced in the target workflow are required in the ingest workflow. If you require these assets, Vantage does not process ingest workflows that are missing these items. If you do not require these assets, Vantage does not check the ingest workflow for the assets and attempts to process the ingest workflow.

Note: A target workflow can fail if required assets are not provided by the ingest workflow.

To configure asset requirements for ingest workflows, do the following:

1. Select the configuration to change.
2. Select the Browsable Catalogs tab.
3. To require assets in the ingest workflow, check the *Require all expected nicknames* checkbox (see [Figure 58](#)).
4. To make reference assets optional, clear the *Require all expected nicknames* checkbox.
5. Click the Save button  to save your changes.

Enabling and Disabling Binder Deletions

When configuring a VWP catalog-based configuration, you can enable or disable the manual binder deletion capability for operators. For *Browse Catalogs (forward binder)* mode, you also have the option to enable or disable the automatic deletion of binders. The following topics provide more information on binder deletion:

- [Configuring Operator Binder Deletions](#)
- [Configuring Automatic Binder Deletions](#)

Note: Vantage provides several levels of control over binder deletion. For more information, see [Understanding Binders](#).

Configuring Operator Binder Deletions

If you want operators to have the option to delete binders, enable operator binder deletion. Operator binder deletion allows operators to remove binders from the binder list when a job is complete, which effectively makes the binder list a manual task list. After an operator processes a job in the binder list, she can delete the job so that the list only shows jobs that need attention.

If you prefer to save binders and do not want operators to delete them, disable operator binder deletions.

Note: Binder deletion is also controlled by expiration times defined in the workflow Register action.

To enable or disable operator binder deletions, do the following:

1. Select the configuration to change.
2. Select the Browsable Catalogs tab.
3. To enable binder deletions, check the *Allow Binder Delete* checkbox (see [Figure 58](#)).
4. To disable binder deletions, clear the *Allow Binder Delete* checkbox.
5. Click the Save button  to save your changes.

Configuring Automatic Binder Deletions

In *Browse Catalogs (forward binder)* mode, you can enable or disable the automatic deletion of binders. When automatic binder deletion is enabled, the binder from the source workflow is deleted when the operator forwards a job to a target workflow. This effectively makes the binder list an automatic task list, automatically removing each binder when the operator takes action on that binder.

Note: Binder deletion is also controlled by expiration times defined in the workflow Register action.


To enable or disable automatic binder deletions, do the following:

1. Select the configuration to change.
2. Select the Browsable Catalogs tab.
3. To enable automatic binder deletions, check the *Auto Delete Binder* checkbox (see [Figure 58](#)).
4. To disable automatic binder deletions, clear the *Auto Delete Binder* checkbox.
5. Click the Save button  to save your changes.

Enabling and Disabling Binder Filtering

You can use the binder filtering feature to enable or disable operator control of the binder contents that are submitted to a workflow with VWP. When binder filtering is enabled, the VWP Submit Jobs dialog displays the Media Files and Attachment tabs shown in [Figure 59](#).

Figure 59. VWP Submit Jobs Dialog, Showing Binder Filters



The Media Files and Attachments tabs list all media and attachments associated with the job. VWP operators can use the controls on these tabs to filter (not submit) select assets and change nicknames. If you disable this feature, neither tab is visible to the operator, and each submission includes all binder assets.

To enable or disable binder filtering, do the following:

1. Select the configuration to change.
2. Select the Browsable Catalogs tab.
3. To enable binder filtering, check the *Allow Binder Filtering* checkbox (see [Figure 58](#)).
4. To disable binder filtering, clear the *Allow Binder Filtering* checkbox.
5. Click the Save button  to save your changes.

Defining the Controls and Display Items in Binder View

Vantage allows you to control what Operators see in the VWP binder list. The standard features that you can display for each binder are:

- Binder name
- Binder creation date
- Binder expiration date
- Play button
- Submit button

You can also display parameters for any of the metadata label parameters that are defined in the domain.

Note: Vantage allows you to hide all columns and controls in the binder list, which means that no items appear in the binder list. At least one display or control item should be configured to display so that binders appear in the binder list.

The following topics describe how to configure what appears in the binder list:


- [Defining the Standard Feature Settings](#)
- [Adding and Deleting Columns for Metadata Parameters](#)

Defining the Standard Feature Settings

To enable or disable the standard binder display components, do the following:

1. Select the configuration to change.
2. Select the Binder Details View tab shown in [Figure 60](#).

Figure 60. Binder Details View



3. Check each feature checkbox to display the information or control, or clear the checkbox to hide the feature. The following are standard features:
 - Binder name. Displays the name assigned to the binder when it was created.
 - Created. Displays the date and time the binder was created.
 - Expiration. Displays the date and time the binder expires.
 - Play button. Displays a button that the operator can use to play or pause the selected job.
 - Submit button. Displays a button that the operator can use to submit a job to another workflow.

Note: The play button operates only when the workflow has generated and registered a proxy file (see the Using Workflow Portal topic in the *Vantage User's Guide*). The Submit button appears only when target workflows are selected on the Forward to Workflows tab.

4. Click the Save button  to save your changes.

Adding and Deleting Columns for Metadata Parameters

To add or delete metadata parameter columns for the binder list, do the following:

1. Select the configuration to change.
2. Select the Binder Details View tab (see [Figure 60](#)).
3. Click the Column button .
4. Do the following for each metadata label parameter for which you want to display a column:
 - a. Select a metadata label in the *Labels* pane.
 - b. In the *Parameters* pane, check the checkbox for the metadata label parameter you want to display.
 - c. When you are done making changes, click OK.
5. For each metadata label parameter column that you want to remove from the binder view, do the following:
 - a. Select the parameter in the parameter list.
 - b. Click the Delete button  to delete a parameter from the parameter list, and then confirm the delete.
6. To change the displayed order of parameters, select a parameter in the parameter list and use the green up  and down arrow  buttons to move the variable in the list.
7. Click the Save button  to save your changes.

Managing Metadata Label Configuration Options for Operators

Vantage allows operators to view and set metadata labels when they submit jobs to a workflow. These labels can be used by the workflow to customize job processing or to add data to media.

Note: For an introduction to metadata labels, see [Understanding Metadata Labels](#).


When an operator views metadata labels in VWP, the labels that appear in the binder are only those labels that are set in the workflow and configured to be visible for the VWP configuration. If the VWP configuration supports it, operators can add and delete labels in the binder for the target workflow. The labels that operators can add and delete are limited to those that are defined to be visible in the VWP configuration.

Vantage also allows you to configure *hotkeys* for use with metadata labels. When you configure metadata label parameters with VMC, you can configure hotkeys for any time code value. The hotkeys function during proxy viewing in VWP. When an operator locates a frame and wants to set a label parameter to the time code for the specified frame, the operator simply presses the appropriate hotkey and the timecode is recorded in the label parameter.

To configure metadata label usage for operators, do the following:

1. Select the configuration to change.
2. Select the Labels tab (see [Figure 61](#)).

Figure 61. Labels Tab



Note: Before a metadata label can be made available to an operator, it must be defined using VMC as described in [Creating Metadata Labels](#).

3. To enable or disable operator viewing of metadata labels, check (enable) or clear (disable) the *Show Metadata Labels* checkbox.

Note: If you disable operator viewing of metadata labels, you also disable operator management of metadata labels. Operators cannot manage labels that they cannot see.

4. To allow or disallow operators to add and delete metadata labels to binders, check (allow) or clear (disallow) the *Allow Add/Delete* checkbox.

Note: The *Allow Add/Delete* checkbox is not provided in Browse Windows Network mode because you are viewing files, not binders. You must run a job in a workflow to create a binder before you can add labels to the binder.

5. To make a metadata label available to operators, do the following:
 - a. Select one or more label names in the in the *Available* pane.
 To select multiple names, you can press Control and click multiple non-contiguous names, or you can click one name, then press Shift and click another name to select a contiguous series.
 - b. Click Add.
6. To change the displayed order of labels, select a label in the *Visible to user* list and use the green up  and down arrow  buttons to move the label in the list.
7. To define hotkeys for label parameters, do the following:
 - a. Select the metadata label in the *Visible to user* list.
 - b. Click the Hotkeys button.
 VMC displays the Timecode Mark Hotkeys dialog.
 - c. For each timecode related parameter, click the button to the right of the parameter name and select a key from the dropdown list.
 - d. To clear all hotkeys, click the Clear button and then click OK to confirm the clear.
 - e. When all timecode hotkeys are defined, click OK.
8. To hide metadata labels from operators, do the following:
 - a. Select one or more labels in the in the *Visible to user* list.
 You can use the Control and Shift keys to select multiple users as described in the previous step.
 - b. Click Remove.
9. Click the Save button  to save your changes.

Note: When testing your VWP configuration, the metadata label display is different for the different configuration modes. For the Browse Windows Network mode, labels are only visible to operators after they select a media file and target workflow and click Submit. For Browse Catalogs (copy binder) mode, labels are only visible to operators after they select a binder and target workflow and click Submit. For Browse Catalogs (forward binder) mode and Create EDL from Catalogs mode, labels are visible to operators as soon as they select a binder.

Managing Variable Configuration Options for Operators


Vantage allows operators to set variables when they submit jobs to a workflow. These variables can be used by the workflow to customize job processing.

Note: For an introduction to Vantage variables, see [Understanding Variables](#).

To enable or disable operator use of variables, do the following:

1. Select the configuration to change.
2. Select the Variables tab (see [Figure 62](#)).

Figure 62. Variables Tab



Note: Before a variable can be made available to an operator, it must be defined using VMC as described in [Creating Variables](#).

3. To make a variable available to operators, do the following:
 - a. Select one or more variable names in the in the *Available* pane.
To select multiple names, you can press Control and click multiple non-contiguous names, or you can click one name, then press Shift and click another name to select a contiguous series.
 - b. Click Add.
4. To hide variables from operators, do the following:
 - a. Select one or more labels in the in the *Visible to user* pane.
You can use the Control and Shift keys to select multiple users as described earlier.
 - b. Click Remove.

Note: When all variables are hidden from operators, the Variables tab does not show in VWP.

5. To change the displayed order of variables, select a variable in the *Visible to user* pane and use the green up  and down arrow  buttons to move the variable in the list.
 6. Click the Save button  to save your changes.
-

Note: If you are testing your VWP configuration, variables are only visible to operators after they select a binder and target workflow and click Submit.

Controlling Operator Workflow Forwarding

With the appropriate permissions, Vantage operators can forward binders to one or more target workflows for further processing. As a Vantage administrator, you can control the following:


- Whether operators can view the Forward to Workflows tab in VWP.
- The target workflows to which operators can forward binders.
- Whether operators are required to forward to a target workflow.

When workflow forwarding is enabled in a VWP configuration, operators can forward to any visible target workflow by selecting the workflow on the Forward to Workflows tab and clicking Submit. If a target workflow is required, it is automatically selected on the Forward to Workflows tab and the binder is forwarded to the required workflow when the operator clicks Submit.

To enable or disable binder forwarding to other workflows, configure a VWP configuration as follows:

1. Select the configuration to change.
2. Select the Forward to Workflows tab (see [Figure 63](#)).

Figure 63. Forward to Workflows Tab



3. To enable or disable operator viewing of target workflows, check (enable) or clear (disable) the *Show Forward to Workflows* checkbox.

Note: If you disable operator viewing of target workflows, you also disable operator forwarding to target workflows. Operators cannot forward binders to workflows that they cannot see.

4. To make target workflows available to operators, do the following:
 - a. Select one or more workflow names in the in the *Available* pane.
To select multiple names, you can press Control and click multiple non-contiguous names, or you can click one name, then press Shift and click another name to select a contiguous series.
 - b. Click Add.

Note: To accept forwarded binders, the target workflow must contain at least one Receive action. The *Available* pane only displays workflows that contain a Receive action.

5. To specify whether a target workflow is required for forwarding or optional, check (required) or clear (optional) the *Req'd* checkbox next to the workflow in the *Visible to user* pane.

6. To hide workflows from operators, do the following:
 - a. Select one or more users in the in the *Visible to user* pane.
 You can use the Control and Shift keys to select multiple users as described earlier.
 - b. Click Remove.
7. Click the Save button  to save your changes.

Defining EDL Storage

EDL files can be stored in any Vantage store or folder, or they can be stored in a special Vantage store or folder, designated for EDL files.

Note: The Microsoft User Account Control (UAC) feature denies access to the default Vantage store for submitted stitched assets (EDLs). If Vantage users report that access to the Vantage store is denied, do one of the following: 1) reconfigure the default store to specify a UNC path or a directory that is not protected by UAC, 2) use the procedure below to specify a different store, or 3) disable UAC on the Vantage server that hosts the default store.

To specify a storage location for EDL files, do the following:

1. Select an EDL configuration to change.
2. Select the Storage tab.
3. To store EDL files in any available Vantage store, click the Available Vantage Store radio button.
4. To store EDL files in a specific Vantage store or folder, click the Vantage Store/Folder radio button, then select a Vantage store or folder in the drop down list adjacent to this radio button.
5. Click the Save button  to save your changes.

Managing User Access to VWP Configurations


When the User Management feature is enabled, you can use VMC to define which Vantage users can access each VWP configuration. You can enable access for one, some, or all users.

Note: For more information on the user management feature, see [Managing Vantage Users](#).

To define which users can access a VWP configuration, do the following:

1. Select the configuration to change.
2. Select the Permitted Users tab (see [Figure 64](#)).

Figure 64. Permitted Users Tab



3. To grant access to all users, check the *Everyone* checkbox.
4. To grant access to one or more Vantage users, do the following:
 - a. If the *Everyone* checkbox is checked, clear the checkbox.
 - b. Select one or more users in the in the *Available* pane.

To select multiple names, you can press Control and click multiple non-contiguous names, or you can click one name, then press Shift and click another name to select a contiguous series.
 - c. Click Add.
5. To remove access for one or more Vantage users, do the following:
 - a. Select one or more users in the in the *Permitted users* pane.

You can use the Control and Shift keys to select multiple users as described in the previous step.
 - b. Click Remove.
6. Click the Save button  to save your changes.

Deleting a Configuration

To delete a VWP configuration, do the following:

1. Select the configuration to delete.
2. Click the Delete button  in the tool bar.
3. Click OK to confirm the delete or click Cancel to abort the delete.

Saving a Configuration

Changes that you make to a VWP configuration are not applied or saved until you save the configuration as follows:

1. Select the configuration to save.
2. Click the Save button  in the tool bar.

Duplicating a Configuration

If you need a new configuration that is similar to an existing configuration, it might be easier to duplicate the configuration and modify the duplicate, instead of creating a new configuration. When you duplicate a configuration, the console creates a new configuration with *Copy of* prepended to the source configuration name.

To duplicate a VWP configuration, do the following:

1. Select the configuration to duplicate.
2. Click the Duplicate button  in the tool bar.

Exporting and Importing Configurations

Vantage allows you to export one or all VWP configurations to XML files, which you can then use to import the same configurations into another Vantage domain.

To export one or all configurations, do the following:

1. If you are exporting a single configuration, select the configuration to export.
2. Click the Export button  to export a single configuration, or select *Export all* from the Export button drop down menu.
3. Use the file system dialog to save the exported configurations.

The default file name for each configuration is the configuration name, but you can change the file name.

Note: Changing the name of the XML file does not change the name of the configuration in the XML file.

To import a configuration, do the following:

1. Click the Import button .
2. Use the file system dialog to locate and select the configuration to import, then click Open.

Note: If you try to import a configuration that is already in this Vantage domain, Vantage prompts you to overwrite the record (click Yes) or cancel the import (click No).

Refreshing the Configuration List

The configuration list is a static display that is automatically updated when you add or delete configurations. However, if other administrators add or delete configurations, you must refresh the configuration list to display the changes.

To refresh the configuration list, click the Refresh button  in the tool bar.

VWP Deployment Tips

As a Vantage domain administrator, you can make it easier for operators to start using VWP by doing the following:

- Install the VWP program on the operator's computer.
- Launch VWP for the first time and pre-select the following:
 - Vantage domain
 - VWP configuration
 - Binder catalog

Vantage Workflow Portal Tours

This topic contains examples of how to set up portals allowing operators to perform certain tasks. These tours assume that you are familiar with Vantage; they provide high-level design guidelines only.


VWP Tour: Operators Submit an EDL

This tour describes how to configure the ingest workflow, target workflow, and Portal configuration, to allow operators to stitch assets together by specifying an EDL, and create an MPEG-2 Transport Stream output file.

Step 1: The Ingest Workflow

This workflow watches a hot folder for incoming media files.

Figure 65. Typical EDL Ingest Workflow



When new files are detected, the workflow will:

1. Generate a proxy at 29.97 fps, with the nickname *Vantage Proxy*.
2. Generate a JPEG thumbnail at 5 seconds, with the nickname *Vantage Thumbnail*.
3. Create a Transport Stream MPEG-2 file to be used for stitching, with the nickname *Vantage EDL*.
4. Register the binder in the catalog named *Assets*.

Step 2: The Target Workflow

The desired output format is MPEG-2 Transport Stream. Because the EDL inputs are also MPEG-2 Transport Stream, the Direct Convert container type is implemented.

Figure 66. Typical EDL Processing Workflow



Video from the input files is re-wrapped without transcoding, and I-Frames are inserted at any GOP breaks.

This workflow:


1. Receives the .tsedl file from VWP with the nickname *Original*.
2. Uses the .tsedl file to stitch MPEG-2 from the source assets using *Direct Convert* to MPEG-2 Transport Stream
3. Uses the .tsedl file to transcode a Windows Media output.

Step 3: VWP Configuration

The VWP configuration is set up as follows:

1. The *Create EDL from Catalogs* configuration mode is selected
2. The *Assets* catalog is selected
3. The target workflow is made available to the operator.

Figure 67. Typical EDL Configuration



VWP Tour: Extracting Highlights

This tour describes how to configure the label design, ingest workflow, target workflow, and Portal configuration, to allow operators to mark in/out points on a master asset for highlight extraction, and also choose distribution channels and enter metadata.


Step 1: Label Design

In this workflow, the operator provides the following information:

- What timecodes should be used for the highlight start, end, and keyframe
- A description and title for the highlight
- To which distribution channels the highlight should be sent

The label is designed accordingly, as illustrated here:


Figure 68. Typical Highlight Extraction Label Design



Step 2: The Ingest Workflow

This workflow watches a hot folder for incoming media files.

Figure 69. Typical Highlight Extraction Ingest Workflow




When new files are detected, the workflow will:

1. Generate a QuickTime H.264 MOV proxy at 29.97fps, with the nickname *Vantage Proxy*.
2. Generate a JPEG thumbnail at 5 seconds, with the nickname *Vantage Thumbnail*.
3. Populate the Highlight label in the binder, with the default values.
4. Register the binder in the catalog named *Assets*.

Step 3: The Target Workflow

Figure 70 shows an example of a target workflow.

Figure 70. Typical Highlights Extraction Target Workflow



The target workflow uses the metadata provided by the operator as follows:


1. Receives from the Portal, and expects the *Original* asset to be available.
2. Uses the Populate action to extract the timecodes and metadata from the label, as variables.
3. Trims the original to a short, mezzanine format that can be used for multi-channel transcoding, using the Start/End timecodes specified by the operator.
4. Creates a JPEG keyframe at the time specified by the operator.
5. Uses the Populate action to extract the true/false values specified by the operator checkboxes for distribution channels.
6. Uses those true/false values to determine whether each branch of the workflow should execute.
7. Encodes the appropriate output formats, embedding the metadata information provided by the operator into the output files, and deploying to the target.

Step 4: The Portal Configuration

The Portal configuration is set up as follows:

1. The Browse Assets (Copy Binder) configuration mode is chosen.
2. The Assets catalog is selected.
3. The Highlights metadata label is made available to the operator.

Figure 71. Typical Highlights Extraction Portal Configuration



4. The target workflow is made available to the operator.

Monitoring the Domain with Vantage Dashboard

Master Control

Vantage Dashboard is a Web application that you can use to monitor and manage your domain from any computer, anywhere on your network, as long as that computer has a compatible browser.

Note: Vantage Dashboard is only available with the Vantage Master Control license, and Vantage Dashboard access requires that you enable the user management feature (see [Managing Vantage Users](#)).

The following topics describe how to use the Vantage Dashboard:

- [Overview](#)
- [Managing Vantage Dashboard Sessions](#)
- [Monitoring a Domain](#)
- [Managing Servers](#)
- [Managing Services](#)
- [Managing Jobs](#)

Note: For instructions on how to install the Vantage Dashboard on your IIS server, see [Installing/Updating Vantage Web Applications](#).

Overview

Vantage Dashboard is designed to help domain administrators manage the entire Vantage domain, as opposed to other tools which allow management of domain components, such as jobs.

The Vantage Dashboard pages are designed to help you quickly assess the health of the domain and progressively dig into deeper detail as needed. For example, the Summary Status page allows you to quickly see the workflow completion success rate and the

error rate on domain servers. The information on the Summary Status page can help you determine if it is more appropriate to troubleshoot a problem or evaluate system performance.

Other Vantage Dashboard pages allow you to view the status of servers, services, and jobs. When troubleshooting, it can be very helpful to determine if problems are system wide or confined to a server, a service, or a particular workflow. Vantage Dashboard provides the Web pages that allow you to quickly assess your domain from any Web client that has connectivity to your domain.

Managing Vantage Dashboard Sessions

When you start Vantage Dashboard in a Web browser, you establish a session with the Vantage domain. The following topics describe how to manage a Vantage Dashboard session:

- [Vantage Web Applications Browser Requirements](#)
- [Starting the Vantage Dashboard](#)
- [Understanding the Vantage Dashboard Display](#)
- [Hiding and Displaying the Header Pane](#)
- [Managing the Menu Pane](#)
- [Sorting Lists in the Status Pane](#)
- [Logging Out](#)
- [Changing Your Vantage User Password](#)
- [Changing Vantage Domains](#)
- [Displaying Product Version Information](#)
- [Displaying Help](#)
- [Returning to the Welcome Page](#)
- [Troubleshooting Tip](#)

Vantage Web Applications Browser Requirements

Telestream recommends the following Web Browsers for use with the Vantage Dashboard:

- Internet Explorer 9 64-bit (Windows only)
- Internet Explorer 9 32-bit (Windows only)
- Current version of Chrome (Mac OS X & Windows)
- Current version of Firefox (Mac OS X & Windows)
- Safari 5 (Mac OS X only)

Note: To use Vantage Dashboard with Internet Explorer 9, you must configure Internet Explorer as described below.

To configure Internet Explorer for use with Vantage Dashboard, do the following:

- Enable Active Scripting—Open Internet Explorer, select *Tools > Internet options*, select the Security tab, click *Custom level*, scroll down to Scripting, click the *Active scripting Enable* radio button, click OK, and click OK.
- Disable Compatibility View in Internet Explorer at the following locations:
 - Tools > Compatibility View
 - Tools > Compatibility View Settings > Display intranet sites in Compatibility View
 - Tools > Compatibility View Settings > Display all Web sites in Compatibility View
- If you are using Internet Explorer on a Windows Server operating system, disable Enhanced Security Configuration (ESC) using the Windows Server Manager (Server Manager > Security Information > Configure Internet Explorer ESC).

Starting the Vantage Dashboard

To start the Vantage Dashboard, open your web browser and navigate to the location of the Vantage Dashboard on an IIS server. There are 2 URLs that you can use to access the Vantage Dashboard:

- <http://<ServerName>/Vantage>
- <http://<ServerName>/Vantage/Dashboard>

The first URL displays links for all Vantage Web Applications (including the Vantage Dashboard), and the second URL directly starts the Vantage Dashboard. Replace *<ServerName>* with the name of the Vantage Dashboard host server (or its IP address). If you do not know the URL of the Vantage Dashboard, obtain it from your Vantage administrator or IT department.

Note: To access Vantage Dashboard, you must enable user administration as described in [Enabling and Disabling User Management](#).


The following topics describe how to connect to the Vantage domain after you enter the URL:

- [Connecting for the First Time](#)
- [Reconnecting to Vantage Dashboard](#)

Connecting for the First Time


The first time you connect to the Vantage Dashboard, you are asked to select a domain to which the Vantage Dashboard should attach (see [Figure 72](#)). Select the domain and click OK.

Figure 72. Selecting a Vantage Domain




If the Vantage domain database does not have a default password, click Advanced and enter Connection Settings (see [Figure 73](#)).

Figure 73. Connection Settings



Vantage Dashboard logs onto the selected domain, and prompts you for your Vantage user login information. When the login dialog box displays (see Figure 74), enter the User Name and Password assigned by your Vantage Administrator, then click Log In.

Figure 74. Vantage Dashboard Log In



The default user name and password, which remain the same until changed, are:

- User Name: Administrator
- Password: <none> (no characters entered)

Note: All user passwords are encrypted in the Vantage domain database. All users have the option of changing their password (see [Changing Your Vantage User Password](#)).

Check *Remember me next time* to store the authentication token in a persistent cookie in the browser. This keeps you authenticated if you close your browser and reopen it again.


Reconnecting to Vantage Dashboard

After you connect to the Vantage Dashboard for the first time, the Vantage Dashboard remembers the domain to which you connected and displays the Dashboard Login prompt (see Figure 74). Enter the User Name and Password assigned by your Vantage Administrator, then click Log In.

Understanding the Vantage Dashboard Display

Upon successful login, Vantage Dashboard displays the welcome screen shown in [Figure 75](#).

Figure 75. Welcome Window and Dashboard Header Controls



Vantage Dashboard displays information and controls in three panes: header, menu, and status. The header pane displays controls for session management, and the left menu pane displays menu selections, which are described in the Welcome page in the status pane when Vantage Dashboard starts. The status pane displays information about your domain, based on the selection you make in the menu pane.

Hiding and Displaying the Header Pane

The header pane displays the Vantage user name you are using and the Vantage domain to which you are connected. The header pane also displays controls you can use to change your Vantage user password, change the selected Vantage domain, or log out from the Vantage domain. To hide or display the header pane, click the display/hide button shown in [Figure 75](#).

Managing the Menu Pane

You can collapse or expand the items in the menu pane, and you can hide or display the menu pane.

You can collapse menus by clicking the up arrow to the right of the menu name (Figure 75), and you can expand menus by clicking the down arrow, which displays for collapsed menus.

To hide or display the menu pane, click the display/hide button shown in Figure 75.

Sorting Lists in the Status Pane

Most pages that appear in the status pane contain lists, which can be sorted based on the content of any of the columns. To do this, click on any column heading. The first click sorts the list rows in ascending order of the information in the selected column. The second click sorts them in descending order. A third click removes sorting and displays the default sort order.

Logging Out

When you are logged in to the Vantage Dashboard, anyone with access to your computer has access to the Vantage Dashboard reports and controls. To prevent unauthorized access to Vantage Dashboard when your computer is unattended, log out by clicking Logout in the Vantage Dashboard header.

After log out, the log in window displays again (See Figure 74).


Changing Your Vantage User Password

To change your Vantage password, do the following:

1. Click Change Password in the Vantage Dashboard header.

Vantage Dashboard displays the dialog to change your password (Figure 76).

Figure 76. Change Password



2. Enter your current password in the Password field.

3. Enter your new password in the New Password field, and confirm it by re-entering it in the Confirm Password field.
4. Click Save when finished.

Changing Vantage Domains


Vantage Dashboard can monitor just one domain at a time. To change the domain you are monitoring, do the following:

1. Click Change Domain in the Vantage Dashboard header.
2. If you are logged into Vantage Dashboard, you are prompted to log out. Click OK to log out.
3. Select a domain name in the domain list that displays (Figure 72), and click OK.
4. When the Vantage Login dialog appears, enter a user name and password, and click Log In.

Displaying Product Version Information

To display the Vantage Dashboard version number, click Help > About in the menu pane. Vantage Dashboard displays the version information as shown in Figure 77.

Figure 77. About Dialog Box



Displaying Help

Vantage Dashboard provides help (the user's guide you are reading) in two different formats: PDF format and HTML.

To display this user guide in PDF format, click Help > User Guide in the menu pane.

To display context-sensitive help, click the Help button in Vantage Dashboard.

To display this user guide in HTML format, click Help > Web Help in the menu pane.

This HTML online help system consists of two panels:

- The left panel displays the following tabs:
 - Contents tab—This tab displays a hierarchically organized set of chapters and pages. This list provides a wide range of overview and how-to topics that explain how to add, configure, and manage Vantage components.
 - Index tab—This tab provides a list of keywords you can click to display its associated page.
 - Search tab—Looks for specific words or phrases, resulting in a display of topics that match your search criteria.
 - Favorites tab—lists favorite topic that have been saved by adding them to the list. Topics are added by clicking the Add button.
- The right panel displays the page you have selected from one of the tabs on the left.

Returning to the Welcome Page

Click Help > Welcome Page in the menu pane to display the welcome page that is presented when the Vantage Dashboard is first started up. This page displays descriptions of all the menu items for the Vantage Dashboard.

Troubleshooting Tip

In some situations, if a Vantage administrator modifies (adds or removes) a virtual directory on the IIS server, the Web Dashboard session will close. This does not change the Web Dashboard configuration or operation. To continue using Web Dashboard, start the program as described in [Starting the Vantage Dashboard](#).

Monitoring a Domain


The following topics provide information on monitoring a domain:

- [Displaying Domain Status](#)
- [Displaying Domain License Status](#)
- [Displaying Vantage Release and Patch Status](#)

Displaying Domain Status

The Summary Status page shown in [Figure 78](#) provides a high-level status of the Vantage domain to which you have connected. To display the Summary Status page, select Monitoring > Summary Status in the menu pane.

Figure 78. Domain Summary Status



Note: You can use the Chart Type menu to display pie charts for action allocation and services. For more information, see [Summary Status](#).

The pie chart displays the status of workflow operation in the domain. You can hover the cursor over the pie chart segments to display exact percentages for completed, failed, and stopped workflows. This chart automatically updates over time.

If the pie chart shows that all jobs are completing, you might want to use other Vantage Dashboard pages to determine the domain performance level. If the pie chart indicates that there are failed jobs, you might want to use a *time filter* to define the period for

which you want summary status. For example, if you recently fixed a problem in the domain, you might want to use a time filter to limit the display to workflow operation since the fix was applied.


Note: The upper and lower panels in the Summary Status pane are separate reports for different views of the Vantage domain. In [Figure 78](#), the pie chart displays statistics from Job Status, and the bar graph displays statistics based on service metrics. Be aware that certain events can change the reports to appear inconsistent. For example, once all failed jobs have expired or been deleted, the pie chart might show 100% success, while the bar graph still reports errors. Likewise, if a service is brought in and out of maintenance mode, which resets service statistics, the pie chart can show a larger percentage of errors than indicated by the bar graph.

To specify a time filter, do the following:

1. Click the Time Filter button above the pie chart.

Vantage Dashboard displays the dialog shown in [Figure 79](#).

Figure 79. Time Filter Dialog Box




2. Type a date and time in each text box, or use the calendar and clock tools in the window to select the date and time.
3. Click Apply to close the filter dialog and display the pie chart for the filter period.

Displaying Domain License Status

To display the domain license status, select Administration > License Status in the menu pane. Vantage displays the status as shown in [Figure 80](#).

Figure 80. License Status



To update the License Status page, click Refresh. [Table 25](#) describes the information on this page.

Table 25. License Status Column Descriptions

Column	Description
Name	The name of the license.
Activated	The state of license activation (true or false).
In Use	The state of license utilization (true or false).
Expired	The state of license expiration (true or false).
Maintenance Expires	Date and time that the maintenance expires.


Note: To view which features are supported by a license, use the Vantage Management Console as described in [Viewing Vantage Licenses](#).

Displaying Vantage Release and Patch Status

The Release and Patch Status page shows information about the software plug-in modules used by each Vantage service. If you are troubleshooting a problem with Telestream Technical Support, you might be asked to use this page to collect information about your domain software.

To display the Vantage release and patch status, select Administration > Vantage Release & Patch Status. Vantage displays the page shown in [Figure 81](#).

Figure 81. Release and Patch Status



The default page shows the plug-in modules for the Monitor service. To show the modules for a different service, select a service from the View By Service dropdown list. To refresh the list, click Refresh. [Table 26](#) describes the information on this page.

Table 26. Vantage Release and Patch Status Information

Column	Description
Name	The name of the plug-in.
Created	The date and time the plug-in was installed.
Version	The plug-in version.

Managing Servers

The following topics describe how you can use Vantage Dashboard to monitor servers in your domain:

- [Displaying Vantage Server Status](#)
- [Enabling and Disabling Vantage Server Maintenance Mode](#)
- [Managing Agility Servers](#)

Displaying Vantage Server Status

Vantage Dashboard provides two pages for viewing server status:

- The Summary Status page, which displays server health information, as well as domain status.
- The Array Statistics page, which displays status and statistics for all servers in an array, as well as service statistics.


The following topics describe the server status information available:

- [Vantage Server Health](#)
- [Array Statistics](#)

Vantage Server Health

The Vantage Server Health panel ([Figure 82](#)) on the Summary Status page displays the percentage of errors for each Vantage server in your domain. To display this panel, select Monitoring > Summary Status.

Figure 82. Vantage Server Health




The bar chart displays the error rate for all servers in the domain. You can hover over a bar in the bar chart to display an exact percentage, and you can use the Chart Type dropdown list to display the services that experienced the errors.

Array Statistics

The Array Statistics panel (Figure 83) on the Array Statistics page displays the percentage of errors for each Vantage server in your domain, as well as the current input queue length and CPU utilization level. To display this panel, select Health > Array Statistics.

Figure 83. Array Statistics



The upper panel on the Array Statistics page displays server statistics. If you select a Vantage server in the upper panel, Vantage Dashboard displays service statistics in the lower panel.

Enabling and Disabling Vantage Server Maintenance Mode

Vantage server maintenance mode places all Vantage services on the selected server in maintenance mode. Place a server in maintenance mode when you want to reconfigure services, delete a license, or make other changes that require Vantage services to be offline.

Note: Server maintenance puts all services in maintenance mode. If you want to shut down individual services, see [Entering and Exiting Service Maintenance Mode](#).

Note: Placing all services in maintenance mode erases the metrics for all services, and this affects the bar graphs for those services.

To enable or disable server maintenance mode, do the following:


1. Select Health > Array Statistics.
2. Select a server in the upper panel.
3. Click Options and select either Enter Maintenance Mode or Exit Maintenance Mode.

Managing Agility Servers

Vantage Dashboard provides a limited control set for monitoring and managing Agility servers. To display the page for managing Agility servers (Figure 84), do the following:

1. Use the Vantage Management Console to select an Agility server as described in [Configuring an Agility ECS Connection](#).
2. Select Health > 3rd Party Devices.

Figure 84. Managing Agility Servers



To update Agility server status, click Refresh.

To reset the Agility server statistics counters for a single worker, select an Agility server, click Options, and select Reset Counter, or right-click an Agility server and select Reset Counter.

To reset the Agility server statistics counters for all servers, click Options, and select Reset All Counters, or right-click an Agility server and select Reset All Counters.

Managing Services

The following topics describe how you can use Vantage Dashboard to manage services:

- [Displaying Service Information](#)
- [Entering and Exiting Service Maintenance Mode](#)
- [Resetting Service Statistics](#)

Displaying Service Information

Vantage Dashboard provides three pages for viewing service status:

- The Service Statistics page, which displays statistics for all services in a domain and also displays individual service statistics for a selected server.
- The Array Statistics page, which displays statistics for all services on a single server.
- The Summary Status page, which displays a pie chart of queued and running actions for individual services, as well as a bar chart of services with errors.

Queued actions are actions that are waiting to be processed. Each Vantage service can be configured to support a maximum number of actions (see [Using the Services Details Panel](#)). If multiple servers support a service, actions for that service are distributed between servers using the load balancing feature (see [Managing Load Balancing](#)). When workflow demand exceeds the configured limits for a service, service actions are queued until the demand for that service drops below the configured limits.

The following topics describe the service status information available:

- [Service Statistics](#)
- [Array Statistics](#)
- [Summary Status](#)

Service Statistics

The Service Statistics page (Figure 85) displays two panels. The upper panel displays cumulative statistics for all services in the domain, and after you select a service in the upper panel, the lower panel displays statistics for that service for all servers in the domain.

To display the Service Statistics page, select Health > Service Statistics.

Figure 85. Service Statistics




Table 27 describes the columns in Cumulative Statistics and Individual Statistics lists.

Table 27. Column Descriptions for Service Statistics Page

Column	Description
Avg. Queue	Displays the average number of actions in the service action queue. Queued actions are actions that are waiting to be processed.
Cur. Queue	Displays the current number of actions in the service action queue.
Load/Target Load	<p>Displays load balancing status.</p> <p>For session-based load balancing, this displays the current number of sessions for this service (Load) and the configured session limit for this service.</p> <p>For cost-based load balancing, this displays the current cost of all active sessions for this service (Load) and the target cost (Target Load) configured for this service.</p> <p>For more information on load balancing, see Managing Load Balancing.</p>
Machine	Lists the servers in the domain that support the selected service.
Passed/Failed	Displays the number of actions that have successfully completed (passed) and failed.
Service	Displays the name of a service that is supported in the domain.
Sessions	Displays the current number of active sessions.
State	Displays the current state of each service, which is either <i>Online</i> or <i>Not all Online</i> . When a service is in maintenance mode, this column displays <i>Not all Online</i> for that service. Note that a service can be in maintenance mode on one server and online on other servers.

Array Statistics

The Array Statistics page (Figure 86) displays two panels. The upper panel displays statistics for all servers in the domain, and after you select a server in the upper panel, the lower panel displays statistics for all the services on the selected server.

To display the Array Statistics page, select Health > Array Statistics.

Figure 86. Array Statistics




Table 28 describes the columns in Array Statistics and Service Statistics lists.

Table 28. Column Descriptions for Array Statistics Page

Column	Description
% of Failures	Displays the error rate for each server in the domain.
Avg. Queue	Displays the average number of actions in the service action queue.
CPU Utilization	Displays the percentage of CPU resources that are currently being used by Vantage services on a server.
Cur. Queue	Displays the current number of actions in the service action queue.


Table 28. Column Descriptions for Array Statistics Page (Continued)

Column	Description
Input Queue Length	Displays the number of queued actions for all services on a Vantage server.
Load/Target Load	<p>Displays load balancing status.</p> <p>For session-based load balancing, this displays the current number of sessions for this service (Load) and the configured session limit for this service.</p> <p>For cost-based load balancing, this displays the current cost of all active sessions for this service (Load) and the target cost (Target Load) configured for this service.</p> <p>For more information on load balancing, see Managing Load Balancing.</p>
Server	Lists the servers in the domain that support the selected service.
Passed/Failed	Displays the number of actions that have successfully completed (passed) and failed.
Service	Displays the name of a service that is supported in the domain.
Sessions	Displays the current number of active sessions.
State	Displays the current state of each service, which is either <i>Online</i> or <i>Maintenance</i> .

Summary Status

The Summary Statistics page ([Figure 87](#)) displays two panels. When an appropriate chart type is selected, the upper panel displays a pie chart that shows the relationship between queued and running actions for one or all services. When an appropriate chart type is selected in the lower panel, this panel displays a bar chart showing the error rate for services with errors.

Figure 87. Summary Status



The following topics describe how to display service status using the Summary Status page:

- [Displaying Action Allocation Across Services](#)
- [Displaying the Queue and Run Status for a Service](#)
- [Displaying the Error Rate for all Services](#)

Displaying Action Allocation Across Services

When the Action Allocation chart type is selected, the Summary Status page shows a pie chart that shows the relative use of all active services (see [Figure 87](#)). You can hover the cursor over any chart segment to see the numerical value for that segment.

To display the Action Allocation chart, do the following:

1. Select Monitoring > Summary Status.


Vantage Dashboard displays the default Summary Statistics page shown in [Figure 78](#).

2. Click Chart Type in the upper pane and select Action Allocation.

Displaying the Queue and Run Status for a Service

The upper pane of the Summary Status page supports pie chart views for Vantage services. When you select a chart type for a specific service, the Summary Status page displays a pie chart that shows the percentage of running and queued actions for a service (see [Figure 88](#)). You can hover the cursor over any chart segment to see the numerical value for that segment. If no chart appears, there are no active or queued actions for that service.

Figure 88. Monitor Service Chart



To display a chart for any service, do the following:

1. Select Monitoring > Summary Status.


Vantage Dashboard displays the default Summary Statistics page shown in [Figure 78](#).

2. Click Chart Type in the upper pane and select a service from the list.

Displaying the Error Rate for all Services

The Vantage Service Health chart (Figure 88) displays the percentage of errors for any domain services that have errors. This display is refreshed when services are restarted.

Figure 89. Service Health



To display the Services Health chart, do the following:

1. Select Monitoring > Summary Status.
Vantage Dashboard displays the default Summary Statistics page shown in Figure 78.
2. Click Chart Type in the lower pane and select Service Health.

Entering and Exiting Service Maintenance Mode

You might want to enter maintenance mode for an individual service to make a configuration change to that service, or to stop using that service on a domain server. After you complete a configuration change, you will need to exit maintenance mode to return the service to operation.

Note: Some configuration changes require that you move all Vantage services in and out of maintenance mode. For instructions on how to do this, see [Enabling and Disabling Vantage Server Maintenance Mode](#).

Note: Placing a service in maintenance mode erases the metrics for that service, and this affects the bar graphs for that service.

You can control maintenance mode for a service on the Service Statistics and Array Statistics pages.

To enter or exit a service using the Service Statistics page, do the following:

1. Select Health > Service Statistics.
2. Select the service to manage in the upper panel.
3. Click Options and select either Enter Maintenance Mode or Exit Maintenance Mode.

To enter or exit a service using the Array Statistics page, do the following:

1. Select Health > Array Statistics.
2. Select a server to manage in the upper panel.
3. Select a service to manage in the lower panel.
4. Click Options and select either Enter Maintenance Mode or Exit Maintenance Mode.

Resetting Service Statistics

You might want to reset service statistics after making a configuration change to your Vantage Domain. When you reset statistics, all cumulative values are reset to zero, which allows you to establish a new baseline for the domain.

You can reset statistics on the Array Statistics and Service Statistics pages.

To reset statistics for one or all services using the Array Statistics page, do the following:

1. Select Health > Array Statistics.
2. Select a server to manage in the upper panel.
3. If you want to reset statistics for a single service, select the service to manage in the lower panel.
4. Click Options in the lower panel and select either of the following:
 - *Clear (Reset) Selected Service Metrics History*—Clears only the metrics history of the service selected.
 - *Clear (Reset) All Service Metrics History*—Clears the metrics history of all the services.


To reset statistics for one or all services using the Service Statistics page, do the following:

1. Select Health > Service Statistics.
2. Select a service to manage in the upper panel.
3. Select a server to manage in the lower panel.
4. If you want to reset statistics for a single service, select the service to manage in the lower panel.
5. Click Options in the lower panel and select either of the following:
 - *Clear (Reset) Selected Service Metrics History*—Clears only the metrics history of the service selected.
 - *Clear (Reset) All Service Metrics History*—Clears the metrics history of all the services.

Managing Jobs

The Domain Job Status page (Figure 90) in Vantage Dashboard allows you to manage jobs throughout the domain.

Figure 90. Domain Job Status



The Domain Job Status page provides a real time view of Vantage workflow jobs, and it provides controls that you can use to manage job processing. The Domain Job Status page displays two lists: the Job Status list and the Actions list.

The Job Status list presents workflow jobs, the state of each job (complete, failed, stopped), and timestamps for job events. Whenever a job is selected, the actions associated with that job are listed in the Actions list at the bottom of the window. The Actions list presents status information for each action and controls for managing the actions.

The following topics describe how to manage the jobs and actions listed on the Domain Job Status page:

- [Paging Through the Job List](#)
- [Filtering Jobs or Actions](#)
- [Highlighting Failed and Stopped Jobs or Actions](#)
- [Displaying Job Error Details](#)
- [Stopping Jobs](#)

- [Restarting Jobs](#)
- [Deleting Jobs](#)
- [Displaying Action Error Details](#)
- [Changing Action Priority](#)
- [Restarting Actions](#)


Paging Through the Job List

You can navigate to any page by clicking the page number or by clicking the forward (right arrow) and previous (left arrow) buttons (see [Figure 91](#)). The arrow buttons with the vertical bars navigate to the first and last pages.

You can also enter the number of jobs to be listed on each page using the page size control shown in [Figure 91](#).

Page adjustments are useful when adjusting performance with large amounts of data. A smaller page size results in less data sent to the browser, but also displays a smaller amount of all the available data.

Figure 91. Job Status List Controls



Page controls

Filtering Jobs or Actions

The filter feature allows you to selectively limit the row entries in the Job Status list or the Actions list based on the contents displayed in one or more columns. After you apply each filter, the list displays only those rows in which the column entries conform to the filter settings. To remove filters and display more entries, you must change the filter settings to display all items.

To display the filters for the Job Status list or the Actions list, click Show Filters (see [Figure 91](#) or [Figure 92](#)). Click Show Filters again to hide the filters.

Figure 92. Actions Panel

Action	State	Progress	Machine	Resource Cost	Created	Updated
Flip	Failed	0%	W-TECHPUBS...	3	10/29/2012 2:25:10 PM	10/29/2012 2:25:10 PM
Flip	Failed	0%	W-TECHPUBS...	3	10/29/2012 2:25:10 PM	10/29/2012 2:25:10 PM
Register	Failed	0%	W-TECHPUBS...	1	10/29/2012 2:25:10 PM	10/29/2012 2:25:10 PM
Watch	Complete	100%	(NA)	1	10/29/2012 2:25:10 PM	10/29/2012 2:25:10 PM

The filter settings fall into three groups, which are listed in [Table 29](#) and described in the following topics:

- [Setting Text Filters](#)
- [Setting State Filters](#)
- [Setting Period Filters](#)

Table 29. Filter Types and Descriptions

Filter	Type	Description
Action	Text	The name of a workflow action.
Category	Text	The category to which the workflow is assigned.
Created	Period	The date and time that an action was created for job processing.
Expires	Period	The date and time that a job expires.
Job	Text	The name of a job, which is usually the ingress filename.
Machine	Text	The name of the domain server that is processing the action.
Progress	Text	The completion percentage for the action.
Resource Cost	Text	The resource cost assigned to the action.
Started	Period	The date and time that a job is started.

Table 29. Filter Types and Descriptions (Continued)

Filter	Type	Description
State	State	The current state of the job or action.
Updated	Period	The date and time of the last status update for the job or action.
Workflow	Text	The workflow that is processing a job.

Setting Text Filters

Text filters allow you to enter text and define a method that defines how the text is applied. For example, you can specify “.wmv” in a Job filter and then select a method to display only rows with that extension or to exclude all jobs with that extension.

[Table 30](#) lists the methods you can use to control text filters.


Table 30. Filter Methods for Text Filters

Method	Description
Contains	Displays only rows in which the column entry contains the specified text.
DoesNotContain	Displays only rows in which the column entry does not contain the specified text.
EqualTo	Displays only rows in which the column entry exactly matches the specified text.
NoFilter	Removes any existing filter entry for this column.
NotEqualTo	Displays only rows in which the column entry does not match the specified text.

To set a text filter, display the filters, type text in the text box above the column you want, click the funnel button to the right of the text box, and select the method for the text filter ([Figure 93](#)).

Note: When you apply a text filter, be sure to enter a value that actually appears in that column. If the filter text does not match any values in the column, the filter might not exclude any rows, or it might exclude all rows, depending on the method selected.

Figure 93. Filter Methods




Setting State Filters

State filters limit the list items to those rows that display a state that is selected in the state list. The default filter selects rows in all states, and displays as *All States*. If you set the filter to display a subset of all states, the filter displays *Custom*.

To set a state filter, display the filters, click the down arrow in the State filter column for the appropriate list, and check or clear the checkboxes for each state (Figure 94).

Figure 94. States Filter Options



Setting Period Filters


Period filters define start and end times for a period of time for which you want to display rows. When a period filter is applied to a column, Vantage Dashboard only displays rows for which the selected column value falls within the defined period.

To specify a period filter, do the following:

1. Display the filters.
2. Select the period filter you want to set.

Vantage Dashboard displays the dialog shown in Figure 95.

Figure 95. Period Filter Dialog



3. Type a date and time in each text box, or use the calendar and clock tools in the window to select the date and time.
4. Click Apply to set the filter, or click Clear to remove the filter.

Highlighting Failed and Stopped Jobs or Actions

Vantage Dashboard provides an option to highlight failed and stopped job or action rows using the color representing its state (red for failed and magenta for stopped). Highlighting can make these jobs more visible in a long list of jobs.

To change the highlighting for the Job Status list or the Actions list, click Highlight State Rows above the appropriate list. Each time you click this control, the highlighting toggles on or off, to the opposite of the previous state.

Displaying Job Error Details

To display error details for a job listed in the Job Status list, select a failed job and click Show Error Details.

Stopping Jobs

To stop a job, do the following:

1. Select Monitoring > Domain Job Status.
2. In the Job Status list, select a job.
3. Click Options and select Stop, or right-click on the job and select Stop.

Restarting Jobs

To restart a job, do the following:

1. Select Monitoring > Domain Job Status.
2. In the Job Status list, select a job.
3. Click Options and select Restart, or right-click on the job and select Restart.

Deleting Jobs

To delete a job, do the following:

1. Select Monitoring > Domain Job Status.
2. In the Job Status list, select a job.
3. Click Options and select Delete, or right-click on the job and select Delete.

Displaying Action Error Details

To display error details for an action listed in the Actions list, select a failed action and click Show Error Details.

Changing Action Priority

Vantage evaluates action priority when multiple actions of the same type are ready for processing. Vantage processes actions with the highest numerical priority value first, and in some cases, Vantage pauses lower priority jobs, processes higher priority jobs, and then finishes processing of the lower priority jobs.

You can change action priority to change the processing order of queued actions. To change the priority of an action, do the following:

1. Select Monitoring > Domain Job Status.
2. In the Job Status list, select a job.
3. In the Actions list, select an action.
4. Select Options > Change Priority, or right-click the action and select Change Priority.
5. Specify a new priority value and click OK.

Restarting Actions

To restart an action, do the following:

1. Select Monitoring > Domain Job Status.
2. In the Job Status list, select a job.
3. In the Actions list, select an action.
4. Click Options and select Restart, or right-click on the action and select Restart.

Removing Vantage Software

The following topics describe how to remove some or all of the Vantage software:

- [Uninstalling Vantage from a Server](#)
- [Uninstalling Vantage from a Workstation](#)
- [Removing Individual Vantage Software Components](#)

Uninstalling Vantage from a Server

Each Vantage server may host some or all of the software components that are removed in the following procedure. If a procedure step removes a software component that is not installed, skip that step.

To completely uninstall Vantage, follow these steps:

1. Log on to the server with a local administrator account.
2. Open the control panel tool to remove programs in your operating system:
 - Windows XP and Windows Server 2003: Control Panel > Add/Remove Programs.
 - Windows Server 2008: Control Panel > Programs > Programs and Features.
3. Select Vantage Workflow Portal and click Remove or Uninstall.
4. Select Vantage Web Applications and click Remove or Uninstall.
5. To uninstall any Vantage update packs that are installed, select each Vantage update pack in reverse sequential order, and click Remove or Uninstall. Perform this step for all installed update packs.
6. To uninstall the Telestream Media Transcode and Analysis engine, follow these steps:
 - a. Select Start > Administrative Tools > Services to display the Services window.
 - b. Right-click and select Stop for the following services: Vantage Analysis service and the Vantage Transcode service.
 - c. In the Control Panel tool to remove programs (see [Step 2](#)), select Telestream Media Transcoding & Analysis and click Remove or Uninstall.
7. In the Control Panel tool to remove programs (see [Step 2](#)), select Vantage and click Remove or Uninstall.

Note: Subsystems (IPP, QuickTime, etc.) that have been installed during Vantage installation are not removed, and Vantage domain data and media you have created is not removed.

8. In the Control Panel tool to remove programs (see [Step 2](#)), select Vantage Domain Database and click Remove or Uninstall.
-

Note: If your domain has a mirrored database server, be sure to disable mirroring, and stop the SQL Server Agent service before proceeding.

9. If Microsoft SQL Server 2008 Express or Standard is installed, do the following:
 - a. Select Microsoft SQL Express or Microsoft SQL Standard and click Remove or Uninstall.
 - b. Click Remove.
 - c. Click OK.
 - d. Select the Vantage instance, and click Next.
 - e. Click Select All, and click Next.
 - f. Click Next.
 - g. Click Remove.
 - h. Click Next.
 - i. Click Close.
 - j. Optional step—Click the refresh button in the Control Panel to update the display, which will clear some of the SQL Server components from the display.
 10. If Microsoft SQL Server 2005 Express or Standard is installed, do the following:
 - a. Select Microsoft SQL Server 2005 and click Remove or Uninstall.
 - b. In the Component Selection dialog, check *Remove SQL Server 2005 instance components*, select VANTAGE: Database Engine, check Workstation Components, and click Next.
 - c. Click Finish.
-

Note: If you are prompted to stop the SQL Server (VANTAGE) service, be sure to do so in the Services control panel, before proceeding by pressing Retry.

Note: If you have multiple instances (SQLEXPRESS and VANTAGE for example), you will need to remove them both.

11. In the Control Panel tool to remove programs (see [Step 2](#)), select Microsoft SQL Server Native Client and click Remove or Uninstall.
-

Note: Uninstalling the database does not delete your Vantage workflows, resources, or transaction history. It leaves your database files intact in [Install_Drive]:\Program Files\Telestream\Vantage\Database. This allows you to re-attach a Vantage domain

database and return Vantage to a previous state when re-installing Vantage or upgrading Vantage.

12. To permanently delete all Vantage files, use Windows Explorer to delete the following directory:

[Install_Drive]:\Program Files (x86)\Telestream\Vantage

For more information on removing Vantage files, see [Removing Vantage Domain Database Files](#).

CAUTION: Deleting these files permanently destroys the Vantage domain configuration, workflows, and history. Make a backup of these files first if you want to preserve this domain.

Uninstalling Vantage from a Workstation

On workstations, the Vantage client programs are the Vantage Management Console and Vantage Workflow Designer. Vantage Workflow Portal (VWP) can also be installed on a workstation.

To completely uninstall Vantage from a workstation, follow these steps:

1. Open the control panel tool to remove programs in your operating system:
 - Windows XP: Control Panel > Add/Remove Programs.
 - Windows 7: Control Panel > Programs and Features > Uninstall Programs.
2. If the Vantage client software is installed, select Vantage Client and click Remove or Uninstall.
3. If VWP is installed, select Vantage Workflow Portal and click Remove or Uninstall.

Removing Individual Vantage Software Components

The following topics describe how to uninstall individual Vantage software components:

- [Uninstalling Vantage Web Applications](#)
- [Uninstalling Vantage Workflow Portal](#)
- [Uninstalling Update Packs](#)
- [Uninstalling the Telestream Media Transcode and Analysis Engine](#)
- [Uninstalling Vantage Services and Clients from a Server](#)
- [Uninstalling the Vantage Domain Database](#)
- [Removing Vantage Domain Database Files](#)

Uninstalling Vantage Web Applications

To uninstall the Web applications from an IIS server, follow these steps:

1. Log on to the server with a local administrator account.
2. Open the control panel tool to remove programs in your operating system:
 - Windows XP and Windows Server 2003: Control Panel > Add/Remove Programs.
 - Windows Server 2008: Control Panel > Programs and Features > Uninstall Programs.
3. Select Vantage Web Applications and click Remove or Uninstall.

Uninstalling Vantage Workflow Portal

Note: Perform these steps on all servers and workstations where Workflow Portal is installed.

To uninstall VWP, follow these steps:

1. Log on to the server with a local administrator account.
2. Open the control panel tool to remove programs in your operating system:
 - Windows XP and Windows Server 2003: Control Panel > Add/Remove Programs.
 - Windows Server 2008: Control Panel > Programs and Features > Uninstall Programs.
3. Select Vantage Workflow Portal and click Remove or Uninstall.

Uninstalling Update Packs

To uninstall any Vantage update packs that are installed, follow these steps:

1. Log on to the server with a local administrator account.
2. Open the control panel tool to remove programs in your operating system:
 - Windows XP and Windows Server 2003: Control Panel > Add/Remove Programs.
 - Windows Server 2008: Control Panel > Programs and Features > Uninstall Programs.
3. Select each Vantage update pack in reverse sequential order and click Remove or Uninstall. Perform this step for all installed update packs.
4. When the update packs have been removed, close the window.

Uninstalling the Telestream Media Transcode and Analysis Engine

To uninstall the Telestream Media Transcode and Analysis engine from a computer, or from each computer in a distributed Vantage domain where the Telestream Media Transcode and Analysis engine was installed, follow these steps:

1. Log on to the server with a local administrator account.
2. Select Start > Administrative Tools > Services to display the Services window.
3. Right-click and select Stop for the following services: Vantage Analysis service and the Vantage Transcode service.
4. Open the control panel tool to remove programs in your operating system:
 - Windows XP and Windows Server 2003: Control Panel > Add/Remove Programs.
 - Windows Server 2008: Control Panel > Programs and Features > Uninstall Programs.
5. Select Telestream Media Transcoding & Analysis and click Remove or Uninstall.

Uninstalling Vantage Services and Clients from a Server

To uninstall Vantage services and client programs, follow these steps:

1. Log on to the server with a local administrator account.
2. Open the control panel tool to remove programs in your operating system:
 - Windows XP and Windows Server 2003: Control Panel > Add/Remove Programs.
 - Windows Server 2008: Control Panel > Programs and Features > Uninstall Programs.
3. Select Vantage and click Remove or Uninstall.

Note: Subsystems (IPP, QuickTime, etc.) that have been installed during Vantage installation are not removed, and Vantage domain data and media you have created is not removed.

Uninstalling the Vantage Domain Database

Note: If your domain has a mirrored database server, be sure to disable mirroring, and stop the SQL Server Agent service before proceeding.

To remove the Vantage domain database, follow these steps:

1. Log on to the server with a local administrator account.
2. Open the control panel tool to remove programs in your operating system:
 - Windows XP and Windows Server 2003: Control Panel > Add/Remove Programs.
 - Windows Server 2008: Control Panel > Programs and Features > Uninstall Programs.
3. Select Vantage Domain Database and click Remove or Uninstall.
4. If Microsoft SQL Server 2005 Express or Standard is installed, do the following:
 - a. Select Microsoft SQL Server 2005 and click Remove or Uninstall.
 - b. In the Component Selection dialog, check *Remove SQL Server 2005 instance components*, select *VANTAGE: Database Engine*, check *Workstation Components*, and click Next.
 - c. Click Finish.

Note: If you are prompted to stop the SQL Server (VANTAGE) service, be sure to do so in the Services control panel, before proceeding by pressing Retry.

Note: If you have multiple instances (SQLEXPRESS and VANTAGE for example), you will need to remove them both.

5. Select Microsoft SQL Server Native Client and click Remove or Uninstall.

Note: Uninstalling the database does not delete your Vantage workflows, resources, or transaction history. It leaves your database files intact in [Install_Drive]:\Program Files\Telestream\Vantage\Database. This allows you to re-attach a Vantage domain database and return Vantage to a previous state when re-installing Vantage or upgrading Vantage.

Removing Vantage Domain Database Files

You should remove the database files only if you plan to perform a clean Vantage installation or if you never want to use this Vantage domain data again and want to destroy it.

To permanently delete the database files, which include all data associated with this Vantage domain, use Windows Explorer to delete the following directory:

[Install_Drive]:\Program Files (x86)\Telestream\Vantage\Database

To permanently delete all Vantage files, use Windows Explorer to delete the following directory:

[Install_Drive]:\Program Files (x86)\Telestream\Vantage

If Vantage is the only Telestream product on the server, use Windows Explorer to delete the following directory:

[Install_Drive]:\Program Files (x86)\Telestream

CAUTION: Deleting these files permanently destroys user-created Vantage domain configuration, workflows, and history. Make a backup of these files first if you want to preserve this domain.

Glossary

action

An *action* is the smallest unit of work that can be specified in a Vantage workflow. Actions are connected together in a workflow to perform a useful task. Each action must be configured to perform its task in the context of the workflow, using an action inspector. Action inspectors are specific to each type of action.

Actions are grouped by functional categories: communication, transcoding, file operations, metadata processing, etc. Each action is defined by the specific task it performs. For example, an email action, or a metadata label/file transformation action.

Actions have limited interdependency, and so, are very flexible. You may impose limitations on actions in a workflow. For example, you might require action B to depend on action A in a Vantage workflow.

Actions—during execution—operate on binders, variables, and states, and they generate an action state when they complete. Actions are executed by Vantage services, which perform the requirements of the action.

action state

The *action state* describes the condition of an action execution in process and after completion.

During execution, an action may be Queued | Paused | In Process | Waiting. After execution, an action's final state may be Success | Ignore | Fail. Certain actions (Decide/Examine/Compare/Identify, for example) allow the user to specify the post-execution state, including Ignore. For all other actions, the post-execution state is set by the service, and is either Success or Fail. These states display in the Vantage Workflow Designer Job Status tab.

Action states are always passed to subsequent actions. The incoming state is tested by the next actions to determine whether or not following actions should execute.

Some actions allow you to specify that an action should execute on a specific state (right-click the action, and select Perform On > Success | Fail | Ignore | Any).

If an action fails, then the next action will inherit the Fail state and (in most cases) will not execute. If one action fails, the entire job fails.

Similarly, if you specify an action to set the Ignore state, the next action will inherit the Ignore state and will also likely not execute. Certain special actions, such as Message,

can be configured to perform on any state (Fail, for example)—this allows workflows to send an email if they detect a failure.

Action states have precedence when an action receives states from multiple incoming actions (a merge of multiple branches):

- If at least one incoming state is Fail, regardless of other incoming states, the action will inherit the Fail state. Fail has precedence over all action states.
- If there is no Fail state, but at least one Success state, then the action will inherit the Success state. Success has precedence over Ignore states.
- If all incoming states are Ignore, the action will inherit the Ignore state. Ignore has lowest precedence of the three states. If an action receives an Ignore state and does not explicitly fail, then it emits a Success state. Otherwise, it emits a Fail state *unless* it is an action which can emit Ignore, and you have configured it to do so.

Agility service

The *Agility service* is the Vantage component which executes the actions relating to Agility job submission and interaction with Agility: Job Profile, and Job XML. Agility features are enabled in Vantage Enterprise Master Control.

All-in-one domain

An all-in-one (single-server) Vantage domain is one in which all server components of Vantage—the Microsoft SQL Server database, all Vantage services, and the optional Vantage Web Applications—are installed and operate on a single computer.

Analysis service

The *Analysis service* is the Vantage component which executes the actions relating to the analysis of content: Examine, Compare, and Identify.

Archive action

An *Archive action*, which is executed by the Staging service, uses the selected archiver (TAR, for example) to convert the selected input file to another format, usually in preparation for copying, moving, or deploying a file to a given system that has special file format requirements.

Associate action

An *Associate action* uses the Monitor service to continually (and at regular periods) poll a target location (a directory, for example) on a device or file system (FTP, network folder, etc.) to discover new files, based on some permutation of the name of the file being processed.

Associate actions can be executed on any action state.

Generally, the Associate action uses the file name of an existing media file or attachment as the basis for discovering new files. For example, if media file *Vantage.mpg* is currently in the workflow, then the Associate action may look for *Vantage.scc*. This behavior can be configured in the Associate action's inspector.

Associate actions begin executing when a job is submitted, and execute until a new file is discovered—subsequent actions do not execute until the file is found. When the new file is discovered, the Associate action makes the file available to the other actions in the workflow.

Configuration is accomplished in the inspector, and is based on the target device/file system being monitored and other requirements.

attachment

An *attachment* is a non-media file that is associated with media during execution of a workflow. For example, an attachment may be an XML file that contains metadata, an SCC caption file, or an STL or PAC subtitle file. An attachment may also be a PDF file, Excel spreadsheet, or Word document, for example. Attachments are identified and processed using nicknames for simplicity. Processing is optional—attachments may be simply passed through a workflow for storage with the processed media and registered in a Vantage catalog.

attachment nickname

An *attachment nickname* is an alias or alternate name that is assigned to an attachment file during Vantage workflow execution. When an attachment file is submitted to a workflow, the actual file name and location is stored in a Vantage binder along with a nickname as defined in the workflow. Within the workflow, all references to a file are by nickname. However, when Vantage needs to access a file, Vantage uses the actual file name and location stored in the binder.

See [media nickname](#) and [nickname](#).

Aurora action

An *Aurora action* uses the Aurora service to enable Vantage workflows to utilize and interact with various QC tests provided by the Digimetrics Aurora software. The tests provide the ability to determine whether a particular input media (specified by nickname) either passes or fails a particular QC check. Each test also generates a report file that may be utilized during later stages of the workflow.

binder

A Vantage binder serves as a scratch pad where all important information for a job is stored. A binder is a Vantage container that contains media file references and metadata labels for a specific job. The binder does not contain media files or attachments; it contains the paths to those files. The binder also contains the media and attachment nicknames that map to each referenced file. The binder tracks all relevant job data until deleted manually or by job expiration policies.

catalog

See [Vantage catalog](#).

Catalog service

The *Catalog service* is the Vantage component that executes the Register and Exist actions.

See [Register action](#) and [Exist action](#).

common actions

Common actions are actions that are implemented in, and executed by, every Vantage service; they are not restricted to a single service.

See [Receive action](#), [Forward action](#), [Decide action](#), [Compute action](#), [Construct action](#), [Synchronize action](#).

Communicate service

The *Communicate service* is the Vantage component that executes the actions relating to electronic messaging.

See [Message action](#), [Notify action](#).

Compare action

A *Compare action* uses the Analysis service to compare media files based on certain metrics (for example, PSNR). These metrics can generally be published as variables or as metadata labels.

Compute action

A *Compute action*, which is implemented in every service, performs various arithmetic and string manipulation functions, permitting you to create and modify values in variables, for use in downstream actions.

Construct action

A *Construct action*, which is implemented in every service, enables you to construct complex strings, paths, and math expressions from literals, variables, and tokens, for use in downstream actions.

Copy action

A *Copy action* is executed by the Transport service and is used to replicate a file from a source target (file system/device and directory) to a destination target (file system/device and directory). It typically performs this task by copying the file to the destination.

Copy actions can be executed on any action state.

database

The term *database* is the common term used to refer to the [Vantage domain database](#), where all specifications for the domain are stored, along with workflows and job history.

Decide action

A *Decide action*, which is implemented in every service, is an action which allows you to explicitly set the action state based upon analysis of variable values at runtime. It is most commonly used to determine whether or not subsequent actions (or actions in a given branch) in a workflow should execute.

When the Decide action is used, the state set by the Decide action is passed to the next action. Typically, more than one Decide action is required to support decision branches. For example, if one branch is for HD media, it will start with a Decide action that will set the state to Success for HD content, or set it to Ignore otherwise; if another branch is for all other media, it will start with a Decide action that performs the opposite behavior.

See [variable](#), [action state](#).

Delete action

A *Delete action* is executed by the Transport service, and is used to permanently remove a file from a source target (file system/device and directory). Delete actions can be executed on any action state.

Deploy action

A *Deploy action* is executed by the Transport service, and is used to save the specified files to a destination outside the Vantage domain. Unlike Delete, Move, or Copy actions, Deploy actions allow multiple files to be operated on simultaneously, and do not maintain a reference to those files in the binder after completion.

Edit Decision List

A Vantage edit decision list (EDL) is a list of clips that will be merged together in a target clip. The list entries specify the start and stop of the clip, and Vantage supports list entries from multiple media files. Vantage operators use Vantage Workflow Portal (VWP) to create EDLs.

Examine action

An *Examine action* uses the Analysis service to evaluate the video and audio of a media file to measure certain characteristics, such as audio loudness, or to detect characteristics, such as the presence and size of curtains. You can configure it to publish metadata or variables containing the results of analysis.

Exist action

An *Exist action* uses the Catalog service, and allows you to determine if a binder of a given name (or name fragment) is present in a specified catalog.

Flip action

A *Flip action* is executed by the Transcode service, and implements the specified codec, which is used to transcode decoded digital baseband media into another media encoding format. The Telestream Media Transcode and Analysis engine performs the transcode on behalf of Vantage.

Forward action

A *Forward action*, which is implemented in every service, forwards a binder and all current variables to another workflow, starting a new job with the target workflow. A Forward action may be added to the end of a workflow, and requires that the target workflow have a Receive action as its first action.

Typically, workflows are created with a Receive action when they are intended for execution by another workflow that immediately precedes this one. This ability to chain workflows enables you to create comprehensive, intelligent run-time switching workflows consisting of smaller workflows used as building blocks.

See [Receive action](#).

Gather action

A *Gather action* is implemented by the Staging service, and collects one or more files from a specified server and directory (and optionally, its subfolders), and brings them into the workflow as attachments. Use of a file matching pattern allows you to select only certain types of files.

hot folder

A *hot folder* is a directory on a server that has been identified as a directory for storing media to be processed by a workflow in Vantage. When the workflow monitor identifies new media in this folder, it is submitted for processing.

inspector

An *inspector* is a series of one or more panels in Vantage Workflow Designer that facilitate the setup and configuration of a given action. Inspectors are unique to each action—for example, configuring a Watch action is very different than configuring a Flip action.

Identify action

An *Identify action* uses the Analysis service to determine certain properties of a media file, such as codec type, video bit rate, or file size. This information can then be published as a metadata labels or variables.

job

A *job* is an execution of a Vantage workflow. Jobs have a state (separate from action states), and jobs are comprised of actions that are executing. Jobs, like actions, may be in-process or they may be complete.

As a job executes, each action may be performed by any service (on any computer) in the Vantage domain that is capable of performing it. The capability of a service to perform a specific job depends on its current operating state, its workload, and its suitability, defined by a [qualification rule](#).

Jobs for a given workflow can be viewed in the Vantage Workflow Designer by selecting the workflow in the Workflow Designer panel and displaying the Job Status tab. Alternatively, all in-process and failed jobs within a Vantage Domain may be viewed in the Status details panel of the Management Console.

Job Profile action

Use the *Job Profile action* (which is executed by the Agility service) to submit jobs to Agility for processing; definition of the job is provided directly in Vantage by configuring the action.

Job XML action

Use the *Job XML action* (which is executed by the Agility service) to submit jobs to Agility for processing; definition of the job is provided in an XML file.

job routing

See [qualification rule](#) and [run on rules](#).

job state

A *job state* is the current condition of a job. Keyword values are Start | Pause | Success | Fail | In Process.

Job Status Views Web Application

The *Vantage Job Status Views Web Application* enables you to view real-time information about jobs in the domain from anywhere on your network with a Web browser. Job

Status Views is installed on a Vantage Web server and is available with the Enterprise Control and Master Control licenses.

label

A *label* or *metadata label* defines a set of metadata by use of name/value pairs associated with content. For example, a spot label may contain Agency, Author, ISCI, and other metadata values; this set of metadata is collectively called a Spot metadata label. Metadata labels are stored in binders with the associated media and attachment files.

Vantage supplies a set of default metadata labels for use in workflows. In addition, you can create and modify labels for your use using the Management Console (Workflow Design Items > Metadata Labels).

license

A Vantage *license* is stored in the Vantage domain database and enables one or more Vantage features within a Vantage domain. Generally, licenses are imported as XML files into the database through the Vantage Management Console.

MediaMate action

A *MediaMate action* is used to provide screen subtitling, by utilizing various subtitling systems from Screen.

media nickname

A *media nickname* is an alias or alternate name that is assigned to a media file during Vantage workflow execution. When a media file is submitted to a workflow, the actual file name and location is stored in a Vantage binder along with a media nickname as defined in the workflow. Within the workflow, all references to a file are by media nickname. However, when Vantage needs to access a file, Vantage uses the actual file name and location stored in the binder.

See [attachment nickname](#) and [nickname](#).

MediaMate action

An *MediaMate action* uses the MediaMate service to enable Vantage workflows to utilize and interact with the Subtitling capabilities of Screen MediaMate. Each subtitling option provides different capabilities that relate to the subtitle process.

Message action

A *Message action* is implemented in the Communicate service and enables you to generate and transmit an electronic Message—an email, for example. A Vantage administrator must configure Vantage to use an SMTP server (Vantage Management Console: Settings & Options > Email) before email can be utilized.

Metadata service

The *Metadata service* is the Vantage component that executes the actions relating to the transformation of metadata between labels, variables, and XML files.

See also [Populate action](#), [Transform action](#).

Monitor service

The *Monitor service* is the Vantage component that executes the actions relating to the discovery of files and starting jobs.

See also [Watch action](#), [Associate action](#).

Move action

A *Move action* is executed by the Transport service, and is used to move a file from a source target (file system/device and directory) to a destination target (file system/device and directory). It typically performs this task by copying the file to the destination, then deleting the source.

Move actions can be executed on any action state.

Multiscreen Flip action

Multiscreen Flip actions are an optional, license feature. Multiscreen Flip actions are executed by the Multiscreen service which only runs on a Lightspeed sever, and implement the specified codec, which is used to encode and package decoded digital baseband media into adaptive rate streaming formats, including Adobe HDS, Apple HLS, Microsoft HSS, and others. Transcoding is performed by the Telestream Media Transcode and Analysis engine on behalf of Vantage.

nickname

A *nickname* is an alias or alternate name that is assigned to a media or attachment file during Vantage workflow execution. When a media or attachment file is submitted to a workflow, the actual file name and location is stored in a Vantage binder along with a nickname as defined in the workflow. Within the workflow, all references to a file are by nickname. However, when Vantage needs to access a file, Vantage uses the actual file name and location stored in the binder.

Nicknames may refer to either media files or attachment files. Certain actions only allow the use of certain nickname types. For example, a Flip action only allows media file nicknames to be used as the inputs and outputs. However, other actions (such as the Move and Copy actions) operate on any type of file and allow the use of any nickname.

See [attachment nickname](#) and [media nickname](#).

Notify action

A *Notify action* is implemented in the Communicate service, and is an action which saves job information to a file, or which interfaces with an external system. You can configure a Notify action to produce an XML file, and you can also use it to invoke a Web service.

origin action

An *origin action* is a specific type of action, which must be used to start a workflow. A workflow without an origin action as its first action is not properly designed, and cannot be activated. The origin actions are Watch and Receive.

Original nickname

The media nickname *Original* is a reserved nickname that is typically assigned to media files in a workflow by the origin action.

See [media nickname](#).

Populate action

A *Populate action* uses the Metadata service to transform data between variables and metadata labels, and publish variable values from the label for use in downstream actions.

Process MMF action

A *Process MMF action* (which is executed by the Agility service) processes an attachment as an MMF file and generates variables from it.

qualification rule

A *qualification rule* influences or controls the routing and execution of actions among Vantage services of the same type in a distributed Vantage domain. Qualification rules can be used to ensure that jobs are routed to services that are best suited for the task. Vantage uses values contained in variables to determine the suitability of a given service to execute the action.

Qualification rules are exclusively based on variables; they are not based on any actual machine analysis. As a result, it is up to the system administrator to correctly set up variables and qualification rules, and apply variables to the appropriate actions to ensure that jobs are routed correctly.

Qualification rules are created and managed in the Vantage Management Console: Services.

See also [run on rules](#).

Receive action

A *Receive action* is an [origin action](#) which is implemented in every service. Receive actions are designed to receive output from other workflows. This output can be automatically submitted from a previous workflow using the Forward action. Output can also be manually submitted by an operator using VWP.

See [Forward action](#).

Register action

A *Register action* uses the Catalog service to place a binder into a Vantage catalog. Register actions can be executed on any action state.

See also [Vantage catalog](#).

resource cost

A *resource cost* is an integer value, implemented in the Vantage Management Console on each action type to specify a relative computer resource consumption value in relation to all other action types. This value enables Vantage to maximize resources and optimize transactions, so that you can tune your Vantage system for the highest possible throughput on your particular hardware.

run on rules

Run on rules are rules that you specify on a given action, to qualify which services have the characteristics that enable them to execute this action. Rules are set up by specifying variables which have been bound to a given Vantage service and values set. After configuration, the action can test each rule by comparing its run time value to the value in the service's copy and determine if there is a match before attempting to execute it.

See also [qualification rule](#).

Staging service

The *Staging service* is the Vantage component which executes [Archive actions](#) and [Gather actions](#).

service

See [Vantage service](#).

Synchronize action

A *Synchronize action*, which is implemented in every service, is a connector action, for the sole purpose of uncluttering workflow connectors. In workflows where there is a many-to-many relationship (for example, 6 Flip actions connect to 6 Deploy actions, which connect to 6 deletes), instead of drawing all six connects from each action, you can simply connect them to a common Synchronize action. There is no inspector for the Synchronize action, because no configuration is required.

Team Management

Team Management is a licensed feature that enables Vantage user access control. By creating specific Vantage users (and optional passwords) in the Vantage Management Console, Vantage administrators can control access to workflows in Vantage Workflow Designer and VWP. The Vantage administrator can also control access to the Vantage Management Console, thus limiting who can configure and control the Vantage domain.

transcode

Transcode means the process of decoding media in one format (MPEG2, for example) down to digital baseband and then encoding it in another media format (MPEG4, for example).

Transcode service

The *Transcode service* is the Vantage component that executes Flip actions—transforming media from one format to another.

See [Flip action](#).

Transform action

A *Transform action* uses the Metadata service to transform metadata between XML files (attachments) and labels. XSL style sheets are used to perform these transformations; style sheets can be managed in the Vantage Management Console: Workflow Design Items > Style Sheets.

Transport service

The *Transport service* is the Vantage component that executes the actions relating to file operations.

See also [Move action](#), [Delete action](#), [Copy action](#), and [Deploy action](#).

Vantage catalog

Similar in concept to the folders in a file system, a Vantage *catalog* is a container that stores binders. *Catalog folders* are subcontainers that organize binders. To access a binder, VWP operators search through the visible catalogs and folders, just as they might sort through folders in a file system.

Vantage domain database

A *Vantage domain database* is a Microsoft SQL Server database which contains all workflows, actions, jobs, binders, licenses, and configuration information for a Vantage domain.

Vantage domain

A *Vantage domain* is a collection of computers, Vantage workflows, actions, Vantage services, jobs, binders, and configuration settings, all known to and interacting with each other, stored in a Vantage domain database. This collection constitutes a Vantage domain. Vantage domains may exist on a single computer or they may be distributed across many computers for durability and scalability.

The name of a Vantage domain is the same as the name of the server that hosts the Vantage domain database.

Multiple Vantage domains may exist on a network, but they are independent entities that do not communicate with each other. They are not bound together and do not share resources or work. The purpose of storing an entire domain in a database is to provide an easy way to create and manage the domain and to provide access to all the details about each resource in the domain to any other resource that needs it.

Vantage EDL nickname

The media nickname *Vantage EDL* is a reserved nickname that is typically assigned to output media files that are created to support the addition of an Edit Decision List in VWP.

See [media nickname](#).

Vantage folder address

A *Vantage folder address* is an alias to a local or remote file folder. You can create and manage Vantage folder addresses in the Vantage Folder Address Book dialog, in Copy and Move actions in Vantage Workflow Designer, and in the Vantage Management Console.

After you create a Vantage folder address, you can specify the destination directory in any workflow simply by selecting the Vantage folder address. Changes to a Vantage folder address—such as updating an IP address or a password—immediately affect all workflows that use that Vantage folder.

Unlike Vantage stores, temporary files that are created during workflow execution are not automatically deleted from Vantage folders according to job expiration settings.

Vantage Management Console

The *Vantage Management Console* enables Vantage system administrators to effectively configure Vantage domains, and scale domains across multiple servers to meet their operating requirements and perform effectively in their environment.

Vantage Proxy nickname

The media nickname *Vantage Proxy* is a reserved nickname that is typically assigned to output media files that are intended for viewing with the media viewers provided in Vantage programs such as VWP and Vantage Management Console.

See [media nickname](#).

Vantage service

The term *Vantage service* refers to the collection of software components in a Vantage domain that implement and execute the actions in a workflow as it executes.

Vantage store

A *Vantage store* is a directory on a Windows file system that stores temporary files. Stores are managed by the Vantage domain for the purpose of centralizing large directories for reading and writing files. Unlike a Vantage folder, temporary files placed in a Vantage store are deleted when the binder is deleted. Vantage stores are generally used to hold temporary files for the duration that a job is executing.

Vantage stores are managed in the Vantage Management Console: Storage. Services that create temporary files, such as the Transcode service, can be configured to use specific stores.

Vantage Thumbnail nickname

The media nickname *Vantage Thumbnail* is a reserved nickname that is typically assigned to output media files that are created to display thumbnail images instead of binder names in Vantage programs such as VWP.

See [media nickname](#).

Vantage Workflow Designer

Vantage Workflow Designer is a client program that enables you to create and edit workflows, activate and deactivate workflows, monitor job status, and review and delete jobs that have completed.

Vantage Workflow Portal

VWP is a client program that features a customizable set of functionality to support various operator-related tasks: selecting media and submitting jobs, updating variables and metadata, forwarding jobs, creating EDL-based jobs, etc.

Customization is implemented in the Vantage Management Console, when Vantage administrators construct the user interface and functionality they want for a given task, then save it. When operators launch VWP, they select the configuration appropriate to the task at hand, and VWP dynamically implements the appropriate user interface from the configuration file.

variable

A *variable* identifies temporary job metadata. Variables have a name (such as *Number of Audio Channels*), a type (such as *Integer Number*) and a default value. Variables values can be set inside a job in a variety of ways: through analysis, through metadata population, in the Watch and Associate actions, as a property of an action, or by a service as it executes an action.

Variables are used by Vantage services and actions to control workflow execution. The majority of parameters in Vantage can be bound (or attached) to variables, allowing the workflow to dynamically update on a job-by-job basis.

For example, a variable may be assigned a value by an Analysis action to determine how many lines of black are at the top of a video frame; a crop filter later in the workflow can bind to that variable, ensuring that every crop in every job is appropriate to the workflow requirements.

Variables in services may be also be used for job routing. For example, an action with a `FibreRequired=TRUE` variable must pass this condition to a service which evaluates the condition to determine if it can successfully perform the action.

Variables can be created in Vantage Management Console (Workflow Design Items > Variables) or in Vantage Workflow Designer, and assigned for use in workflows and services.

Watch action

A *Watch action* is an [origin action](#); it uses the Monitor service to regularly poll a target location (a directory, for example) on a device or file system (FTP, Windows network folder, etc.) to discover new files.

When a new file is discovered, the Watch action submits a job for the workflow which it is part of, for processing the file—typically, a media file.

Web Dashboard

The *Web Dashboard* displays important domain information from anywhere on your network in a Web browser. The Web Dashboard is installed on the IIS server on your Vantage domain database server. The Web Dashboard is enabled by the Enterprise Control and Master Control licenses.

workflow

A *workflow* in Vantage is a set of actions designed to perform an automated process. Vantage workflows are created using the Vantage Workflow Designer by adding and configuring actions and connecting them together. Workflows are stored in the Vantage domain database, and executed by Vantage services.

Workflow Portal

Short for [Vantage Workflow Portal](#).

Workflow Designer

Short for [Vantage Workflow Designer](#).

Index

Symbols

180

.Net Framework, required versions **42**

Numerics

32 cores, decoding limitations **36**

3rd Party Devices view **284**

64-bit processors, for Windows Server
2003/2008 **34, 36**

A

actions

allocation display **290**

configured in workflows **200**

error details, displaying **300**

exporting action configurations **201**

exporting default settings **200**

importing action configurations **202**

importing default settings **200**

managing **197**

overview **197**

priority, changing **300**

restarting **300**

retry settings, configuring **198**

templates **200**

viewing action configurations **201**

viewing actions for a job **294**

viewing active actions for a server **217**

viewing active actions for a service **217**

viewing active actions in a domain **216**

administrator. *See* Vantage administrator

Agility

HTTP port **159**

resetting counters **285**

status display **284**

aliases for stores **90**

all-in-one Vantage domain

installing **61**

SQL Express guidelines **50**

SQL Standard guidelines **50**

anti-virus software, recommendations **42,**
62, 71

Array Statistics view **288**

ASP.NET registration tool **93**

aspnet_regiis.exe **93**

attachment nicknames

adding **189**

deleting **189**

exporting **189**

for ingest workflows **249**

importing **189**

managing **187**

overview **188**

viewing **188**

attachments, managing in binder **211**

authorization settings

adding **156**

deleting **157**

displaying **156**

exporting **157**

importing **157**

modifying **157**

overview **154**

refreshing **156**



B

- backing up a domain
 - overview [166](#)
 - procedure [166](#)
- binders
 - attachments
 - adding [211](#)
 - managing [211](#)
 - removing [211](#)
 - renaming [211](#)
 - creating [205](#)
 - delete control for VWP [249](#)
 - deleting [205](#)
 - expiration policy configuration [208](#)
 - filtering control for VWP [250](#)
 - media file reference
 - adding [209](#)
 - removing [209](#)
 - renaming [210](#)
 - media files
 - managing [208](#)
 - previewing [210](#)
 - metadata labels
 - adding [210](#)
 - managing [210](#)
 - modifying [211](#)
 - removing [211](#)
 - overview [203](#)
 - renaming [208](#)
 - submitting [206](#)
 - viewing [204](#)
- block size
 - for Vantage folders [136](#)
 - for Vantage stores [131](#)
- Browse Catalogs mode [242, 243](#)
- Browse Windows Network mode [245](#)
- browsers, recommended [270](#)

C

- catalog folders
 - creating [214](#)
 - deleting [214](#)
 - expiration policy [215](#)
- catalogs
 - access control [246](#)
 - creating [214](#)
 - deleting [214](#)

- expiration policy [215](#)
- list control for Workflow Portal [248](#)
- managing [212](#)
- overview [212](#)
- viewing [212](#)
- categories, workflow [176](#)
- CD-ROM installer [53](#)
- Change Log utility in VMC [160](#)
- Chrome, recommended for
 - Dashboard [270](#)
- client programs. *See* Vantage client programs
- components panel [116](#)
- Computer Browser Service, configuration
 - requirement [41](#)
- Copy Binder mode [242](#)
- copyright notice [3](#)
- cost-based load balancing
 - disabling [152](#)
 - enabling [152](#)
 - overview [151](#)
- CPU, minimum requirements [34, 36](#)
- Create Binder mode [244](#)
- Create EDLs from Catalogs mode [244](#)

D

- Dashboard. *See* Vantage Dashboard
- Data Collection utility [159](#)
- database mirroring
 - CAL requirement [52](#)
 - improving availability [52](#)
 - license required for [52](#)
 - system requirements [35](#)
- database selection guidelines [48](#)
- database server, requirements [35](#)
- database. *See* Vantage domain database
- default values
 - SQL database
 - password [69, 99](#)
 - username [69, 99](#)
 - Vantage user
 - name [273](#)
 - password [273](#)
- deleting a configuration [260](#)
- demo mode [56](#)
- DEP configuration requirement [83](#)

- deployment tips **262**
- details panel, VMC **116**
- diagnostics utilities **122**
- disk space requirements **35, 36**
- distributed domain
 - installing **67**
 - planning for **57**
 - SQL Standard guidelines **51**
- Distributed Transaction Coordinator **62, 71**
- domain
 - Microsoft Windows, accessing other domains **155**
 - Vantage. *See* Vantage domain
- dotnet, *see* .Net **42**
- DTC Service, verifying settings **108**
- duplicating a configuration **261**

E

- EDL
 - storage control, VWP **259**
 - VWP tour **262**
- email notifications, configuring **153**
- Error Log utility **162**
- error rate, display for services **292**
- eSellerate, Vantage license validation **81**
- Ethernet, requirements **35, 36**
- expiration of failed jobs, setting **175**
- exporting a configuration **261**

F

- failover, database identification **145**
- Fibre, requirements **35, 36**
- filters
 - managing Dashboard filters **295**
- Firefox, recommended for Dashboard **270**
- firewall guidelines **44**
- folder
 - file system access for Vantage **46**
 - See* Vantage folder
- Forward Binder mode **243**
- forward to workflows, VWP **257**
- FTP, ports used **44**

G

- GigE, requirements **36**
- grid dimensions for VWD **175**
- guidelines
 - database selection **48**
 - SQL Express **49**
 - SQL Express in all-in-one domain **50**
 - SQL Standard **49**
 - SQL Standard in all-in-one domain **50**
 - SQL Standard in distributed domain **51**
 - time synchronization **47**

H

- H.264, 32-core limitation **36**
- help
 - Dashboard, context sensitive **276**
 - HTML format **276**
 - PDF format **276**
 - Telestream Web site **118**
 - VMC program help **117**
 - VMC tool tips **118**
 - VMC, context-sensitive **117**
- highlight extraction, VWP tour **264**
- highlighting failed and stopped jobs **299**
- hostname
 - Agility ECS connection **158**
 - SMTP server **153**
 - Vantage Web Applications **89**
- HTTP 500.19 error **93**
- HTTP port
 - Agility **159**
- HTTP port, Vantage service **146**
- HTTP ports used **43**

I

- IIS server
 - installing Web applications **86**
 - requirements for Web applications **37**
- importing a configuration **261**
- installer software
 - obtaining **53**
 - on CD-ROM **53**
 - overview **54**

installing

- all-in-one domain [61](#)
- distributed domain [67](#)
- Vantage clients on a server [62](#), [71](#)
- Vantage clients on workstations [84](#)
- Vantage domain database [67](#)
- Vantage license [78](#)
- Vantage Management Console
 - servers [62](#)
 - workstations [84](#)
- Vantage services [62](#), [71](#)
- Vantage Transcode and Analysis Engine [62](#), [71](#)
- Vantage updates [65](#), [74](#)
- Vantage Web Applications [86](#)
- Vantage Workflow Designer
 - servers [62](#)
 - workstations [84](#)
- Vantage Workflow Portal [84](#)

instrumentation setting, enabling and disabling [146](#)Internet Explorer 9, recommended for Dashboard [270](#)

IP address

- Agility ECS connection [158](#)
- SMTP server [153](#)
- Vantage server requirements [43](#)

IPP, installing [63](#), [72](#)**J**Job Status Views. *See* Vantage Job Status Views

jobs

- deleting [300](#)
- error details, displaying [299](#)
- expiration controls, setting [175](#)
- failed jobs, highlighting [299](#)
- management [294](#)
- restarting [299](#)
- stopped jobs, highlighting [299](#)
- stopping [299](#)

Llabels. *See* metadata labels

license

- activating offline [79](#)
- adding or replacing a file [56](#)
- deactivating [125](#)
- DEP configuration requirement [83](#)
- installing [78](#)
- obtaining from Telestream [56](#)
- overview [28](#), [55](#)
- removing [125](#)
- requirements for mirror database [52](#)
- troubleshooting [79](#)
- validating via eSellerate [81](#)
- Vantage Array [29](#)
- Vantage Enterprise Control [30](#)
- Vantage Master Control [31](#)
- Vantage Team Management [30](#)
- viewing in Dashboard [279](#)
- viewing in VMC [124](#)
- VWP overview [238](#)
- VWP requirements [29](#)
- VWP session reset [239](#)

load balancing

- cost-based, disabling [152](#)
- cost-based, enabling [152](#)
- examples [152](#)
- overview [150](#)
- session-based [151](#)

log file, configuring [146](#)

log on ID

- setting for Vantage services [105](#)
- Windows services [74](#)

logging in

- Vantage Dashboard [272](#)
- Vantage Management Console [114](#)

logging out

- Vantage Dashboard [275](#)
- Vantage Management Console [119](#)

M

maintenance mode
 server, controlling with
 Dashboard **283**
 server, controlling with VMC **144**
 service, controlling with
 Dashboard **292**
 service, controlling with VMC **143**
 media list, display control for VWP **248**
 media nicknames
 adding **179**
 deleting **180**
 exporting **180**
 finding workflows that use a
 nickname **180**
 for ingest workflows **249**
 importing **180**
 managing **177**
 Original **178**
 overview **178**
 Vantage EDL **178**
 Vantage Proxy **178**
 Vantage Thumbnail **178**
 viewing **179**
 Message action, requires email
 configuration **153**
 metadata labels
 adding **183**
 applications **182**
 deleting **185, 186**
 displaying category names **186**
 duplicating **186**
 exporting **186**
 finding workflows with a specific
 label **187**
 for ingest workflows **249**
 importing **186**
 managing
 in a binder **210**
 in the domain **181**
 modifying **185**
 overview **181**
 parameters
 adding **184**
 copying **185**
 duplicating **185**
 sorting **186**

 viewing with VMC **183**
 VWP controls **253**
 Microsoft SQL Server
 2008 Express
 guidelines for using **49**
 installing **62**
 2008 Standard
 guidelines for using **49**
 installing for distributed
 domain **68, 98**
 Client Access License **52**
 configuration **69, 99**
 ports used **45**
 Vantage SQL instance **54**
 mirror database. *See* database mirroring
 MMX **35, 36**
 monitoring
 3rd Party Devices view **284**
 Array Statistics view **288**
 Service Statistics view **286**
 MPEG2, 32-core limitation **36**

N

network requirements **43**
 nicknames.
 See attachment nicknames
 See media nicknames
 notices, legal **3**

O

operating system requirements
 Vantage client programs **38**
 Vantage services **39**
 Vantage Web Applications **37**
 Original media nickname **178**

P

page size configuration, Dashboard **295**
 paging the job list, Dashboard **295**
 parameters, metadata labels
 adding **184**
 copying **185**
 duplicating **185**

password

- changing
 - with Dashboard [275](#)
 - with VMC [139](#)
- default [273](#)
- logging in
 - Dashboard [273](#)
 - VMC [114](#)
- SMTP server [153](#)
- SQL database
 - changing [145](#)
 - default password [69](#), [99](#), [145](#)
 - logging in [113](#)

patches, installing [65](#), [74](#)

path specifications, Vantage storage [126](#)

Performance Primitives [54](#)

Plug-in Versions utility [164](#)

ports

- Agility, configuring [159](#)
- See also* HTTP ports
- See also* TCP ports
- See also* UDP ports
- SMTP, configuring [153](#)
- used by Vantage [43](#)
- Vantage services, configuring [146](#)

processor, minimum requirements [34](#), [36](#)

Q

qualification rules

- adding to a service [149](#)
- overview [148](#)
- removing from a service [150](#)

queue status display [291](#)

QuickTime

- installing [63](#), [72](#)
- requirements [41](#)

R

RAM, minimum requirements [34](#)

Refresh button [284](#)

refreshing the configuration list [262](#)

restoring a domain

- overview [166](#)
- procedure [167](#)

retry settings, configuring for an action [198](#)

run status display [291](#)

S

Safari 5, recommended for Dashboard [270](#)

saving a configuration [261](#)

Server Health chart [282](#)

server maintenance mode

- controlling with Dashboard [283](#)
- controlling with VMC [144](#)

server. *See* Vantage server

Service Metrics History, resetting [144](#)

service. *See* Vantage service

session limit, Vantage service [145](#)

session-based load balancing [151](#)

SFTP, port used [45](#)

shares, accessing in other Windows domains [155](#)

SMTP port, specifying [153](#)

SMTP server

- hostname configuration [153](#)
- IP address configuration [153](#)
- password [153](#)
- username [153](#)

SQL. *See* Microsoft SQL Server

SSE [35](#), [36](#)

SSE2 [35](#), [36](#)

storage. *See* Vantage storage

store

- adding [128](#)
- adding to a service [147](#)
- aliases for [90](#)
- assigning to service [146](#)
- block size configuration [131](#)
- configuring a service to use [146](#)
- configuring the local store [76](#)
- deleting [132](#)
- deleting from a service [147](#)
- duplicating [132](#)
- exporting [132](#)
- finding related workflows [130](#)
- importing [132](#)
- local store configuration [65](#)
- modifying [129](#)
- online and offline [130](#)
- overview [125](#)
- viewing files in [129](#)

- style sheets
 - adding [195](#)
 - deleting [196](#)
 - displaying [195](#)
 - exporting [196](#)
 - importing [196](#)
 - managing [194](#)
 - overview [194](#)
 - renaming [196](#)

T

- target resource usage [145](#)
- TCP ports
 - used by Vantage [43](#)
 - Vantage service, configuration [146](#)
 - Vantage Web Applications [92](#)
- tech support, data collecting for [159](#)
- Telestream Media Transcode and Analysis engine
 - installing [64](#), [72](#)
 - uninstalling [305](#)
- Telestream, Inc, contacting
 - International distributor support [17](#)
 - product guide comments [17](#)
 - sales and marketing [17](#)
 - technical support [17](#)
 - Vantage Technical Support [17](#)
- Third Party Devices view [284](#)
- time synchronization guidelines [47](#)
- tip messages [117](#)
- tool tips [118](#)
- tours [262](#)
- trademark notice [3](#)
- troubleshooting
 - license installation [79](#)
 - Vantage Web Applications install [93](#)

U

- UDP ports used [43](#)
- uninstalling
 - all Vantage server software [301](#)
 - client software on a server [305](#)
 - client software on a workstation [303](#)
 - services on a server [305](#)
 - subsystems not removed [60](#), [302](#), [305](#)
 - Telestream Media Transcode and Analysis engine [305](#)

- Vantage domain database [306](#)
- Vantage domain database files [306](#)
- Vantage updates [304](#)
- Vantage Web Applications [304](#)
- Vantage Workflow Portal [304](#)
- upgrading Vantage to 4.0 [60](#)
- user
 - See also* Vantage user
 - Vantage Windows account [46](#)
- User Account Control Admin Approval Mode, affect on installers [41](#)
- user management, enabling and disabling [138](#)
- username
 - default Vantage user [273](#)
 - logging in
 - Dashboard [273](#)
 - SQL database [113](#)
 - VMC [114](#)
 - SMTP server, configuring [153](#)
 - SQL database
 - configuring [145](#)
 - default value [69](#), [99](#)
- utilities, diagnostics [122](#)

V

- Vantage
 - .Net Framework requirements [42](#)
 - activating the license offline [79](#)
 - downloading installation software [53](#)
 - overview [19](#)
 - port requirements [43](#)
- Vantage 4.0, upgrading from previous version [60](#)
- Vantage administrator
 - email address for notifications [153](#)
- Vantage Array license [29](#)
- Vantage client programs
 - installer [55](#)
 - installing [84](#)
 - operating system requirements [38](#)
 - overview [23](#)
 - uninstalling from a server [305](#)
 - updating [84](#)

- Vantage Dashboard **299**
 - action
 - error details **300**
 - filters **295**
 - priority, changing **300**
 - restarting **300**
 - deleting jobs **300**
 - display components **274**
 - domain
 - changing **276**
 - status **278**
 - header pane **274**
 - introduction **27**
 - job
 - error details **299**
 - filters **295**
 - restarting **299**
 - stopping **299**
 - license status display **279**
 - logging in **272**
 - logging out **275**
 - menu pane **275**
 - overview **269**
 - password, changing **275**
 - patch status **280**
 - release status **280**
 - server status **282**
 - sorting lists **275**
 - starting **271**
 - time filter **279**
 - version information **276**
 - welcome page **277**
- Vantage demo mode **56**
- Vantage distributed domain
 - installing **67**
 - overview **23**
- Vantage domain
 - all-in-one
 - installation **61**
 - back up
 - overview **166**
 - procedure **166**
 - components **21**
 - connection settings **113**
 - identifying
 - with Dashboard **274**
 - with VMC **115**
 - name **113**
 - overview **112**
 - renaming **168**
 - restore
 - overview **166**
 - procedure **167**
 - selecting
 - with Dashboard **272, 276**
 - with VMC **112, 115**
 - status display in Dashboard **278**
- Vantage domain database
 - configuration guidelines **48**
 - dedicated server
 - guidelines **51**
 - requirements **51**
 - installer **54**
 - installing **67**
 - moving to another database **94**
 - overview **112**
 - password **145**
 - removing files **306**
 - See also* Microsoft SQL Server
 - uninstalling **306**
 - username **145**
- Vantage EDL media nickname **178**
- Vantage Enterprise Control license **30**
- Vantage files, removing all files **307**
- Vantage folder
 - adding **134**
 - block size configuration **136**
 - deleting **136**
 - duplicating **137**
 - exporting **137**
 - finding related workflows **135**
 - importing **137**
 - managing **133**
 - modifying **135**
 - overview **125**
- Vantage Job Status Views
 - access control **232**
 - All Workflows View, enabling and disabling **230**
 - creating a view **231**
 - deleting a view **231**
 - display columns, selecting **233**
 - duplicating a view **231**
 - exporting views **235**
 - importing views **235**

- introduction [26](#), [229](#)
- jobs, selecting for a view [232](#)
- public access [234](#)
- renaming a view [231](#)
- user access [234](#)
- view configuration panel,
 - displaying [230](#)
- view list refresh [235](#)
- workflow, selecting for a view [232](#)
- Vantage Lightspeed server
 - adding to an existing domain [103](#)
- Vantage Management Console
 - File menu [119](#)
 - Help menu [119](#)
 - installing [84](#)
 - introduction [27](#)
 - Options menu [119](#)
 - overview [111](#)
 - starting [112](#)
 - workspace [116](#)
- Vantage Master Control license [31](#)
- Vantage Monitor chart [291](#)
- Vantage patches, installing [65](#), [74](#)
- Vantage Proxy media nickname [178](#)
- Vantage server
 - installation [62](#)
 - maintenance mode, controlling with
 - Dashboard [283](#)
 - VMC [144](#)
 - non-dedicated, performance tips [51](#)
 - renaming [169](#)
 - requirements [34](#)
 - status display in Dashboard [282](#)
 - uninstall all components [301](#)
- Vantage service
 - adding [76](#), [142](#)
 - configuring [144](#)
 - health chart in Dashboard [292](#)
 - HTTP port [146](#)
 - installing [62](#)
 - limits [145](#)
 - log file settings [146](#)
 - log on ID [105](#)
 - logon properties [75](#), [106](#)
 - maintenance mode, controlling with
 - Dashboard [292](#)
 - VMC [143](#)
 - managing
 - with Dashboard [285](#)
 - with VMC [140](#)
 - metrics history
 - clearing [293](#)
 - resetting [144](#)
 - moving to another domain [104](#)
 - operating system requirements [39](#)
 - qualification rules
 - adding [149](#)
 - overview [148](#)
 - removing [150](#)
 - queue status display [291](#)
 - removing [143](#)
 - run status display in Dashboard [291](#)
 - session limit [145](#)
 - statistics view, Dashboard [286](#)
 - status display, Dashboard [285](#)
 - store
 - adding [147](#)
 - configuring [146](#)
 - deleting [147](#)
 - target resource usage [145](#)
 - TCP port [146](#)
 - timeout [146](#)
 - uninstalling [305](#)
 - variables
 - adding [148](#)
 - deleting [148](#)
 - overview [147](#)
 - VMC setup tab options [144](#)
- Vantage Setup installer [54](#)
- Vantage storage
 - managing [127](#)
 - overview [125](#)
 - path specifications [126](#)
 - See also* stores
 - See also* Vantage folders
- Vantage Team Management license [30](#)
- Vantage Thumbnail media nickname [178](#)
- Vantage updates
 - installing [65](#)
 - uninstalling [304](#)

- Vantage user
 - adding [139](#)
 - exporting [140](#)
 - importing [140](#)
 - Job Status Views, access [234](#)
 - managing [137](#)
 - password
 - changing with Dashboard [275](#)
 - changing with VMC [139](#)
 - default [273](#)
 - entry for Dashboard [273](#)
 - entry for VMC [114](#)
 - removing [139](#)
 - user management
 - disabling [138](#)
 - enabling [138](#)
 - username
 - default [273](#)
 - entry for Dashboard [273](#)
 - entry for VMC [114](#)
 - VWP access [259](#)
- Vantage Web Applications
 - installation troubleshooting [93](#)
 - installer [55](#)
 - installing [86](#)
 - operating system requirements [37](#), [38](#)
 - overview [23](#)
 - uninstalling [304](#)
 - upgrading [89](#)
- Vantage Windows user account [46](#)
- Vantage Workflow Designer
 - installing [84](#)
 - overview [25](#)
 - setting grid dimensions [175](#)
 - uninstalling
 - from a server [305](#)
 - from a workstation [303](#)
- Vantage Workflow Portal [260](#), [261](#), [262](#)
 - alias support for Web client [90](#)
 - binder
 - deletion control [249](#)
 - filtering control [250](#)
 - view controls [251](#)
 - catalog access control [246](#)
 - client program overview [26](#)
 - configurations
 - creating [241](#)
 - editing [241](#)
 - ingest workflow [242](#)
 - managing [240](#)
 - network file access [245](#)
 - overview [240](#)
 - EDL storage control [259](#)
 - forward to workflows control [257](#)
 - installer [55](#)
 - installing [84](#)
 - licensing
 - machine-based [238](#)
 - overview [238](#)
 - requirements [29](#)
 - user-based [238](#)
 - media list display control [248](#)
 - metadata label controls [253](#)
 - overview [237](#)
 - sessions
 - resetting [239](#)
 - viewing [239](#)
 - uninstalling [304](#)
 - user access control [259](#)
 - variable controls [255](#)
 - web application overview [26](#)
- VANTAGE, SQL instance name [54](#)
- variables
 - adding [192](#)
 - deleting [192](#)
 - duplicating [193](#)
 - exporting [193](#)
 - finding related workflows [193](#)
 - importing [193](#)
 - managing [190](#)
 - modifying [192](#)
 - overview [190](#)
 - using in services [147](#)
 - viewing [191](#)
 - VWP controls [255](#)
- version
 - Vantage client programs [118](#)
 - Vantage Dashboard [276](#)
- VMC. *See* Vantage Management Console
- VWD. *See* Vantage Workflow Designer
- VWP. *See* Vantage Workflow Portal

W

- warning messages [117](#)
- Web Applications. *See* Vantage Web Applications
- Windows 7, Vantage client support [38](#)
- Windows authentication guidelines [45](#)
- Windows Firewall, recommendations [38](#)
- Windows Installer 4.5 [39](#), [40](#)
- Windows Installer 5.0 [40](#)
- Windows Media Video V9 Advanced Profile (VC1 Advanced Profile) codec [39](#), [40](#)
- Windows Server 2003
 - 64-bit processor recommended [34](#), [36](#)
 - requirements [40](#)
 - Vantage client support [38](#)
 - Vantage service support [39](#)
- Windows Server 2008
 - 64-bit processor recommended [34](#), [36](#)
 - Computer Browser Service requirement [41](#)
 - requirements [40](#)
 - Vantage client support [38](#)
 - Vantage service support [39](#)
 - Web Applications support [38](#)
- Windows services log on ID [74](#)
- Windows Vista, Vantage client support [38](#)
- Windows XP Pro
 - Vantage client support [38](#)
 - Vantage server requirements [39](#)
- workflow categories
 - managing [176](#)
- workflows
 - asset requirements for ingest [249](#)
 - exporting [173](#)
 - finding
 - containing a metadata label [187](#)
 - containing a variable [193](#)
 - importing [173](#)
 - managing with VMC [172](#)
 - opening in VWD from VMC [172](#)
 - refreshing the VMC list [174](#)
 - related to a store [130](#)
 - viewing active workflows [215](#)
 - VMC management overview [171](#)
- workstation, uninstalling Vantage software [303](#)

