



Live Schedule Pro 1.4

Live Schedule Pro Release Notes V1.4 – July 8, 2025

About This Release

These release notes describe the release of the Live Schedule Pro 1.4. Live Schedule Pro 1.4 is compatible with Live Capture 3.6.3 and greater and supports Windows Server 2019 & 2022.

Live Schedule Pro 1.4

- **New** - Telestream_Live_Schedule_Pro_1.4.0.3784.msi

Current versions

- Routemaster 2.8
- Capture 3.7.2.183
- Glim v2.5.0.2620

New Live Schedule Features, Improvements and Fixes in this Release

The following new features and improvements are included in this release:

NOTE: As of Live Schedule Pro 1.2 the Vantage Web Applications are no longer required and users should connect directly to the LSP endpoint using <http://<hostname>:6500>

V1.4 – July 8, 2025

- **New** – Live Schedule Pro Segmented Recordings (SCHD-814) ****Technology Preview****
- **Improvement** - Add "Are you really sure you want to remove domain?" dialog (SCHD-2189)
- **Improvement** - Add the version of Capture in use within the Manage Live Capture Domains UI (SCHD-2164)
- **Improvement** - Add explicit close buttons to additional UI dialogs (SCHD-1807/SCHD-1814)
- **Improvement** - Add icon at the left of TC if Sync Label is enabled (SCHD-1746)
- **Improvement** - Odd UI display when channel pool name is long and there isn't enough space in the channel pool name spot (SCHD-2160)
- **Improvement** - Limit width of license activation UI dialog when there are lots of attached Capture systems (SCHD-2315)
- **Improvement** - Improve use of the time in event names (SCHD-2072)
- **Improvement** - Channel Health Dialog: Dynamic width needed for longer workflow names (SCHD-1987)
- **Improvement** - Ability for the GLIM to reference media generated by a Vantage F64 action (SCHD-1891)
- **Improvement** - Display Capture/Vantage job status after Capture action completes (SCHD-1075)
- **Improvement** - Add an export logs setting to Scheduler (SCHD-452)
- **Improvement** - Allow users to specify which Channels can/can't be used for failover (SCHD-1860)
- **Improvement** - Add option to fail event when "Format Mismatch" is triggered (SCHD-2124)
- **Fixed** – Duplicate Jobs from single event (SCHD-2278)

- **Fixed** – LSP processing events on "Deleted" / Inactive channels (SCHD-2243)
- **Fixed** – Not able to create events in the UI using required metadata labels (SCHD-2226)
- **Fixed** – Live Schedule Pro is sending retried jobs to Vantage when Format Mismatch is triggered (SCHD-2139)
- **Fixed** – Event filter settings not working as intended (SCHD-2102)
- **Fixed** – Webclients in different time zones display incorrect time in web UI after applying DST 1.3.1 upgrade (SCHD-2091)
- **Fixed** – When cloning an event the label parameters aren't cloned (SCHD-2088)
- **Fixed** – LSP show all events in Green with Diagonal Stripes for events that have already finished successfully (SCHD-2016)
- **Fixed** – LSP UI and API not updating fast enough (SCHD-2007)
- **Fixed** – Live Schedule Pro events not being created (SCHD-1899)
- **Fixed** – Channel icon indicating availability for failover doesn't update until page refresh (SCHD-1956)
- **Fixed** – Remove double scroll bars from the Capture domain UI settings (SCHD-2313)
- **Fixed** – Scheduler events aren't marked as failed after machine reboot (SCHD-2211)
- **Fixed** – Preview resolution reported is intermittently incorrect (SCHD-1949)
- **Fixed** – Downstream action errors don't get immediately reported in the audit log or reflected in UI (reported after workflow finishes) (SCHD-1932)
- **Fixed** – Event filter settings not working as intended (SCHD-2102)
- **Fixed** - Webclients in different time zones display incorrect time in web UI after applying DST 1.3.1 upgrade (SCHD-2091)
- **Fixed** - Support fall time changes (SCHD-2089)
- **Fixed** - When cloning an event the label parameters aren't cloned (SCHD-2088)
- **Fixed** - LSP UI and API not updating fast enough (SCHD-2007)
- **Fixed** - Not all Glim links are showing up in LSP (SCHD-1993)
- **Fixed** - Cloning not working when lots of events selected on different Channels (SCHD-1921)
- **Fixed** - Improve ability to remove events that span two days (SCHD-1918)
- **Fixed** - Creating an event on a full Channel Pool and the last Channel at the same time causes conflict (SCHD-1915)
- **Fixed** - Channel pool configuration dialog incorrectly shown when Channels/workflows have long names (SCHD-1906)
- **Fixed** - Recurring events for monthly events are off by one day (SCHD-1903)
- **Fixed** - Unable to update events made prior to altering a Capture workflow to use labels day (SCHD-1901)
- **Fixed** - Color Filter not working as expected (SCHD-1890)
- **Fixed** - When failover performed with the audit log open it doesn't get added until you close the audit log and re-open it expected (SCHD-1889)
- **Fixed** - Unable to copy an event to a Channel when the destination Channel uses the name and label sync setting expected (SCHD-1883)
- **Fixed** - Allow users to specify which Channels can/can't be used for failover (SCHD-1880)
- **Fixed** - Multiple Capture jobs can be kicked off with the retries feature (SCHD-1845)
- **Fixed** - Scheduler attempts to run a job on a system that has been removed as a domain and add incorrect alarm message (SCHD-1823)
- **Fixed** - Don't allow users to close additional dialogs by clicking off the dialog. Users should have to explicitly click the close/cancel/save button(s) (SCHD-1814)
- **Fixed** - Add explicit close buttons to additional UI dialogs (SCHD-1807)
- **Fixed** - Remove event doesn't remove failed Capture Jobs with 1.3 builds (SCHD-1744)
- **Fixed** - When double clicking in a channel group 'swim boulevard' the channel selector should auto select the channel group (SCHD-1698)
- **Known Issue** – Prevent remove domain are you sure dialog from closing without clicking yes/no (SCHD-2361)

- **Known Issue** – Create event dialog allows users to specify time in 24-hour mode when in 12-hour mode (SCHD-2359)
- **Known Issue** – Failover not working with recurring Capture trigger type (SCHD-2356)
- **Known Issue** – Grace period for external servers not working (SCHD-2352)
- **Known Issue** – Glim link not present while content is growing after a retry due to a timeout (SCHD-2351)
- **Known Issue** – Vantage live service fails when Scheduler fails to prevent invalid jobs (SCHD-2349)
- **Known Issue** – Unable to stop a recording event via channel header stop recording button on a channel with no scheduled segmented events (SCHD-2347)
- **Known Issue** – ICM/Channel pool settings don't appear until you refresh the page (SCHD-2346)
- **Known Issue** – UI is sluggish to change events to queued state (SCHD-2343)
- **Known Issue** – Toggling hide/show all channels causes timeline to not display current time (SCHD-2342)
- **Known Issue** – End event time not correctly updated for segmented event (SCHD-2341)
- **Known Issue** – Updating the duration or segment duration of the entire series of a recurring segmented event does not delete old events that were part of segmented event prior to update (SCHD-2340)
- **Known Issue** – ICM Failover not working with Segmented events (SCHD-2335)
- **Known Issue** – Unable to enable the default routing until a user refreshes the page (SCHD-2332)
- **Known Issue** – Creating a new event with lots of Capture systems and existing events causes existing/old events to disappear temporarily (SCHD-2330)
- **Known Issue** – Event start/end times have trailing colon in the event card (SCHD-2329)
- **Known Issue** – API calls sent to UpdateStartedEvent can clear out event metadata if all labels are not specified (SCHD-2325)
- **Known Issue** – Additional event overlap creation information (SCHD-2310)
- **Known Issue** – When route locked by Scheduler and event route is set the event doesn't start (correctly), but the event doesn't get marked as failed (SCHD-2309)
- **Known Issue** – Unable to edit recording jobs from the channel status page by clicking the pen icon (SCHD-2303)
- **Known Issue** – Different status color for indicator below channel source thumbnail when a segment within the overall segmented event isn't running (SCHD-2301)
- **Known Issue** – Updating entire series of recurring segmented events for route only updates segments not yet run (SCHD-2298)
- **Known Issue** – Route change for segmented event causes event edit settings to prevent updates/saves (SCHD-2297)
- **Known Issue** – Recurring Segment trigger type channel does not display error when creating segmented event (SCHD-2295)
- **Known Issue** – Unable to create events longer than 4999 hours on a recurring segment trigger type channel (SCHD-2294)
- **Known Issue** – Scheduler events don't fail when source input doesn't match the restrict input settings from the Capture action (SCHD-2291)
- **Known Issue** – LSP Channel Buttons - center content is not centered (SCHD-2289)
- **Known Issue** – Add warning dialog when user presses stop by the thumbnail preview (SCHD-2288)
- **Known Issue** – When moving long segmented events (year long) the event moves, but the original event remains temporarily before being removed (SCHD-2288)
- **Known Issue** – No warning displayed when very long segmented events are being removed (SCHD-2279)
- **Known Issue** – No log or audit log entries created when route is returned to default route (SCHD-2277)
- **Known Issue** – If a Capture job fails for an event that is scheduled, the default route isn't used until another job runs (SCHD-2276)
- **Known Issue** – Unable to properly remove failed segmented event from UI timeline (SCHD-2275)
- **Known Issue** – Users can dismiss dialog to make changes for the recurring event without clicking cancel (SCHD-2273)
- **Known Issue** – Different browser instances do not display system alarms (SCHD-2270)

- **Known Issue** – Audit log variable/label displays should be read only (SCHD-2269)
- **Known Issue** – Events on channels outside of a pool can failover if the channel was in a pool at time of event creation (SCHD-2267)
- **Known Issue** – Deactivating and Reactivating a workflow while a segmented event is queued on that channel stops the queued event (SCHD-2266)
- **Known Issue** – Inconsistent use of tooltips in the Scheduler general settings (SCHD-2265)
- **Known Issue** – When adding multiple events at the same time you can end up with more scroll bars than required in the labels tab (SCHD-2261)
- **Known Issue** – When ICM is enabled the option to show/hide channels only show options for ICM/Unassigned channels (SCHD-2252)
- **Known Issue** – Cloning segmented recurring event creates new non-segmented event (SCHD-2236)
- **Known Issue** – Calendar does not indicate events which span multiple days (SCHD-2230)
- **Known Issue** – Glim links are displayed for file types that are not open capable during event (SCHD-2227)
- **Known Issue** – Not all entries in the audit log are properly aligned (SCHD-2225)
- **Known Issue** – Prevent invalid combinations of segmented and recurring events (SCHD-2218)
- **Known Issue** – Collision settings not behaving correctly with gang record and crash record options (SCHD-2214)
- **Known Issue** – Could not set protect Locked for route system alarm thrown, but the channel that caused this isn't listed (SCHD-2213)
- **Known Issue** – Updating segmented recurring events doesn't update event colors as expected (SCHD-2210)
- **Known Issue** – Default Channel Route selection may take over a minute with large routing systems (SCHD-2206)
- **Known Issue** – Alarm date format is different than system setting specified (SCHD-2188)
- **Known Issue** – Label parameters that are required by UI aren't required to create the same event via API (SCHD-2187)
- **Known Issue** – Glim link icon intermittently squished in horizontal mode (SCHD-2183)
- **Known Issue** – Audit log cleared if you drag and drop the entire segmented event to a new time on the timeline (SCHD-2169)
- **Known Issue** – Updating the overall duration of a segmented event adds an empty entry log to the audit log (SCHD-2168)
- **Known Issue** – No comprehensive audit log for segmented events log (SCHD-2162)
- **Known Issue** – Channel Status page does not indicate segments are tied together (SCHD-2158)
- **Known Issue** – RouteMaster logs are not included in download logs package (SCHD-2156)
- **Known Issue** – Segment duration not reported for stopped or failed segments (SCHD-2146)
- **Known Issue** – Route not shown for overall segmented event (SCHD-2119)
- **Known Issue** – Audit log for segmented events doesn't show the RecurringEventId (SCHD-2109)
- **Known Issue** – Scrollbars and filters overlap in the route control UI (SCHD-2082)
- **Known Issue** – Blank section in UI timeline at max zoom level (SCHD-2066)
- **Known Issue** – LSP TC box blinking on some channels (SCHD-2065)
- **Known Issue** – Double clicking the overall segmented event does not bring up settings (SCHD-2060)
- **Known Issue** – UpdateStartedEvent endpoint allows updates for segmented event's individual event that is recording (SCHD-2049)
- **Known Issue** – Incorrect warning about changing format for segmented event (SCHD-2034)